



# VISUAL COMMUNICATION & WORKPLACE DESIGN

2021/2022

www.maul.uk



# **»CONTENTS**

#### VISUAL COMMUNICATION

Whiteboards easy2move

21, 32



Whiteboards 21-41

Overview 40-41

Planning boards/

Accessories 48-51

Whiteboards easy2move 21, 32

Wall boards 22-28, 33-36, 39

Folding boards 28, 31, 36, 38

57













A4 AA

A4 A4



- 8

Flipcharts 52-63

Flipcharts 52-63

Overview 63

Accessories

Overview 75

Showcases 84-85

for presentations 64-67

Information boards 68-75



A4



Magnets 88-105

Overview 104-105

Snap frames 86

A-boards 87



000

Whiteboards 21-41

Trend topic: Tomorrow's world of work 152-155

Magnets 88-105



#### WORKPLACE DESIGN



#### FURTHER CATALOGUES



For further products from MAUL, see our "Lighting" and "Office Supplies" catalogues. Simply order your catalogues via **export@maul.de** or download them from www.maul.uk.

# »WHY WE THINK SUSTAINABLY

We have the privilege of living and working in a place surrounded by nature. For over a hundred years, we have been based in the Odenwald and Westerwald. Consequently, we are well aware of what we owe ourselves, our families, society and our partners. For us, appreciation of nature and respect for human beings is the key to responsible trading.

As a fourth-generation family business, we treat things with care and conduct our operations on a sustainable basis. We view the efficient use of resources throughout the entire product life cycle as a self-evident maxim. When you buy a MAUL product, you can rest assured that it was manufactured under socially responsible conditions with minimal environmental impact.

We firmly believe in Germany as a business location and have expanded our production facilities in Zell and Kirchen. We invest and pay taxes here, create and retain apprenticeships and jobs, and actively take responsibility for the future of our region.

For further information, go to **www.maul.uk** and take a look at our Sustainability Brochure.





The River Mümling flows through MAUL's site in Bad König-Zell.



# »WHY WE KNOW OUR TRADE

For generations, we have been manufacturing products in Bad König and Kirchen that simplify day-to-day office tasks – always with a keen eye for detail.

Our specialists in the fields of metal manufacturing, plastics production and electronics work with great care and precision on every single component. As we select the materials and develop the products ourselves, we can guarantee top quality and high-end design. Our intelligent testing processes ensure that all MAUL products conform with high safety standards and are of a consistently high quality.

To find out more, go to www.maul.uk/office/en/info/company/



MAUL light manufacturing in Bad König-Zell





MAUL is an international brand-name company with production facilities at two locations in Germany. Over one thousand innovative products made from plastic and metal are manufactured here. We draw on our ingenuity, experience and flexibility to design and produce a multitude of creative new products. As a result, we are able to add exciting new products to our product range year after year. This innovative capability is evident from our numerous utility models and patents.

The skills of the 190-strong MAUL workforce combined with our enthusiasm for progress and our high-tech in-house production facility are what makes us so good at what we do. We act quickly and flexibly, with a high level of motivation and identification with our work. Our focus is not on short-term solutions, but on good, durable, creative products – in line with our company philosophy, which has proved successful for more than a hundred years.

To find out more, go to www.maul.uk/office/en/info/company/

# »FLIPCHART & CO. IN THE DIGITAL AGE



#### IN THIS INTERVIEW, DIGITISATION MANAGER DANNY HÜBNER TALKS ABOUT THE IMPORTANCE OF DIGITISATION AND WHAT IT MEANS FOR CONVENTIONAL PRESENTATION TOOLS.

#### What changes are being brought about by Industry 4.0?

The way in which we work and manufacture is changing dramatically due to digitisation. Industry 4.0 involves linking industrial production with state-of-the-art information and communication technology in an intelligent way.

The interconnection between digital technologies and automation engineering is making organisational tasks more challenging. Moreover, there is an increasing need for multidisciplinary skills. All participants need to be more closely involved in processes in the interests of coordinating workflows; digital tools provide assistance with this.

#### How much emphasis is there on digitisation at MAUL?

The fact that the position of Chief Digital Officer exists at all is evidence of the high importance attached to digitisation at MAUL. We are convinced that we now need to adopt the right course in order to fully satisfy the needs of our customers along the entire customer journey in the future. This applies not only to the touchpoints with the customers; we also intend to further optimise our in-house processes at the same time.

#### Agility has become a trend. What's the situation there?

For me, that's another prerequisite for a successful future. For a long time now, our CEO Stefan Scharmann has attached high importance to flat hierarchies, short decision-making paths and the distribution of responsibility. That's now helping us master the digital transformation.

In these volatile times, it is important not only to use a digital tool, but also the right working methods. In my view, the crucial factor is finding the right balance between leanness and agility. It's not only the process that matters, but also the output, in other words the product.

#### What digital and analogue tools are available to provide support and which ones do you use at MAUL?

In many cases, especially when introducing agile methods, analogue work tools are the best option. SCRUM, Kanban or creative techniques work better in the early stages when, for example, team tasks are noted on stickers and clearly arranged on a whiteboard in accordance with the Kanban method. This ensures that everyone is informed, focused and able to complete tasks quickly.

At MAUL, we use the best of both worlds: digital tools for organising teams at multiple locations (teleworking), and boards and flipcharts from our own product range for creative meetings.









Varied, well structured, informative and effective on a long-term basis: these attributes are just as important for presentation products as they are for a good moderating technique. We have the right tools to cap-ture ideas and information effectively.

For decades we have been manufacturing all manner of whiteboards in Germany. Every frame, every screw and every type of material has been carefully selected and thoroughly tested by our experts. This, combined with our metal-processing know-how, results in clever, durable boards. We can offer top quality in every price bracket.

# »STURDY DESIGNS, **HIGH-QUALITY MANUFACTURE**



#### SURFACE AND FRAME MAKE ALL THE DIFFERENCE

The art of manufacturing information boards lies in making them sturdy but lightweight. Sturdy so that the board does not become out of shape and the frame does not come off as time goes by. And lightweight so that it can be firmly attached to any wall without difficulty or moved around effortlessly in the form of a mobile board, moderation board or flipchart. The diagram shows how we solve this task in detail.



#### SURFACES

In addition to pinboard, cork, textile and printed surfaces, we have opted for two high-quality whiteboard coatings:

#### Coated steel

This is a robust surface made from high-quality polyester, applied precisely and evenly, and firmly attached to the substrate. The boards are suitable for permanent or frequent use.

#### Enamel coating

Fired at 800°C, enamel is extremely robust and resilient, and even capable of withstanding aggressive cleaning agents. This means that any permanent marker ink used by mistake, along with graffiti and adhesives, can be removed without difficulty. Even when exposed to intense light, enamel remains lightfast, temperature-resistant and extremely durable. That's why we offer a 30-year guarantee on this surface.

#### **BOARD FRAMES**

Generally speaking, whiteboard frames are made from aluminium in the interests of keeping down the weight of the boards. There are three things to be taken into consideration:

- Adequate material thickness: the aluminium must be sturdy enough, as otherwise the frame will become misshapen and buckled with time. We use aluminium with a thickness of at least 0,7 mm, based on the results of our endurance and stress tests.
- Shape of the profiles: the right shape also helps to achieve stability. Our technicians have developed torsion-resistant shapes specially for MAUL to make our boards extra sturdy.
- Firm connection to the board: that's why at MAUL all frames in the Pro and Standard product lines are fastened to the boards with adhesive as well as screws.

Corners and edges also have to be shaped in such a way that there is no risk of injury. All mitred corners on MAUL boards conform with the standards prescribed by the German Federal Agency for Occupational Health and Safety and Occupational Medicine (Bundesagentur für Arbeitsschutz und Arbeitsmedizin - BAuA).

Precision down to the finest detail: cross-section of the aluminium profile for the whiteboard MAULpro

#### SUBSTRATE

Underneath the plastic or enamel coating there is a cleverly designed substrate board, the so-called sandwich. It consists partly of sturdy sheet steel to which the surface material is applied (which is why all MAUL whiteboards are magnetic). Underneath that is a very thin, but dimensionally stable composite material, which in the case of the Pro models, for example, has a honeycomb support core. Pinboards have a durable softwood core that provides a good hold for the pins.

The reverse of the sandwich must be made from the same material as the front (e.g. sheet steel in the case of whiteboards) in order to prevent distortion due to humidity, for example.

# »COMPETENT, CONVENIENT AND SUSTAINABLE



#### MOUNTING

Secure mounting of boards on any type of wall is essential. It is therefore advantageous if the board is light in weight, but nevertheless sturdy. This is particularly true in the case of large boards. A lot of thought has been put into mounting MAUL boards; high-quality fittings are included.

Horizontal mounting creates a harmonious look. In the case of the MAULpro models, the patented excentric fitting is helpful. It allows you to adjust the board by up to 6 mm after hanging.



Easy mounting: the MAULpro board can be adjusted easily by up to 6 mm after hanging with the help of the patented MAUL excenter fitting.



#### SUSTAINABLE DEVELOPMENT AND MANUFACTURING

We rely on quality to achieve long product life – the best possible quality in each price bracket. From the idea right up to recycling, our environmental officers scrutinise the entire board production process for ecological improvement potential. The manufacturing processes are virtually emission-free; manufacturing remnants are collected and recycled. All our synthetics are cadmium-free and classed as unfilled thermoplastics, the most readily recyclable group of plastics. Enamel consists of natural raw materials, has a long service life and is easy to recycle. Materials such as aluminium, steel, plastic, softwood and screws are 98% recyclable. Many components also contain a certain proportion of recycled materials.



# PRECISION DOWN TO THE FINEST DETAIL

We know our trade: metal processing has been our speciality ever since our foundation. This knowhow, along with the specialist knowledge of our developers and toolmakers, has been applied to even the smallest of components. Every screw and roll, every hinge and profile and numerous other small parts are selected with care and undergo stringent testing – because above all it is the strength of the connections that determines the durability of a product.



# **»MULTIPLE APPLICATIONS**









MODERATION CARDS







#### MODERN-DAY WORKING WORLDS

Flexibility and agility are the hallmarks of the modern-day office. Variable room concepts, desk-sharing and rotating teams are standard practice. The work environment needs to be adaptable to different people and tasks. Mobile presentation products are one way of making this possible. Whether you need a brainstorming board in meeting areas, a scrumboard for your next project, a dividing wall between colleagues, or an info board for an entrance or an outdoor meeting: rolling panels, mobile boards and flipcharts are easy to move around and suitable for a wide range of applications.

**RESIDUE-FREE ERASURE** 

**POST-IT STICKERS** 

#### MULTIFUNCTIONAL

Each board can be used in a variety of ways. Take a look at our examples for inspiration. Discover our presentation and moderation accessories starting on pages 64 and 80. Information about the adhesive force and types of magnets can be found on pages 88 and 91.



#### **CLEANING TIPS**

Clean thoroughly before initial use. Use a whiteboard cleaning agent, detergent or a degreasing agent. Depending on frequency of use, clean thoroughly several times a week: first wipe off any whiteboard marker residue with a dry cloth, then wipe the entire surface with whiteboard cleaning agent. The board must be completely dry before being reused. Repeat this process until all marker residue has been removed. This also applies if the text has been left on the board for a long time. Only use dry-wipe marker pens. For more tips, e.g. how to remove permanent marker ink used by accident, go to www.maul.uk/office/en/info/news/

#### **WHITEBOARDS**

# » OUR SERIES

Choose from our 4 function and quality levels.



7

Mobile Information Board

Flipchart

# **»VISUAL COMMUNICATION**



Whiteboard

Mobile Board

Planne



| Size         | PU       |
|--------------|----------|
| 75 x 180 cm  | 1 pc(s). |
| 100 x 180 cm | 1 pc(s). |

## **»VISUAL COMMUNICATION**

#### **WHITEBOARDS**



#### Art. No. 630 85 84: with 4 aluminium magnetic info rails



| • Made in Germany, GS Label (tested security)   |
|---|
| <ul> <li>3-year guarantee, 5 years on the surface if used in a proper way</li> </ul>      |
| • Highest stability: strong silver anodised aluminium frame, thickness approx. 1,3 mm     |
| <ul> <li>Increased magnetic adherence: steel surface on stable candwich kernel</li> </ul> |

- magnetic adherence: steel surface on stable sandwich kernel · Low weight, easy mounting: easy adjustment up to 6 mm after mounting by means of patented MAUL eccentric elements
- Triple use: suitable for magnets, writable and very good dry-wipe

Whiteboard 2000 MAULpro, coated steel

- Landscape or portrait format
- Tough coated steel surface, suitable for permanent work

• The best in terms of stability, functionality and quality

- Wall friendly: air can circulate between wall and board
- Sliding plastic tray
- Can be used as flipchart: economic upgrade with discreet flipchart pad holders (Art.-No. 638 73
- 84)
- Can be recycled to 98%, low emission production in our national plant
- Safe and ecological packaging: shipping box including mounting material
- Colour code refers to the tray • A large choice: many sizes also with cork, structured or textile surfaces available
- Lead time for larger sizes from 120 x 180 cm: on demand



|   | Item   | Colours | Size         | PU       |
|---|--------|---------|--------------|----------|
| _ | 630 10 | 84 grey | 45 x 60 cm   | 1 pc(s). |
|   | 630 16 | 84 grey | 60 x 90 cm   | 1 pc(s). |
|   | 630 28 | 84 grey | 90 x 120 cm  | 1 pc(s). |
|   | 630 40 | 84 grey | 90 x 180 cm  | 1 pc(s). |
|   | 630 46 | 84 grey | 100 x 150 cm | 1 pc(s). |
|   | 630 58 | 84 grey | 100 x 200 cm | 1 pc(s). |
|   | 630 51 | 84 grey | 120 x 180 cm | 1 pc(s). |
|   | 630 85 | 84 grey | 90 x 120 cm  | 1 set(s) |
| - | 630 53 | 84 grey | 120 x 240 cm | 1 pc(s). |
| - | 630 55 | 84 grey | 120 x 300 cm | 1 pc(s). |

#### » OUR BEST: WHITEBOARD 2000 MAULPRO



#### **WHITEBOARDS**







| Item   | Colours | Size         | PU       |
|--------|---------|--------------|----------|
| 630 17 | 84 grey | 60 x 90 cm   | 1 pc(s). |
| 630 29 | 84 grey | 90 x 120 cm  | 1 pc(s). |
| 630 41 | 84 grey | 90 x 180 cm  | 1 pc(s). |
| 630 47 | 84 grey | 100 x 150 cm | 1 pc(s). |
| 630 59 | 84 grey | 100 x 200 cm | 1 pc(s). |
| 630 52 | 84 grey | 120 x 180 cm | 1 pc(s). |
| 630 54 | 84 grey | 120 x 240 cm | 1 pc(s). |
| 630 56 | 84 grey | 120 x 300 cm | 1 pc(s). |

#### Low weight, easy mounting: easy adjustment up to 6 mm after mounting by means of patented MAUL eccentric elements 1. Screw on mounting element 2. Attach and adjust board



#### Available in diferent surfaces Textile, blue or grey









#### 22



#### Whiteboard 2000 MAULpro, enamel

- The best in terms of stability, functionality and quality
- Enamel surface: extremely scratch resistant, non-wearing and ecologic
- Durable: 30-year guarantee on the surface if used in a proper way
- Made in Germany, GS label (tested security)

· Brilliant: stability of metal combined with the hardness and wear resistance of glass covering · Convenient: easy to clean, resistant against acid and base, protected from oxidation · Low weight, easy mounting: easy adjustment up to 6 mm after mounting by means of patented MAUL eccentric elements

- Triple use: suitable for magnets, writable and very good dry-wipe Landscape or portrait format
- Highest stability: strong silver anodised aluminium frame, thickness approx. 1,3 mm • Increased magnetic adherence: steel surface on stable sandwich kernel
- Wall friendly: air can circulate between wall and board

• Can be used as flipchart: economic upgrade with discreet flipchart pad holders (Art. No. 638 73

- Can be recycled to 98%, low emission production in our national plants • Safe and ecological packaging, shipping box including mounting material
- Colour code refers to tray

Sliding plastic tray

84)

• A large choice: many sizes also with cork, structured or textile surfaces available • Lead time for larger sizes from 120 x 180 cm: on demand









#### **»VISUAL COMMUNICATION**

#### **WHITEBOARDS**









#### Whiteboard 2000 MAULpro, coated steel, complete-set

- The best in terms of stability, functionality and quality
- · Included: 4 markers, magnetic eraser, tray, 10 magnets, flipchart pad holders, flipchart pad (details below)
- Made in Germany, GS Label (tested security)
- 3-year guarantee, 5 years on the surface if used in a proper way
- Highest stability: strong silver anodised aluminium frame, thickness approx. 1,3 mm
- Increased magnetic adherence: steel surface on stable sandwich kernel
- Low weight, easy mounting: easy adjustment up to 6 mm after mounting by means of patented MAUL eccentric elements
- Triple use: suitable for magnets, writable and very good dry-wipe
- Landscape or portrait format
- Tough coated steel surface, suitable for permanent work
- Wall friendly: air can circulate between wall and board
- Included: 4 markers XL in the colours black, red, green and blue, a large magnetic eraser with felt-padding, a tray, 10 facet-edged magnets Ø 30 mm, 5 red and 5 blue; set of two sliding flipchart pad holders, 20-page flipchart pad 36 x 54 cm
- Can be recycled to 98%, low emission production in our national plant
- · Safe and ecological packaging, shipping box including mounting material
- Colour code refers to tray
- GS certificate only valid for the board

| lte | m    | Colours | Size        | PU       |
|-----|------|---------|-------------|----------|
| 63  | 0 92 | 84 grey | 60 x 90 cm  | 1 set(s) |
| 63  | 0 95 | 84 grey | 90 x 120 cm | 1 set(s) |

#### **WHITEBOARDS**

.

Unique suspension

٠





- The best in terms of stability, functionality and quality Discreet and elegant: pleasant white powder coated frame
- White slidable tray
- Made in Germany, GS Label (tested security)
- 3-year guarantee, 5 years on the surface if used in proper way
- · Low weight, easy mounting: easy adjustment up to 6 mm after mounting by means of patented MAUL eccentric elements
- Triple use: suitable for magnets, writable and very good dry-wipe Landscape or portrait format
- Highest stability: strong silver anodised aluminium frame, thickness approx. 1,3 mm
- Increased magnetic adherence: steel surface on stable sandwich kernel • Tough coated steel surface, suitable for permanent work



Colours

- Wall friendly: air can circulate between wall and board
- Can be used as flipchart: economic upgrade with discreet flipchart pad holders (Art.-No. 638 73 84), the writing surface remains free
- Can be recycled to 98%, low emission production in our national plant
- Safe and ecological packaging, shipping box including mounting material



#### Whiteboard 2000 MAULpro, complete-set, silver

- The best in terms of stability, functionality and quality
- Stylish: silver coated surface, silver anodised aluminium frame
- Included: 2 markers, board eraser, tray and 10 magnets (details below)
- Made in Germany, GS Label (tested security) • 3-year guarantee, 5 years on the surface if used in a proper way
- · Low weight, easy mounting: easy adjustment up to 6 mm after mounting by means of patented MAUL eccentric elements
- Triple use: suitable for magnets, writable and very good dry-wipe • Landscape or portrait format

- Tough coated steel surface, suitable for permanent work
- Can be used as flipchart: economic upgrade with discreet flipchart pad holders (Art.-No. 638 73 84), the writing surface remains free
- Included: 2 board markers in black and red, a large magnetic eraser with felt- padding, a tray, 10 mirror-finish spherical magnets in grey

- Colour code refers to tray
- GS certificate only valid for the board

| Item   | Colours | Size        | PU       |
|--------|---------|-------------|----------|
| 631 23 | 84 grey | 60 x 90 cm  | 1 set(s) |
| 631 24 | 84 grey | 90 x 120 cm | 1 set(s) |
| 631 28 | 84 grey | 90 x 180 cm | 1 set(s) |



#### » WHITEBOARDS 2000 MAULPRO

Our environment officers have been examining the production process of the whiteboards in great detail for quite some time to utilise any ecological potential.

The production process runs carbon-neutral; production scrap is collected and recycled. All plastics used are cadmium-free and belong to the unreinforced thermoplastics, the most recycling-friendly group of plastics.

Enamel is made of natural materials and it is very suitable for recycling purposes. When developing products we try to achieve a construction which is suitable for recycling purposes according to the VDI-directives. The materials used, e.g. aluminium, steel, plastic, soft wood or screws have a recycling factor of 98%. In addition many of the parts, e.g. parts of the supports or the steel working surfaces already contain recycled parts.













#### Whiteboard 2000 MAULpro, white, coated steel

| Size        | PU       |
|-------------|----------|
| 60 x 90 cm  | 1 pc(s). |
| 90 x 120 cm | 1 pc(s). |

- Highest stability: strong silver anodised aluminium frame, thickness approx. 1,3 mm
- Increased magnetic adherence: steel surface on stable sandwich kernel
- Wall friendly: air can circulate between wall and board
- Can be recycled to 98%, low emission production in our national plant
- Safe and ecological packaging, shipping box including mounting material

#### **»VISUAL COMMUNICATION**

**WHITEBOARDS** 

۲

Unique suspension

#### **WHITEBOARDS**









#### Endless whiteboard MAULpro, coated steel

- · For unlimited space: can be extended at will with optional extensions modules
- Combinable: also available with enamel coated surface, can be equipped with flipchart pad holders (Art.-No. 638 73 84) • The unique endless whiteboard with frame: stabilized, a lay person is also able to mount it
- well aligned
- · Low weight, easy mounting: easy adjustment up to 6 mm after mounting by means of patented MAUL eccentric elements
- Made in Germany, GS Label (tested security)
- · 3-year guarantee, 5 years on the surface if used in proper way
- Endless: The smallest board is made up of a basic module, the extension modules extend the board in steps of 90 cm (portrait) or 120 cm (landscape)
- Highest stability: strong silver anodised aluminium frame, thickness approx. 1,3 mm
- Stronger magnetic adherence: steel surface on stable sandwich kernel
- Quiet: sandwich kernel technique reduces the noise at work
- Tough coated steel surface, suitable for permanent work
- Triple use: suitable for magnets, writable and very good dry-wipe
- Landscape or portrait format • Includes two sliding trays (with basic module)
- Can be recycled to 98%, low emission production in our national plant
- Safe and ecological packaging, shipping box including mounting material
- Colour code refers to the tray

| Item   | Colours | Format           | Size        | Module          | PU       |
|--------|---------|------------------|-------------|-----------------|----------|
| 633 51 | 84 grey | landscape format | 90 x 120 cm | two end modules | 1 set(s) |
| 633 53 | 84 grey | landscape format | 90 x 120 cm | extension       | 1 pc(s). |
| 633 52 | 84 grey | portrait format  | 120 x 90 cm | two end modules | 1 set(s) |
| 633 54 | 84 grey | portrait format  | 120 x 90 cm | extension       | 1 pc(s). |

#### Flipchart pad holder

• Suitable for whiteboard 2000 MAULpro, mobile information boards MAULpro and endless boards MAULpro

Pieces/PU

1 set(s

2 pcs.

Made in Germany

Item

- Adjustable, suitable for all pad sizes
- Suitable for Whiteboard 2000 MAULpro, Mobile Information Boards MAULpro and Endless Boards MAULpro
- Made in Germany • Adjustable, suitable for all pad sizes

Colours 638 73 84 grey

| CURRANTEE ON IT |
|-----------------|
| 30 YEARS        |
| WAMEL SURFACE   |

#### » ENAMEL- WEAR-RESISTANT & LONG-LASTING

Enamel is our premium-quality surface. Formed at around 800°, it is very hardwearing and durable and can withstand cleaning with strong detergents without incurring damage. Even permanent marker used by accident, graffiti or glue can be removed without problems. The environment is not contaminated: the necessary natural materials are sustainably available in sufficient quantity and enamelled products don't contain any dangerous materials. Enamel surfaces are also light- and heat-resistant and have a long life cycle. Joined together with the MAUL frames they become strong performance premium products.







• Includes two sliding trays (with basic module)

well aligned

- Colour code refers to the tray



| Item   | Colours |
|--------|---------|
| 633 46 | 84 grey |
| 633 48 | 84 grey |
| 633 47 | 84 grey |
| 633 49 | 84 grey |





26



#### Endless whiteboards MAULpro, enamel

• For unlimited space: can be extended at will with optional extensions modules • Enamel surface: extremely scratch resistant, non-wearing and ecologic • The unique endless whiteboard with frame: stabilized, a lay person is also able to mount it

• Durable: 30 years guarantee on the surface if used in proper way • Made in Germany, GS Label (tested security)

· Convenient: easy to clean, resistant against acid and base, protected from oxidation

· Low weight, easy mounting: easy adjustment up to 6 mm after mounting by means of patented MAUL eccentric elements

<sup>,</sup> Combinable: also available with plastic coated surface, can be equipped with flipchart pad holders (Art.-No. 638 73 84)

• Endless: the smallest board is made up of a basic module, the extension modules extend the board in steps of 90 cm (portrait) or 120 cm (landscape)

• Highest stability: strong silver anodised aluminium frame, thickness approx. 1,3 mm

• Stronger magnetic adherence: very thick steel surface on stable sandwich kernel

• Quiet: sandwich kernel technique reduces the noise at work

• Triple use: suitable for magnets, writable and very good dry-wipe

Brilliant: stability of metal combined with the hardness and wear resistance of glass covering

• Can be recycled to 98%, low emission production in our national plant

• Safe and ecological packaging, shipping box including mounting material

| Format           | Size        | Module          | PU       |
|------------------|-------------|-----------------|----------|
| landscape format | 90 x 120 cm | two end modules | 1 set(s) |
| landscape format | 90 x 120 cm | extension       | 1 pc(s). |
| portrait format  | 120 x 90 cm | two end modules | 1 set(s) |
| portrait format  | 120 x 90 cm | extension       | 1 pc(s). |

#### **»VISUAL COMMUNICATION**

#### **WHITEBOARDS**











- A wonder of space: maximum working surface on minimum space, triple surface available
- in comparison to the used wall space
- The best in terms of stability, functionality and quality
- Strong and unlimited stability: massive metal wings hinges made of 3 mm steel
- Made in Germany
- · 3-year guarantee, 5 years on the surface if used in proper way
- · Increased magnetic adherence: steel surface on stable sandwich kernel
- · Low weight, easy mounting: easy adjustment up to 6 mm after mounting by means of patented **MAUL eccentric elements**
- Five writable surfaces, 2 opening wings
- Triple use: suitable for magnets, writable and very good dry-wipe
- Clever: metal tray to be pulled down
- When the pen tray is pushed in, the board is closed. Tray is held by means of neodymium magnets
- Tough coated steel surface, suitable for permanent use
- Highest stability: strong silver anodised aluminium frame, thickness approx. 1,3 mm
- Wall friendly: air can circulate between wall and board
- Can be recycled to 98%, low emission production in our national plants
- Safe and ecological packaging, shipping box including • Colour code refers to the colour of the corner joints
- 633 72: Wings 100 x 60 cm each
- 633 70: Wings 100 x 75 cm each

|   | Item   | Colours | Size (opened) | Size (closed) | Writing surface | PU       |
|---|--------|---------|---------------|---------------|-----------------|----------|
|   | 633 72 | 84 grey | 100 x 240 cm  | 100 x 120 cm  | 3,60 m²         | 1 pc(s). |
| 1 | 633 70 | 84 grey | 100 x 300 cm  | 100 x 150 cm  | 4,50 m²         | 1 pc(s). |





98%

- Made in Germany
- 3-year guarantee, 5 years on the surface if used in proper way • Adjustable height in 5 steps: dimensions 75 x 137-200 x 65 cm (portrait), 120 x 140-175 x
- 65 cm (landscape)
- as accessory)

  - Landscape or Portrait format, sliding tray
  - Can be used as A-board or info stand on the lowest step
  - Tough: coated steel surface 75 x 120 cm, suitable for permanent work
  - Quiet: sandwich kernel technique reduces the noise at work • Triple use: suitable for magnets, writable and very good dry-wipe
  - Stable stand: silver powder-coated oval tube construction
  - · Safe: the board lies in two self-securing board holders and is secured on the top by an integrated magnetic system
  - Stronger magnetic adherence: steel surface on stable sandwich kernel
  - Silver anodised aluminium frame, thickness approx. 1,3 mm, firmly screwed

· Colour code refers to corner joints



#### Mobile whiteboard MAULpro, fixed, coated steel

- Made in Germany
- · 3-year guarantee, 5 years on the surface if used in proper way • Free standing board can be moved without effort, large smooth-running lockable twin wheels • Extremely robust: very stable stand, non-wearing surface

- Triple use: suitable for magnets, writable and very good dry-wipe • Can be used as flipchart: economic upgrade with discreet flipchart pad holders (Art.-No. 638 73
- 84)
- Steel surface on stable sandwich kernel • Tough coated steel surface, suitable for permanent work
- Plastic tray, removable and slidable
- Sturdy stand: silver powder-coated construction of oval tubes
- Can be recycled to 98%, low emission production in our national plant
- Safe and ecological packaging, shipping box including
- Colour code refers to the colour of the corner joints

| Item   | Colours |
|--------|---------|
| 633 55 | 84 grey |
| 633 56 | 84 grey |
| 633 57 | 84 grey |
| 633 58 | 84 grey |







MAUL

#### Mobile whiteboard 2000 MAULpro, coated steel

#### • Highest stability for the board and the stand

#### • To be used as flipchart by means of two sliding pad holders (pad Art.-No. 638 78 02 available

#### · Mobile: set of 4 twin wheels included, 2 of them lockable

- Includes 4 foot screws for balance on uneven surfaces
- · Can be recycled to 98%, low emission production in our national plant

| Size        | PU       |
|-------------|----------|
| 120 x 75 cm | 1 pc(s). |

 Convenient: double working surface, whiteboard surface on both sides The best in terms of stability, functionality and quality

• Highest stability: strong silver anodised aluminium frame, thickness approx. 1,3 mm

| Outer dimensions  | Size         | PU       |
|-------------------|--------------|----------|
| 195 x 128 x 65 cm | 100 x 120 cm | 1 pc(s). |
| 195 x 158 x 65 cm | 100 x 150 cm | 1 pc(s). |
| 195 x 188 x 65 cm | 100 x 180 cm | 1 pc(s). |
| 195 x 218 x 65 cm | 100 x 210 cm | 1 pc(s). |

#### **»VISUAL COMMUNICATION**

#### **WHITEBOARDS**



TO YEARS

stable construction

#### Mobile whiteboard MAULpro, revolve, coated steel

- Rotating by 360°, stepless adjustable inclination, safe locking via pivot clamping lever
- The best in terms of stability, functionality and quality
- Made in Germany
- 3-year guarantee, 5 years on the surface if used in proper way
- Extremely robust: very stable stand, non-wearing surface
- Easy to move, large and easy motion lockable twin wheels
- As infoboard, at receptions, canteens, schools or for seminars
- Convenient: double working surface, whiteboard surface on both sides
- Triple use: suitable for magnets, writable and very good dry-wipe
- Can be used as flipchart: economic upgrade with discreet flipchart pad holders (Art.-No. 638 73
- 84) • Steel surface on stable sandwich kernel
- Tough coated steel surface, suitable for permanent work
- Metal tray, safely fixed on two steel bars
- Highest stability: strong silver anodised aluminium frame, thickness approx. 1,3 mm
- Sturdy stand: silver powder-coated construction of oval tubes
- Can be recycled to 98%, low emission production in our national plant
- Safe and ecological packaging, recyclable shipping box including
- Colour code refers to the colour of the corner joints

| Item   | Colours | Outer dimensions  | Size         | PU       |
|--------|---------|-------------------|--------------|----------|
| 633 61 | 84 grey | 195 x 135 x 65 cm | 100 x 120 cm | 1 pc(s). |
| 633 62 | 84 grey | 195 x 165 x 65 cm | 100 x 150 cm | 1 pc(s). |
| 633 63 | 84 grey | 195 x 195 x 65 cm | 100 x 180 cm | 1 pc(s). |
| 633 67 | 84 grey | 195 x 225 x 65 cm | 100 x 210 cm | 1 pc(s). |

#### Mobile whiteboard MAULpro, revolve, enamel

#### • Rotating by 360°, stepless adjustable inclination, safe locking by means of a pivot clamping lever

- Enamelled surface: extremely scratch resistant, wear resistant and ecologic
- The best in terms of stability, functionality and quality
- Made in Germany, 3-year guarantee, 30 years on the surface if properly used
- · Sturdy: very strong stand, wear resistant surface
- Easy to move, large and easy motion lockable twin wheels
- As infoboard, at receptions, canteens, schools or for seminars
- · Advantages of the enamelled surface: solidity and flexibility from the steel sheet combined with the hardness and wear resistance of the glass covering
- Convenient: easy to clean, resistant against acid and base, protected from oxidation
- Triple use: suitable for magnets, writable and very good dry-wipe
- Can be used as flipchart: economic upgrade with discreet flipchart pad holders (Art.-No. 638 73 84)
- Particularly thick steel sheet on stable sandwich kernel
- Metal tray, safely fixed on two steel bars
- Highest stability: strong silver anodised aluminium frame, thickness approx. 1,3 mm
- Strong stand: structure made of silver colour powder coated oval tube
- Can be recycled to 98%, low emission production in our national plant
- Safe and ecological packaging: strong transportation packaging, can be recycled
- The colour code refers to the colour of the corner joints

| Item   | Colours | Outer dimensions  | Size         | PU       |
|--------|---------|-------------------|--------------|----------|
| 633 64 | 84 grey | 195 x 135 x 65 cm | 100 x 120 cm | 1 pc(s). |
| 633 65 | 84 grey | 195 x 165 x 65 cm | 100 x 150 cm | 1 pc(s). |
| 633 66 | 84 grey | 195 x 195 x 65 cm | 100 x 180 cm | 1 pc(s). |
| 633 84 | 84 grey | 195 x 225 x 65 cm | 100 x 210 cm | 1 pc(s). |

#### **WHITEBOARDS**



stable construction

#### Mobile folding board MAULpro, coated steel

- Made in Germany
- 3-year guarantee, 5 years on the surface if used in proper way • The best in terms of stability, functionality and quality • Particularly robust: very strong stand, massive metal wings hinges, large castors Steel surface on stable sandwich kernel

- · Easy to move: large and easy motion lockable twin wheels • Six writable sides, two opening wings • Writing surface 6 m<sup>2</sup>. Board size 100 x 150 cm. Each wing 100 x 75 cm. Outer size, closed, 150
- x 195 x 65 cm
- Triple use: suitable for magnets, writable and very good dry-wipe • Can be used as flipchart: economic upgrade with discreet flipchart pad holders (Art.-No. 638 73
- 84)
- Tough coated steel surface, suitable for permanent use • Safe: neodymium magnets hold the board closed
- Tray for markers and accessories
- Highest stability: strong silver anodised aluminium frame, thickness 1,3 mm, firmly screwed • Sturdy stand: silver powder-coated construction of oval tubes

- Safe and ecological packaging, shipping box including
- ltem 633 81 84 grey





MAUL

#### • A wonder of space: maximum working surface on minimum space

- · Strong with unlimited stability: massive metal wings hinges made of 3 mm steel
- Can by recycled to 98%, low emission production in our national plant
- Colour code refers to the colour of the corner joints

| Size (opened) | Size (closed) | PU       |
|---------------|---------------|----------|
| 100 x 300 cm  | 100 x 150 cm  | 1 pc(s). |

#### **»VISUAL COMMUNICATION**

#### **WHITEBOARDS**



# Mobile whiteboard MAULsolid easy2move, coated

- Clever: slim but high working surface, suits documents in portrait format (e.g. flipchart pad)
- Basic model with an unbeatable price-performance ratio
- Top quality, designed by MAUL
- Robust: resistant working surface, aluminium frame, sturdy base
- Mobile: can easily be moved by one person
- Valuable wherever people work in a creative way: next to the desk, for meetings, at the reception area, in variable space concepts or coworking offices
- Practical: double working surface, whiteboard surface on both sides
- Modern working: supports the most important creative techniques, for brainstormings, as moodboard or for any other visualisation method
- Versatile: can also be used from a sitting position or as a room divider
- Robust: coated steel sheet surface, suitable for frequent work
- Triple use: suitable for magnets, writable and very good dry-wipe
- The frame consists of a hollow-chamber profile, firmly glued
- Steel working surface on stable sandwich kernel
- Sturdy: white lacquered square tube, made of steel
- Twin swivel wheels, two of which are lockable
- Total height 189,4 cm
- Can be recycled to 98%
- From the pro with decade-long experience in whiteboard and metal construction

| Item   | Colours | Size         | PU       |
|--------|---------|--------------|----------|
| 645 52 | 84 grey | 75 x 180 cm  | 1 pc(s). |
| 645 54 | 84 grey | 100 x 180 cm | 1 pc(s). |



#### **WHITEBOARDS**





- Top Quality
- Designed by MAUL Unbeatable price/performance ratio
- Very stable: silver anodised aluminium frame
- Robust: coated steel sheet surface, suitable for frequent work · Low weight: easy to handle and to mount
- Triple use: suitable for magnets, writable and very good dry-wipe • Landscape or portrait format • Elegant: aluminium tray

- Safe and ecological packaging, shipping box with mounting material
- Colour code refers to the corner joints
- Available in several sizes, also with cork and textile surface



| Item   | Colours | Size         | PU       |
|--------|---------|--------------|----------|
| 645 10 | 84 grey | 30 x 45 cm   | 1 pc(s). |
| 645 14 | 84 grey | 45 x 60 cm   | 1 pc(s). |
| 645 18 | 84 grey | 60 x 90 cm   | 1 pc(s). |
| 645 22 | 84 grey | 90 x 120 cm  | 1 pc(s). |
| 645 26 | 84 grey | 100 x 150 cm | 1 pc(s). |
| 645 30 | 84 grey | 90 x 180 cm  | 1 pc(s). |
| 645 34 | 84 grey | 100 x 200 cm | 1 pc(s). |
| 645 36 | 84 grey | 120 x 150 cm | 1 pc(s). |
| 645 38 | 84 grey | 120 x 180 cm | 1 pc(s). |
| 645 40 | 84 grey | 120 x 200 cm | 1 pc(s). |
| 645 42 | 84 grey | 120 x 240 cm | 1 pc(s). |
| 645 46 | 84 grey | 120 x 300 cm | 1 pc(s). |

#### Easy assembly. Mounting material included



#### 2. Screw on the lower wall bracket





#### Board series also available with different pin surfaces:







MAUL

#### Whiteboard MAULstandard, coated steel

- Length of tray 25 cm upto 90 x 120 cm, for larger sizes 50 cm
- Discreet profile in combination with grey corner joints

#### 3. Hook the board at the bottom and top

#### **»VISUAL COMMUNICATION**

#### **WHITEBOARDS**



#### Whiteboard MAULstandard, enamel

- Top quality, unbeatable price/performance ratio
- Designed by MAUL
- Enamel surface: extremely scratch resistant, non-wearing and ecologic
- Durable: 30 years guarantee on the surface if used in proper way
- Brilliant: Stability of metal combined with the hardness and wear resistance of glass covering
- · Convenient: easy to clean surface, resistant against acid and base, protected from oxidation
- Very stable: silver anodised aluminium frame
- Low weight: easy to handle and to mount
- Triple use: suitable for magnets, writable and very good dry-wipe
- Landscape or portrait format
- Elegant: aluminium tray
- Length of tray 25 cm upto 90 x 120 cm, for larger sizes 50 cm
- Discreet profile in combination with grey corner joints
- Safe and ecological packaging, shipping box with mounting material
- Colour code refers to the corner joints
- Available many several sizes, also with cork and textile surface

| Item   | Colours | Size         | PU       |
|--------|---------|--------------|----------|
| 646 10 | 84 grey | 30 x 45 cm   | 1 pc(s). |
| 646 14 | 84 grey | 45 x 60 cm   | 1 pc(s). |
| 646 18 | 84 grey | 60 x 90 cm   | 1 pc(s). |
| 646 22 | 84 grey | 90 x 120 cm  | 1 pc(s). |
| 646 26 | 84 grey | 100 x 150 cm | 1 pc(s). |
| 646 30 | 84 grey | 90 x 180 cm  | 1 pc(s). |
| 646 34 | 84 grey | 100 x 200 cm | 1 pc(s). |
| 646 36 | 84 grey | 120 x 150 cm | 1 pc(s). |
| 646 38 | 84 grey | 120 x 180 cm | 1 pc(s). |
| 646 40 | 84 grey | 120 x 200 cm | 1 pc(s). |
| 646 42 | 84 grey | 120 x 240 cm | 1 pc(s). |
| 646 46 | 84 grey | 120 x 300 cm | 1 pc(s). |







#### Whiteboard MAULstandard, grid 20 x 20 mm

- Top quality
   Designed by MAUL

- · Low weight: easy to handle and to mount
- Landscape or portrait format
- Aluminium tray
- Colour code refers to the corner joints



#### Whiteboard MAULstandard, grid 10 x 10 mm

- Top quality
- Designed by MAUL

- Low weight: easy to handle and to mount
- Landscape or portrait format
- Aluminium tray

- Colour code refers to the corner joints

| <br>Item | Colours | Size         | PU       |
|----------|---------|--------------|----------|
| 646 50   | 84 grey | 60 x 90 cm   | 1 pc(s). |
| 646 54   | 84 grey | 90 x 120 cm  | 1 pc(s). |
| 646 58   | 84 grey | 100 x 150 cm | 1 pc(s). |







• High quality printed grid, grid size 20 x 20 mm • Perfect for the representation of tables, charts, drawings • Very stable: silver anodised aluminium frame • Robust: coated steel sheet surface, suitable for frequent use

• Triple use: suitable for magnets, writable and very good dry-wipe

• Length of tray 25 cm up to 90 x 120 cm, for larger sizes 50 cm • Discreet profile in combination with grey corner joints • Safe and ecological packaging, shipping box with mounting material

| Size         | PU       |
|--------------|----------|
| 60 x 90 cm   | 1 pc(s). |
| 90 x 120 cm  | 1 pc(s). |
| 100 x 150 cm | 1 pc(s). |



• High quality printed grid, grid size 10 x 10 mm, stronger grid lines for grid size 50 x 50 mm • Perfect for the representation of tables, charts, drawings • Very stable: silver anodised aluminium frame Robust: coated steel sheet surface, suitable for frequent use

• Triple use: suitable for magnets, writable and very good dry-wipe

• Length of tray 25 cm up to 90 x 120 cm, for larger sizes 50 cm • Discreet profile in combination with grey corner joints • Safe and ecological packaging, shipping box with mounting material

#### **»VISUAL COMMUNICATION**

#### **WHITEBOARDS** steel available in comparison to the used wall space Designed by MAUL • Top quality: unbeatable price/performance ratio Sturdy: strong hinges • Very stable: frame made of silver anodised aluminium Robust: coated steel sheet surface, suitable for frequent work • Triple use: suitable for magnets, writable and very good dry-wipe • Clever: the tray is fixed on magnetic strips, it can be moved down • When the pen tray is pushed in, the board is closed • Discreet profile combined with grey corner joints • Safe and ecologic packaging: stable transportation packaging, mounting material included Colour code refers to the colour of the corner joints • 645 79: Wing 100 x 60 cm. Three writable surfaces, one opening wing board. • 645 80: Wings 100 x 60 cm each. Five writable surfaces, two opening wing boards • 645 82: Wings 100 x 75 cm each. Five writable surfaces, two opening wing boards 64 \_



# Whiteboard folding board MAULstandard, coated

· A wonder of space: maximum working surface on minimum space up to 3 times the surface

| ltem   | Colours | Size (opened) | Size (closed) | Writing surface     | PU       |
|--------|---------|---------------|---------------|---------------------|----------|
| 645 79 | 84 grey | 100 x 120 cm  | 100 x 60 cm   | 1,80 m <sup>2</sup> | 1 pc(s). |
| 645 80 | 84 grey | 100 x 240 cm  | 100 x 120 cm  | 3,60 m²             | 1 pc(s). |
| 645 82 | 84 grey | 100 x 300 cm  | 100 x 150 cm  | 4,50 m <sup>2</sup> | 1 pc(s). |





Colours

#### Mobile board MAULstandard, revolve, enamel

- lever
- Enamelled surface: extremely scratch resistant, wear resistant and ecologic • Durable: 30-year guarantee on the surface if used in proper way • Top quality designed by MAUL

- Sturdy: very strong stand, wear resistant surface
- Easy to move, 4 large and easy motion lockable twin wheels
- · Advantages of the enamelled surface: solidity and flexibility from the steel sheet combined with the hardness and wear resistance of the glass covering
- · Convenient: easy to clean, resistant against acid and base, protected from oxidation
- Particularly thick steel sheet on stable sandwich kernel
- Triple use: suitable for magnets, writable and very good dry-wipe
- Double working area: whiteboard on both sides
- Metal tray, safely fixed on two steel bars, slidable
- Silver anodised frame with subtle design made of aluminium, with grey corner joints • Strong stand: structure made of silver color powder coated square tube
- Safe and ecological packaging: strong transportation packaging, can be recycled • The colour code refers to the colour of the corner joints

| Item   | Colours | Outer dimensions        | Size         | PU       |
|--------|---------|-------------------------|--------------|----------|
| 646 02 | 84 grey | 189,5 x 135,5 x 55,8 cm | 90 x 120 cm  | 1 pc(s). |
| 646 03 | 84 grey | 194,5 x 165,5 x 55,8 cm | 100 x 150 cm | 1 pc(s). |
| 646 04 | 84 grey | 194,5 x 195,5 x 55,8 cm | 120 x 180 cm | 1 pc(s). |
| 646 05 | 84 grey | 194,5 x 215,5 x 55,8 cm | 100 x 200 cm | 1 pc(s). |
| 646 06 | 84 grey | 194,5 x 235,5 x 55,8 cm | 120 x 220 cm | 1 pc(s). |



#### Mobile board MAULstandard, revolve, coated steel

- The entry model with an unbeatable price/performance ratio
- 360° revolvable, continuously adjustable inclination, safe locking via pivot clamping lever Top guality, designed by MAUL
- · As information board, at the reception, near the time clock, in canteens, schools or at

#### • Stable base frame, hard-wearing surface • Easy to move: 4 smooth-running, large twin wheels with break

- Functional: double working surface, whiteboard surface on both sides
- Triple use: suitable for magnets, writable and very good dry-wipe
- Tough: steel sheet with coated surface, suitable for frequent use
- Metal tray, safely fixed on 2 two steel bars, slidable
- Silver anodised frame with subtle design made of aluminium, with grey corner joints
- Strong: base frame made of lacquered steel square tube
- Safe and ecological packaging: strong transportation packaging, recyclable
- Colour code refers to the colour of the corner joints

| Outer dimensions        | Size         | PU       |
|-------------------------|--------------|----------|
| 189,5 x 135,5 x 55,8 cm | 90 x 120 cm  | 1 pc(s). |
| 194,5 x 165,5 x 55,8 cm | 100 x 150 cm | 1 pc(s). |
| 194,5 x 195,5 x 55,8 cm | 120 x 180 cm | 1 pc(s). |
| 194,5 x 215,5 x 55,8 cm | 100 x 200 cm | 1 pc(s). |
| 194,5 x 235,5 x 55,8 cm | 120 x 220 cm | 1 pc(s). |

#### • Basic model with unbeatable price / quality ratio

- Rotating by 360°, stepless adjustable inclination, safe locking by means of a pivot clamping
- As infoboard, at receptions, canteens, schools or for seminars

#### **»VISUAL COMMUNICATION**

**WHITEBOARDS** 

#### **WHITEBOARDS**



#### Mobile folding board MAULstandard, coated steel

- · A freestanding wonder of space: large working surface on minimum space
- Six writable surfaces, two opening wings
- Designed by MAUL: top quality, unbeatable price/performance ratio
- Sturdy: strong stand made of square steel tube, solid wing hinges
- Easy to move, 4 easy motion lockable twin wheels
- Coated steel sheet surface, suitable for frequent use
- · As infoboard, at receptions, time clocks, canteens, schools or for seminars
- Triple use: suitable for magnets, writable and very good dry whipe
- Silver anodised aluminium frame, with grey corner joints
- Clever: the tray is fixed on magnetic strips, it can be moved down
- When the tray is pushed in, the board is closed
- Grey lacquered base
- Safe and ecological packaging: strong transportation packaging, recyclable
- Colour code refers to the colour of the corner joints
- 645 85: Wings 100 x 60 cm each. External dim., closed 126 x 194 x 56 cm
- 645 86: Wing 100 x 75 cm each. External dim., closed 156 x 194 x 56 cm

| Item   | Colours | Size (opened) | Size (closed) | PU       |
|--------|---------|---------------|---------------|----------|
| 645 85 | 84 grey | 100 x 240 cm  | 100 x 120 cm  | 1 pc(s). |
| 645 86 | 84 grey | 100 x 300 cm  | 100 x 150 cm  | 1 pc(s). |



#### Chalkboard with wooden frame

- Natural and warm: discreet frame made of untreated wood • Low weight: easy to handle and to mount · Includes handing device
- Double use: writable and dry wipe Landscape or portrait format
- Fibre board with special covering
- Writable with normal chalk

| ltem   | Colours | Size       | PU        |
|--------|---------|------------|-----------|
| 252 30 | 70 wood | 30 x 40 cm | 10 pc(s). |
| 252 40 | 70 wood | 40 x 60 cm | 10 pc(s). |
| 252 60 | 70 wood | 60 x 80 cm | 5 pc(s).  |
| 252 61 | 70 wood | 60 x 90 cm | 5 pc(s).  |



# packaging

- Versatile: for appointments, information or notes • Practical: with loop for hanging up • Can be used on both sides • Sturdy frame made of coloured plastic · Handy and easy to store · Lightweight: easy to carry

- Triple use: suitable for magnets, writable and very good dry-wipe Landscape or portrait format
- Coated steel sheet surface

| Item   | Colours             | Size       | PU        |
|--------|---------------------|------------|-----------|
| 628 12 | 99 assorted colours | 24 x 35 cm | 10 pc(s). |
| 628 14 | 99 assorted colours | 28 x 40 cm | 10 pc(s). |





#### Small whiteboard, coated steel, self-service

#### **OVERVIEW WHITEBOARDS**

| Series  | Stars | Surface      | 30 x 45<br>cm | 40 x 60<br>cm | 45 x 60<br>cm | 60 x 90<br>cm | 75 x<br>180 cm | 90 x<br>120 cm | 90 x<br>180 cm | 100 x<br>60 cm |
|---|-------|--------------|---------------|---------------|---------------|---------------|----------------|----------------|----------------|----------------|
| Mobile whiteboard MAULpro easy2move           | ****  | Coated steel |               |               |               |               | 633 94         |                |                |                |
| Whiteboard 2000 MAULpro                       | ****  | Coated steel |               |               | 630 10        | 630 16        |                | 630 28         | 630 40         |                |
| Whiteboard 2000 MAULpro, complete-set plus    | ****  | Coated steel |               |               |               |               |                | 630 85         |                |                |
| Whiteboard 2000 MAULpro                       | ****  | Enamel       |               |               |               | 630 17        |                | 630 29         | 630 41         |                |
| Whiteboard 2000 MAULpro, complete-set         | ****  | Coated steel |               |               |               | 630 92        |                | 630 95         |                |                |
| Whiteboard 2000 MAULpro, white                | ****  | Coated steel |               |               |               | 630 66        |                | 630 68         |                |                |
| Whiteboard 2000 MAULpro, complete-set, silver | ****  | Coated steel |               |               |               | 631 23        |                | 631 24         | 631 28         |                |
| Endless whiteboard MAULpro, basic modules     | ****  | Coated steel |               |               |               |               |                | 633 51         |                |                |
| Endless whiteboard MAULpro, extension         | ****  | Coated steel |               |               |               |               |                | 633 53         |                |                |
| Endless whiteboard MAULpro, basic modules     | ****  | Enamel       |               |               |               |               |                | 633 46         |                |                |
| Endless whiteboard MAULpro, extension         | ****  | Enamel       |               |               |               |               |                | 633 48         |                |                |
| Whiteboard folding board MAULpro              | ****  | Coated steel |               |               |               |               |                |                |                |                |
| Mobile whiteboard 2000 MAULpro                | ****  | Coated steel |               |               |               |               |                |                |                |                |
| Mobile whiteboard MAULpro fixed               | ****  | Coated steel |               |               |               |               |                |                |                |                |
| Mobile whiteboard MAULpro revolve             | ****  | Coated steel |               |               |               |               |                |                |                |                |
| Mobile whiteboard MAULpro revolve             | ****  | Enamel       |               |               |               |               |                |                |                |                |
| Mobile folding board MAULpro                  | ****  | Coated steel |               |               |               |               |                |                |                |                |
| Mobile whiteboard MAULsolid easy2move         | ***   | Coated steel |               |               |               |               | 645 52         |                |                |                |
| Whiteboard MAULstandard                       | ***   | Coated steel | 645 10        |               | 645 14        | 645 18        |                | 645 22         | 645 30         |                |
| Whiteboard MAULstandard                       | ***   | Enamel       | 646 10        |               | 646 14        | 646 18        |                | 646 22         | 646 30         |                |
| Whiteboard MAULstandard, grid 20 x 20 mm      | ***   | Coated steel |               |               |               | 646 52        |                | 646 56         |                |                |
| Whiteboard MAULstandard, grid 10 x 10 mm      | ***   | Coated steel |               |               |               | 646 50        |                | 646 54         |                |                |
| Whiteboard folding board MAULstandard         | ***   | Coated steel |               |               |               |               |                |                |                | 645 79         |
| Mobile whiteboard MAULstandard revolve        | ***   | Coated steel |               |               |               |               |                | 645 92         |                |                |
| Mobile whiteboard MAULstandard revolve        | ***   | Enamel       |               |               |               |               |                | 646 02         |                |                |
| Mobile folding board MAULstandard             | ***   | Coated steel |               |               |               |               |                |                |                |                |

# **»VISUAL COMMUNICATION**

#### **OVERVIEW WHITEBOARDS**

| 100 x<br>120 cm | 100 x<br>150 cm | 100 x<br>180 cm | 100 x<br>200 cm | 100 x<br>210 cm | 120 x<br>75 cm | 120 x<br>90 cm | 120 x<br>150 cm | 120 x<br>180 cm | 120 x<br>200 cm | 120 x<br>220 cm | 120 x<br>240 cm | 120 x<br>300 cm | Accesso-<br>ries | Page |
|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|------------------|------|
|                 |                 | 633 96          |                 |                 |                |                |                 |                 |                 |                 |                 |                 |                  | 21   |
|                 | 630 46          |                 | 630 58          |                 |                |                |                 | 630 51          |                 |                 | 630 53          | 630 55          |                  | 22   |
|                 |                 |                 |                 |                 |                |                |                 |                 |                 |                 |                 |                 | x                | 22   |
|                 | 630 47          |                 | 630 59          |                 |                |                |                 | 630 52          |                 |                 | 630 54          | 630 56          |                  | 23   |
|                 |                 |                 |                 |                 |                |                |                 |                 |                 |                 |                 |                 | x                | 24   |
|                 |                 |                 |                 |                 |                |                |                 |                 |                 |                 |                 |                 |                  | 25   |
|                 |                 |                 |                 |                 |                |                |                 |                 |                 |                 |                 |                 | x                | 25   |
|                 |                 |                 |                 |                 |                | 633 52         |                 |                 |                 |                 |                 |                 |                  | 26   |
|                 |                 |                 |                 |                 |                | 633 54         |                 |                 |                 |                 |                 |                 |                  | 26   |
|                 |                 |                 |                 |                 |                | 633 47         |                 |                 |                 |                 |                 |                 |                  | 27   |
|                 |                 |                 |                 |                 |                | 633 49         |                 |                 |                 |                 |                 |                 |                  | 27   |
| 633 72          | 633 70          |                 |                 |                 |                |                |                 |                 |                 |                 |                 |                 |                  | 28   |
|                 |                 |                 |                 |                 | 637 10         |                |                 |                 |                 |                 |                 |                 | x                | 29   |
| 633 55          | 633 56          | 633 57          |                 | 633 58          |                |                |                 |                 |                 |                 |                 |                 |                  | 29   |
| 633 61          | 633 62          | 633 63          |                 | 633 67          |                |                |                 |                 |                 |                 |                 |                 |                  | 30   |
| 633 64          | 633 65          | 633 66          |                 | 633 84          |                |                |                 |                 |                 |                 |                 |                 |                  | 30   |
|                 | 633 81          |                 |                 |                 |                |                |                 |                 |                 |                 |                 |                 |                  | 31   |
|                 |                 | 645 54          |                 |                 |                |                |                 |                 |                 |                 |                 |                 |                  | 32   |
|                 | 645 26          |                 | 645 34          |                 |                |                | 645 36          | 645 38          | 645 40          |                 | 645 42          | 645 46          |                  | 33   |
|                 | 646 26          |                 | 646 34          |                 |                |                | 646 36          | 646 38          | 646 40          |                 | 646 42          | 646 46          |                  | 34   |
|                 | 646 60          |                 |                 |                 |                |                |                 |                 |                 |                 |                 |                 |                  | 35   |
|                 | 646 58          |                 |                 |                 |                |                |                 |                 |                 |                 |                 |                 |                  | 35   |
| 645 80          | 645 82          |                 |                 |                 |                |                |                 |                 |                 |                 |                 |                 |                  | 36   |
|                 | 645 93          |                 | 645 95          |                 |                |                |                 | 645 94          |                 | 645 96          |                 |                 |                  | 37   |
|                 | 646 03          |                 | 646 05          |                 |                |                |                 | 646 04          |                 | 646 06          |                 |                 |                  | 37   |
| 645 85          | 645 86          |                 |                 |                 |                |                |                 |                 |                 |                 |                 |                 |                  | 38   |

#### MAUL Stars help you to find the right model for your requirements.

If you are looking for the best of the best in terms of functionality, convenience and quality, the five star model is perfect for you. Would you prefer beginner products with a good price-performance ratio? Then take a look at a three star model.

No matter what decision you make in the end:

All MAUL products undergo a technical examination and meet the quality requirements expected of a German brand company.





#### PINBOARDS







629 55 84 grey 629 65 84 grey

84)



Low weight, easy mounting: easy adjustment up to 6 mm after mounting by means of patented MAUL eccentric elements 1. Screw on mounting element 2. Attach and adjust board





Board-series also available with different whiteboard surfaces:

Coated steel or enamel

Silver coated steel







#### Pinboard 2000 MAULpro, cork

The best in terms of stability and quality
Made in Germany, GS Label (tested security), 3-year guarantee Cork with natural finish

• Strong performance: the pins are tightly pinned, self-healing surface for permanent use • Highest stability: strong silver anodised aluminium frame, thickness approx. 1,3 mm • Low weight, easy mounting: easy adjustment up to 6 mm after mounting by means of patented MAUL eccentric elements

• Landscape or portrait format

- Cork surface on 10 mm stable kernel made in sandwich technique
- Wall friendly: air can circulate between wall and board
- Can be used as flipchart: economic upgrade with discreet flipchart pad holders (Art.-No. 638 73

• Can be recycled to 98%, low emission production in our national plant • Safe and ecological packaging: shipping box including mounting material • Also available as whiteboard with coated steel or enamelled surface

| Size         | PU       |
|--------------|----------|
| 60 x 90 cm   | 1 pc(s). |
| 90 x 120 cm  | 1 pc(s). |
| 100 x 150 cm | 1 pc(s). |
| 90 x 180 cm  | 1 pc(s). |



#### White coated steel



#### »VISUAL COMMUNICATION

#### **PINBOARDS**













## 629 44

#### Pinboard 2000 MAULpro, structure

- The best in terms of stability and quality
- Made in Germany, GS Label (tested security), 3-year guarantee
- Convenient: the surface is discreet, dirt is nearly invisible
- $\boldsymbol{\cdot}$  Strong performance: the pins are tightly pinned and ensure a good holding
- Highest stability: strong silver anodised aluminium frame, thickness approx. 1,3 mm
- Low weight, easy mounting: easy adjustment up to 6 mm after mounting by means of patented MAUL eccentric elements
- Landscape or portrait format
- Cork surface on 10 mm stable kernel made in sandwich technique
- Wall friendly: air can circulate between wall and board
- Can be used as flipchart: economic upgrade with discreet flipchart pad holders (Art.-No. 638 73
- 84) • Can be recycled to 98%, low emission production in our national plant
- Safe and ecological packaging: shipping box including mounting material
- Also available as whiteboard with coated steel or enamelled surface
- Colour code refers to the grey corner joints

| Item   | Colours | Size         | PU       |
|--------|---------|--------------|----------|
| 629 38 | 84 grey | 60 x 90 cm   | 1 pc(s). |
| 629 48 | 84 grey | 90 x 120 cm  | 1 pc(s). |
| 629 58 | 84 grey | 100 x 150 cm | 1 pc(s). |
| 629 68 | 84 grey | 90 x 180 cm  | 1 pc(s). |

#### Pinboard 2000 MAULpro, textile

• The best in terms of stability and quality

- Made in Germany, GS Label (tested security), 3-year guarantee
- Wear resistant: pinnable, closely woven textile surface
- Strong performance: the pins are tightly pinned, self-healing surface for permanent use
- Highest stability: strong silver anodised aluminium frame, thickness approx. 1,3 mm
- Low weight, easy mounting: easy adjustment up to 6 mm after mounting by means of patented MAUL eccentric elements

• Landscape or portrait format

- Textile surface on 10 mm stable kernel made in sandwich technique
- Wall friendly: air can circulate between wall and board
- Can be used as flipchart: economic upgrade with discreet flipchart pad holders (Art.-No. 638 73 84)
- Can be recycled to 98%, low emission production in our national plant
- Safe and ecological packaging: shipping box including mounting material
- Also available as whiteboard with coated steel or enamelled surface
- Colour code refers to the rounded corner joints

| Item   | Colours          | Size         | PU       |
|--------|------------------|--------------|----------|
| 629 34 | 84 grey          | 60 x 90 cm   | 1 pc(s). |
| 629 44 | 35 blue, 84 grey | 90 x 120 cm  | 1 pc(s). |
| 629 54 | 35 blue, 84 grey | 100 x 150 cm | 1 pc(s). |
| 629 64 | 84 grey          | 90 x 180 cm  | 1 pc(s). |

#### PINBOARDS





# Item Colours 644 14 84 grey 644 18 84 grey 644 22 84 grey 644 30 84 grey 644 26 84 grey

• Top quality

Designed by MAUL

Landscape or portrait



• Top quality

Designed by MAUL

Landscape or portrait





#### Pinboard MAULstandard, cork

#### Convincing price/performance ratio

- Pinnable cork surface with natural finish
  Very stable: silver anodised aluminium frame
  Low weight: easy to handle and to mount
- Discreet profile in combination with grey corner joints
- Safe and ecological packaging, shipping box including mounting material
- Colour code refers to the corner joints
- Also available as whiteboard with coated steel or enamel surface

| Size         | PU       |
|--------------|----------|
| 45 x 60 cm   | 1 pc(s). |
| 60 x 90 cm   | 1 pc(s). |
| 90 x 120 cm  | 1 pc(s). |
| 90 x 180 cm  | 1 pc(s). |
| 100 x 150 cm | 1 pc(s). |

#### Pinboard MAULstandard, self-service packaging

#### Convincing price/performance ratio

- Pinnable cork surface with natural finish
  Very stable: silver anodised aluminium frame
  Low weight: easy to handle and to mount
- Discreet profile in combination with grey corner joints
  Safe and ecological packaging, shipping box including mounting material
  Colour code refers to the corner joints
  Also available as whiteboard with coated steel or enamelled surface

| Size        | PU       |
|-------------|----------|
|             |          |
| 45 x 60 cm  | 5 pc(s). |
| 60 x 90 cm  | 5 pc(s). |
| 90 x 120 cm | 5 pc(s). |

## **»VISUAL COMMUNICATION**

#### **PINBOARDS**





- Top Quality, modern, fresh colours
- Convincing price/quality
- Designed by MAUL
- Wear resistant: pinnable textile surface of high quality fleece
- Strong performance: the pins are tightly pinned • Very stable: silver anodised aluminium frame
- Low weight: easy to handle and mount
- Landscape or portrait format
- Discreet profile in combination with grey corner joints
- Safe and ecological packing: shipping box including mounting material
- Also available as whiteboard with coated steel or enamel surface

| Item   | Colours                                    | Size        | PU       |
|--------|--|-------------|----------|
| 644 38 | 34 light blue, 35 blue, 43 orange, 84 grey | 60 x 90 cm  | 1 pc(s). |
| 644 42 | 34 light blue, 35 blue, 43 orange, 84 grey | 90 x 120 cm | 1 pc(s). |
| 644 50 | 34 light blue, 35 blue, 43 orange, 84 grey | 90 x 180 cm | 1 pc(s). |







- Top Quality. Convincing price/performance ratio
- 2 in 1 : whiteboard and cork Pinboard. Designed by MAUL • Very stable: silver anodised aluminium frame with middle profile • Low weight: easy to handle and to mount
- Landscape or portrait format
- Whiteboard: triple use: suitable for magnets, writable and very good drywipe. Surface of coated steel sheet, suitable for intensive use
- Pinboard: pinnable cork surface with natural finish
- Discreet profile in combination with grey corner joints
  Safe and ecological packaging, shipping box including mounting material
- Colour code refers to the corner joints

| ltem   | Colours | Size        | PU       |
|--------|---------|-------------|----------|
| 644 54 | 84 grey | 45 x 60 cm  | 1 pc(s). |
| 644 56 | 84 grey | 60 x 90 cm  | 1 pc(s). |
| 644 58 | 84 grey | 90 x 120 cm | 1 pc(s). |

#### Pinboard with wooden frame

• Popular also at home • Pins and mounting material included

• Low weight: easy to handle and to mount

| Item   | Colours | Size        | PU        |
|--------|---------|-------------|-----------|
| 270 30 | 70 wood | 30 x 40 cm  | 10 pc(s). |
| 270 40 | 70 wood | 40 x 60 cm  | 10 pc(s). |
| 270 60 | 70 wood | 60 x 80 cm  | 10 pc(s). |
| 270 61 | 70 wood | 60 x 100 cm | 5 pc(s).  |
| 270 81 | 70 wood | 80 x 120 cm | 5 pc(s).  |



| OVEDWIEW. | DINDOADDC |
|-----------|-----------|
| UVERVIEW  | PINBOARDS |
| ••••••    |           |

| Series                           | Stars | Surface   | 30 x<br>40 cm | 40 x<br>60 cm | 45 x<br>60 cm | 60 x<br>80 cm | 60 x<br>90 cm | 60 x 100<br>cm | 80 x 120<br>cm | 90 x 120<br>cm | 90 x 180<br>cm | 100 x<br>150 cm | Page |
|----------------------------------|-------|-----------|---------------|---------------|---------------|---------------|---------------|----------------|----------------|----------------|----------------|-----------------|------|
| 2000 MAULpro                     | ☆☆☆☆☆ | Cork      |               |               |               |               | 629 35        |                |                | 629 45         | 629 65         | 629 55          | 43   |
| 2000 MAULpro                     | ****  | Structure |               |               |               |               | 629 38        |                |                | 629 48         | 629 68         | 629 58          | 44   |
| 2000 MAULpro                     | ☆☆☆☆☆ | Textile   |               |               |               |               | 629 34        |                |                | 629 44         | 629 64         | 629 54          | 44   |
| MAULstandard                     | ☆☆☆   | Cork      |               |               | 644 14        |               | 644 18        |                |                | 644 22         | 644 30         | 644 26          | 45   |
| MAULstandard, self-service pack. | ☆☆☆   | Cork      |               |               | 644 64        |               | 644 68        |                |                | 644 70         |                |                 | 45   |
| MAULstandard                     | ***   | Textile   |               |               |               |               | 644 38        |                |                | 644 42         | 644 50         |                 | 46   |
| MAULstandard                     | ☆☆☆   | Cork / WB |               |               | 644 54        |               | 644 56        |                |                | 644 58         |                |                 | 47   |
| Pinboard with wooden frame       |       | Cork      | 270 30        | 270 40        |               | 270 60        |               | 270 61         | 270 81         |                |                |                 | 47   |

Stars explanation on page 40



46



#### Combiboard MAULstandard

- Also available as pure whiteboard, pure cork or textile surface

# • Natural and warm: pinnable cork surface with natural finish, discreet wooden frame

• Landscape or Portrait format, stable wooden frame • Packaging: shrink wrap, includes hanging device

## **»VISUAL COMMUNICATION**

**PLANNING BOARDS** 

#### **PLANNING BOARDS**

|   | -        |     |    |    |    |    | 40.00.00 |    |    |    |     |
|---|----------|-----|----|----|----|----|----------|----|----|----|-----|
|   | 11       | 77  | 15 | 11 | 11 | 12 |          | 11 |    | 11 | 1   |
|   |          |     | 75 |    |    |    |          |    |    |    |     |
|   |          |     |    |    |    |    |          |    |    |    | 15  |
|   |          |     |    |    |    |    |          |    |    |    |     |
|   |          |     |    |    |    |    |          |    |    |    |     |
|   |          | 25  | 20 | 8  | 1  | 0  |          |    |    |    |     |
|   |          |     |    |    |    |    |          |    |    |    |     |
|   |          |     |    |    |    |    |          |    |    |    | 11  |
|   |          |     |    |    |    |    |          |    |    |    | 1   |
|   |          |     |    |    |    |    |          |    |    |    | 1   |
|   |          |     |    |    |    |    |          |    |    |    | 1   |
|   | <u> </u> |     |    |    |    |    |          |    |    |    | 11  |
|   |          |     |    |    |    |    |          |    |    |    | 14  |
|   |          |     |    |    |    |    |          |    |    |    | 14  |
|   |          |     |    |    |    |    |          |    |    |    |     |
|   |          |     |    |    |    |    |          |    |    |    | 8   |
|   |          |     |    |    |    |    |          |    |    |    |     |
|   |          |     |    |    |    |    |          |    |    |    |     |
|   |          |     |    |    |    |    |          |    |    |    | -   |
|   |          |     |    | *  |    |    |          |    |    |    | 14  |
| 1 |          |     |    |    |    |    |          |    |    |    | 11  |
| 1 |          |     |    |    | 10 |    |          | 10 |    | 74 | 14  |
| * | 14       | 200 |    |    |    |    |          |    |    |    | 20. |
| * | ×        |     |    |    |    |    |          | 20 |    |    | 11  |
|   | 20       | ×   |    |    |    |    |          |    |    |    | 11  |
|   |          | ×   | ×  |    |    |    | -        | *  |    |    | -   |
|   |          |     |    |    |    |    |          |    |    | 7  |     |
|   |          |     |    |    |    |    | -        | 2  |    |    | -   |
|   |          |     |    |    |    |    |          |    |    |    | R   |
|   |          |     |    |    |    |    |          |    |    |    |     |
|   |          |     |    |    |    |    |          |    | 24 |    | 1   |





#### Yearly planner MAULstandard

- Top quality
- Designed by MAUL
- Permanent yearly overview
- With horizontal monthly entries, months of the year printed and grids for days of the week • For a modern, flexible and fast organisation
- Information about activities, personnel deployment, projects, machines
- Even complicated plans and working procedures are easily comprehensible
- Quick amendments are possible
- Coated steel sheet surface, suitable for frequent use
- Low weight: easy to handle and to mount
- Triple use: suitable for magnets, writable and very good dry-wipe
- Very stable: silver anodised aluminium frame
- Aluminium tray, length: 25 cm
- Discreet profile in combination with corner joints in grey
- Colour specification refers to the corner connections
- Divisions as with normal wall calendar, but can be individually fitted
- Ideal complement: accessory set art. no. 651 36 99
- Amendments can be made easily
- Safe and ecological packaging, shipping box with mounting material

| Item   | Colours | Size        | PU       |
|--------|---------|-------------|----------|
| 646 63 | 84 grey | 60 x 90 cm  | 1 pc(s). |
| 646 65 | 84 grey | 90 x 120 cm | 1 pc(s). |

#### Monthly-/Yearly planner MAULstandard



- Designed by MAUL
- · Printed for all the weeks of the 12 months
- For a modern, flexible and fast organisation
- Information about activities, personnel deployment, projects, machines
- Even complicated plans and working procedures are easily comprehensible
- Quick amendments are possible
- Coated steel sheet surface, suitable for frequent use
- Low weight: easy to handle and to mount
- Triple use: suitable for magnets, writable and very good dry-wipe
- Very stable: silver anodised aluminium frame
- Aluminium tray, length: 25 cm
- Discreet profile in combination with grey corner joints
- Colour code refers to the corner joints
- Upper part: 2 x 6 months, printed
- Lower part: column for days, for people/projects
- Ideal complement: accessory set art. no. 651 36 99
- Safe and ecological packaging, shipping box with mounting material







- Top quality
- Designed by MAUL
- For state-of-the-art, flexible and fast organization
- Information about activities, personnel deployment, projects, machines • Even complex planning and workflows are quickly manageable
- Quick changes are possible
- Work surface made of coated sheet steel, suitable for frequent use Low weight: easy to transport and install
- 3-fold benefit: magnetic, writing wipes off and dries very easily
- Very sturdy: frame profile made of silver anodised aluminium
- Aluminium storage tray, 50 cm long
- Unobtrusive profile in combination with corner joints in grey Colour detail refers to the corner joints
- 2 x 7 months, combinable with variable components
- Environmentally friendly and secure packaging: shipping carton including assembly material

100 x 150 cm







- Top quality
- Designed by MAUL
- overview
- Full schedule all 365 days, printed
- Information about activities, personnel deployment, projects, machines
- Even complex planning and workflows are quickly manageable
- Quick changes are possible
- Work surface made of coated sheet steel, suitable for frequent use
- Low weight: easy to transport and install
- Aluminium storage tray, 25 cm long
- Unobtrusive profile in combination with corner joints in grey • Colour detail refers to the corner joints
- 2 x 6 months, printed
- · One leader column for persons/objects plus two more detail columns
- Environmentally friendly and secure packaging: shipping carton including assembly material

| Item   | Colours |
|--------|---------|
| 646 66 | 84 grey |





NEW





#### Yearly planer MAULstandard 14 months

#### · Yearly planner in year-round format with 2 months overhang, ideal for holiday planning Planning for up to 43 persons or objects

Yearly planer MAULstandard 2x6 months

#### • Planning of up to 70 persons in the half-year overview or 35 persons in the year-round

## • For state-of-the-art, flexible and fast organization

- 3-fold benefit: magnetic, writing wipes off and dries very easily
- Very sturdy: frame profile made of silver anodised aluminium
- Repetition of the days in the bottom line for better orientation

| Size        | PU       |
|-------------|----------|
| 90 x 120 cm | 1 pc(s). |



1 pc(s).





## **»VISUAL COMMUNICATION**

#### **PLANNING BOARDS**

| - 21  |   |   | 1     |   | П   |
|-------|---|---|-------|---|-----|
|       |   |   |       |   | Ħ   |
|       |   |   |       |   | H   |
|       |   |   |       |   | Ħ   |
| <br>_ | - | - | <br>  |   | H   |
|       |   |   |       |   | H   |
|       |   |   | _     |   | H   |
|       |   |   | <br>  |   |     |
| -     |   |   |       |   | EI. |
|       |   |   |       |   | Ħ   |
|       |   |   |       |   | H   |
| _     |   | - | <br>  |   | Ħ.  |
|       | 1 |   | <br>  |   | Ħ   |
|       |   |   |       |   | H   |
|       |   |   |       |   | H   |
|       |   |   |       |   | H   |
|       |   |   | _     |   | H   |
|       | - |   | <br>- | - | 8   |
| <br>  |   | - | <br>  |   |     |

Montian Dieustag 31



#### Universal planner MAULstandard

- Top quality
   Designed by MAUL
- Large grids for individual entries
- For a modern, flexible and fast organisation
- Information about activities, personnel deployment, projects, machines
- Even complicated plans and working procedures are easily comprehensible

NEW

- Quick amendments are possible
- Coated steel sheet surface, suitable for frequent use
- Low weight: easy to handle and to mount
- Triple use: suitable for magnets, writable and very good dry-wipe
- Very stable: silver anodised aluminium frame
- Aluminium tray, length: 25 cm
- Utilisation possibilities:
- For weekly and monthly planning with hourly divisions
- or for 5 people/objects over a one-week period
  or for 7 people/objects over a 5-day working period, with hourly divisions
- or for 7 people/objects over a 5-week period with detailed assignments
- Discreet profile in combination with grey corner joints
- Colour code refers to the corner joints
- Safe and ecological packaging, shipping box with mounting material

| Item   | Colours | Size       | PU       |
|--------|---------|------------|----------|
| 646 62 | 84 grey | 60 x 90 cm | 1 pc(s). |

#### Accessory set

#### • Suitable for the monthly/yearly planning boards

- 1 piece of each magnetic symbol sheet:
- rectangle 1 x 2 cm
- triangle 1 x 1 cm
- arrow 1 x 2 cm
- square 1 x 1 cm
- circle Ø 1 cm
- Magnetic strips, width 1 cm
- 20 pieces slide-in name labels, C-profile, height 1 cm, length 5 cm
- 20 paper slips for name strips
- 4 board marker S (red, blue, green, black)
- Board wiper with marker S

| Item   | Colours             | PU       |
|--------|---------------------|----------|
| 651 36 | 99 assorted colours | 1 pc(s). |



#### Magnetic strips

- Flexible, coloured (one side) magnetic strips, 1 mm thick
  Can be written on with felt pens and markers
- Can be cut to any length with scissors
- 2 pieces/PU

| Item   | Colours                              | Width  | Length | PU       |
|--------|--------------------------------------|--------|--------|----------|
| 652 01 | 15 yellow, 25 red, 37 blue, 55 green | 0,5 cm | 100 cm | 1 set(s) |
| 652 03 | 15 yellow, 25 red, 37 blue, 55 green | 1 cm   | 100 cm | 1 set(s) |
| 652 05 | 15 yellow, 25 red, 37 blue, 55 green | 1,5 cm | 100 cm | 1 set(s) |
| 652 07 | 15 yellow, 25 red, 37 blue, 55 green | 2 cm   | 100 cm | 1 set(s) |



- PU = 1 sheet
- ltem Colours 652 61 02 white, 15 yello





#### Magnetic symbols

- Pre-punch symbols, 1 mm thick • Flexible, coloured (one side) magnetic sheets
- Can be written on with felt pens and markers PU= 1 sheet

| Item   | Colours                              | Size     | Form        | Pieces/PU | PU       |
|--------|--------------------------------------|----------|-------------|-----------|----------|
| 653 11 | 15 yellow, 25 red, 37 blue, 55 green | Ø1cm     | Circle      | 50 pcs.   | 1 bag(s) |
| 653 14 | 15 yellow, 25 red, 37 blue, 55 green | 1 x 2 cm | Rectangular | 56 pcs.   | 1 bag(s) |
| 653 17 | 15 yellow, 25 red, 37 blue, 55 green | 1 x 1 cm | Triangle    | 180 pcs.  | 1 bag(s) |
| 653 21 | 15 yellow, 37 blue, 55 green         | 1 x 1 cm | Square      | 112 pcs.  | 1 bag(s) |
| 653 24 | 15 yellow, 25 red, 37 blue, 55 green | 1 x 2 cm | Arrow       | 30 pcs.   | 1 bag(s) |

Accessories in use





# NFW

#### Magnetic sheets, writeable

Flexible, coloured (one side) magnetic sheets, 0,6 mm thick
For individual symbols, can be cut to size with scissors • Can be written on with felt pens or markers

|                               | Size       | PU       |
|-------------------------------|------------|----------|
| ow, 25 red, 37 blue, 55 green | 20 x 30 cm | 1 pc(s). |

**FLIPCHARTS** 

# **»OUR FLIPCHART-SERIES**

Choose from our 4 function and quality levels and our different frames or bases.



#### **»VISUAL COMMUNICATION**

# **FLIPCHARTS**

- transport system)
- Made in Germany, 3-year guarantee
- or children

- technique

- Easy to close, place saving storage if not used
- Patent pending
- - Item Colours
  - 637 70 95 silver







#### Flipchart MAULpro, four-legged

• The best in terms of design, stability and functionality • High mobility: large lockable twin wheels. Particularly easy to move and to set up (easy

• Convenient: rod extendable to the left or the right, e. g. for written block pages • Stepless adjustable height: suitable for standing or sitting work, e. g. for wheelchair users

#### Innovative: never slips down due to self-stopping technique · Outstanding solidity but extremely light

· Design model: modern design, consequently applied on each detail • Innovative: pushing down the board is possible with one hand by means of slight pressure on the side lever. Board clamps into place after moving per means of wedging technique • Triple use: suitable for magnets, writable and dry wipe. Stepless height adjustable from 127,5 cm (lowest position) to 200 cm (highest position). Board size 69 x 100,5 cm, writable surface 69 x 96 cm. Working surface made of very thick coated steel sheet on stable kernel made in sandwich

• Versatile: individually slidable pad holders for all normal pad sizes (pad Art.-No. 638 78 02) • Multifunctional cover flap: with springs so that the pad lies flat. Rounded, so that the sheets can be turned over without creasing. Sharp edge for tearing off the sheets with one hand included • Well equipped: full width tray for flipchart accessories, markers etc...

- Very stable due to the four sturdy aluminium legs 20 x 32 mm
- Frame, stand, tray and flap made of silver anodised aluminium profiles

• Can be recycled to 98%, low emission production in our national plants • Safe and ecological packaging, can be recycled

| Weight  | PU       |
|---------|----------|
| 11,3 kg | 1 pc(s). |

**FLIPCHARTS** 

## **»VISUAL COMMUNICATION**

#### **FLIPCHARTS** Flipchart MAULpro, round base flip2use • Allrounder: can be used as flipchart, whiteboard or projection screen for projectors and ultrashort projectors Outstanding: whiteboard portrait or landscape format by turning the board 90° Made in Germany, 3-year guarantee • Enamel surface: matt, extremely scratch resistant, non-wearing and ecological • Durable: 30-year guarantee on the surface if used in proper way · Convenient: easy to clean surface, resistant against acid and base, protected from oxidation Mobile: easy to move without effort due to the round form of the base and the 5 lockable wheels • Durable: very sturdy material, strong joints, elaborate manufacture • Versatile: stepless height adjustment (from the front side) from 148 - 190 cm in portrait orientation or from 136 - 178 cm in landscape orientation (lower/upper position). Does not fall down unintentionally • Easy to turn: release the clamping lever, turn the board and tighten the lever again • Swivel joint made of plastic material, stable and with excellent wear resistance • Surface, 73 x 101 cm, suitable for magnets writable and dry-wipe • Extra large steel surface, enamel coated, on stable sandwich kernel • Brilliant: stability of metal combined with the hardness and wear resistance of glass covering · Versatile: pad holders can be individually slidden horizontally to match with the common paper pads formats (pad Art.-No. 638 78 02) • Slidable plastic tray for markers and accessories • Very stable: round base Ø 63 cm and column made of strong steel tube • Can be recycled to 98%, low emission production in our national plants • Safe and ecologic packaging, can be recycled Easy to turn: release the clamping lever, turn the board and tighten Colours Item the lever again 637 08 84 grey Portrait or landscape format by turning the board 90\*



Weight

16,5 kg

PU

1 pc(s).

wheels unintentionally



Easy to turn: release the clamping lever, turn the board and tighten the lever again

Portrait or landscape format by turning the board 90°





#### Flipchart MAULsolid, round base flip2use

- Outstanding: portrait or landscape format by turning the board 90°
- Can be used as flipchart or projection screen
- · Sturdy: very strong joint made of wear resistant plastic material
- Designed by MAUL: developed and designed in our German plant Mobile: easy to move without effort due to the round form of the base and the 5 lockable

#### · Large stowable tray for markers and accessories, made of aluminium

- Versatile: stepless height adjustment (from the front side) from 154 196 cm in portrait orientation or from 136 - 176 cm in landscape orientation (lower/upper position). Does not fall down
- Easy to turn: release the clamping lever, turn the board and tighten the lever again
- Coated steel board 66 x 97 cm, suitable for magnets writable and dry-wipe to a certain extent • Versatile: pad holders can be individually slidden horizontally to match with the common paper pads formats (Pad Art.-No. 638 78 02)
- Cover flap with spring mechanism for pressing the paper flat and for holding the flap open to change the pad, can be used as a tear-off edge for the paper
- Very stable: round base Ø 63 cm and column made of strong steel tube
- Safe and ecologic packaging, can be recycled

| Weight   | PU       |
|----------|----------|
| 16,74 kg | 1 pc(s). |

## **»VISUAL COMMUNICATION**

#### **FLIPCHARTS**



| Flipchart MAULoffice, four-legged, white   |
|--|
| <ul> <li>High performance in stability and design</li> <li>Made in Germany, 3 years guarantee</li> <li>High mobility: Large, lockable double wheels, particularly easy to transport and simple to set up</li> <li>Modern and pure: flipchart in elegant white</li> <li>Outstanding solidity: board made of strong 0,9 mm steel sheet, 3 times folded borders to increase the stability</li> <li>Light but strong: stand made of high-quality aluminium 35 x 20 mm profiles</li> <li>Non-wearing: height locking by means of strong clamp screws</li> </ul> |
| <ul> <li>Well equipped: full width tray for flipchart accessories, markers etc</li> <li>Comfortable: (front side) stepless height adjustable from 125 cm (lowest position) to 201,5 cm (highest position)</li> </ul>   |
| <ul> <li>Suitable for standing or sitting work, e. g. for wheelchair users or children</li> <li>Board, 70 x 100 cm, powder-coated steel, suitable for magnets</li> </ul>   |

- Versatile: individually slidable pad holders for all normal pad sizes (pad art.-no. 638 78 02)
  Time-tested: cover flap made of 1 mm steel sheet can be used as a tear-off edge for the paper. Disk springs hold the flap in any required position
- Four legs stand procures an outstanding stability
  Easy and fast handling: clap out the legs, push up the board, done!
- Easy to close, place saving storage if not used
- Can be recycled to 98%, low emission production in our national plants
- Safe and ecological packaging, can be recycled

| Item   | Colours  | Weight  | PU       |
|--------|----------|---------|----------|
| 637 42 | 02 white | 9,56 kg | 1 pc(s). |



#### Flipchart MAULoffice, four-legged

- High performance in stability and design
- increase the stability
- - Suitable for standing or sitting work, e. g. for wheelchair users or children
  - Board, 70 x 100 cm, powder-coated steel, suitable for magnets
  - Versatile: individually slidable pad holders for all normal pad sizes (pad Art.-No. 638 78 02)
  - Time-tested: cover flap made of 1 mm steel sheet can be used as a tear-off edge for the paper. Disk springs hold the flap in any required position
- Non tilting: four legs stand procures an outstanding stability
- Easy and fast handling: clap out the legs, push up the board, done !
- Easy to close, place saving storage if not used
- Can be recycled to 98%, low emission production in our national plants
- Safe and ecological packaging, can be recycled

| Item   | Colours   |
|--------|-----------|
| 637 40 | 95 silver |















• Outstanding solidity: board made of strong 0,9 mm steel sheet, 3 times folded borders to

#### • Light but strong: stand made of high quality aluminium 35 x 20 mm profiles • Non-wearing: height locking by means of strong clamp screws • Well equipped: full width tray for flipchart accessories, markers etc...

• Comfortable: (front side) stepless height adjustable from 118,5 cm (lowest position) to 195 cm

| Weight  | PU       |
|---------|----------|
| 8,91 kg | 1 pc(s). |



**FLIPCHARTS** 

## »VISUAL COMMUNICATION

#### **FLIPCHARTS**



- To be easily inserted at the top Made in Germany
- Includes 2 maulys to hold the flipchart sheets, suitable for magnets
- When not in use the holders can be parked on the back of the flipchart
- Suitable for the flipcharts Art.-No. 637 50 and 637 55







- Made in Germany, 3-year guarantee
- increase the stability
- allow easy moving without effort
- position 195 cm)

- Safe and ecological packaging, can be recycled
- Item Colours 637 55 82 grey

98%

#### Flipchart MAULoffice, wall

- Made in Germany, 3-year guarantee
- increase the stability
- Board, 70 x 100 cm, powder-coated, suitable for magnets • With two foldable legs for inclination, protection caps protect the door or wall. After use, the legs can be folded back to save space.

- Time-tested: cover flap made of 1 mm steel sheet can be used as a tear-off edge for the paper. Disk springs hold the flap in any required position
- Can be recycled to 98%, low emission production in our national plant
- Safe and ecological packaging, can be recycled

| Item   | Colours   | Weight  | PU       |
|--------|-----------|---------|----------|
| 637 48 | 95 silver | 7,65 kg | 1 pc(s). |





#### Flipchart MAULoffice, star base

• High performance board, 3 height adjustable in 3 stages Outstanding solidity: board made of strong 0,9 mm steel sheet, 3 times folded borders to

## • Mobile: star base Ø 66 cm with 5 lock-type wheels made of shock-proof plastic material to

• Height-adjustable in 3 stages via screws (lowest position 174 cm, middle position 186 cm, highest

• Board, 70 x 100 cm, powder-coated steel surface, suitable for magnets

• Versatile: individually slidable pad holders for all normal pad sizes (pad Art.-No. 638 78 02)

• Time-tested: cover flap made of 1 mm steel sheet can be used as a tear-off edge for the paper. Disk springs hold the flap in any required position

• Well equipped: full width tray for flipchart accessories, markers etc...

Can be recycled to 98%, low emission production in our national plant

• Optional extension rod for holding written sheets Art.-No. 637 59 82

| Weight  | PU       |
|---------|----------|
| 11,8 kg | 1 pc(s). |

#### $\boldsymbol{\cdot}$ To be fixed on the wall or for hanging on the door in order to save place · Door can be closed when board is in use

• Outstanding solidity: board made of strong 0,9 mm steel sheet, 3 times folded borders to

#### • Well equipped: full width tray for flipchart accessories, markers etc...

- Includes rail for door hanging, for doors with a depth of up to 1,5 cm
- Versatile: individually slidable pad holders for all normal pad sizes (pad Art.-No. 638 78 02)



#### **FLIPCHARTS**





- Designed by MAUL
- Intertek GS-Label (tested security)
- for written sheets
- Very stable: base Ø 63 cm and column made of strong steel tube · Mobile: 5 lockable wheels and the round form of the base ensure easy transport without effort

- Versatile: stepless height adjustable from 178 cm (lowest position) to 196 cm (highest position), easy to handle from the front side, does not slip down
- Triple use: board made of coated steel sheet, suitable for magnets, writable and dry wipe
- Board 66 x 97 cm
- Versatile: individually slidable pad holders for all normal pad sizes (pad art.-no. 638 78 02) • Cover flap with spring mechanism for pressing the pad flat and keeping the flap open to change
- the pad
- Well equipped: full width tray made of shock-proof plastic for flipchart accessories, markers etc.
- Item Colours 637 28 82 grey

Intertek

- The most stable three-legged flipchart
- leg and procure a safe stand
- Designed by MAUL
- for written sheets
- Sturdy: cover flap made of anodised aluminium can be used as a tear-off edge for the paper • Easy to carry: legs can be clapped together for place saving storage
- lockable via screws
- to save place
- Board, 66 x 97 cm
- the pad
- steel
- Item Colours 637 24 82 grey









#### Flipchart MAULsolid, round base

• Very stable round base model for price-conscious people

- · Convenient: 2 rods made of strong steel and suitable for magnets, can be clapped out e.g.

#### • Strong: cover flap made of anodised aluminium can be used as a tear-off edge for the paper

| Weight  | PU       |
|---------|----------|
| 15,3 kg | 1 pc(s). |

#### Flipchart MAULsolid, three-legged

- Outstanding stability: additional bars on the back side prevent from stretching the middle
- Convenient: 2 rods made of strong steel and suitable for magnets can be clapped out e.g.
- Versatile: stepless height adjustment from 110 cm (lowest position) to 186 cm (highest position),
- Suitable for standing or sitting work, e.g. for wheelchair users or children, but also on the desk
- Triple use: board made of coated steel sheet, suitable for magnets, writable and dry wipe
- Versatile: individually slidable pad holders for all normal pad sizes (pad art.-no. 638 78 02) • Cover flap with spring mechanism for pressing the pad flat and keeping the flap open to change
- Well equipped: full width tray made of shock-proof plastic for flipchart • 3 legs stand made of steel tubes Ø approx. 22 mm, additional stabilisation bars made of flat
- Easy and fast to handle: clap out, pull the board up, ready !

| Weight   | PU       |
|----------|----------|
| 10,96 kg | 1 pc(s). |

#### »VISUAL COMMUNICATION

**FLIPCHARTS** 

#### **FLIPCHARTS**



#### Flipchart MAULstandard, star base

- The star base model for price-conscious people
- Designed by MAUL
- Convenient: 2 rods made of strong steel and suitable for magnets can be clapped out e.g. for written sheets
- Triple use: board made of coated steel sheet, suitable for magnets, writable and dry wipe
   Mobile and light: star base Ø 62 cm with 5 lockable wheels made of shock- proof plastic and ensuring easy transport without effort
- Versatile: stepless height adjustable from 178 cm (lowest position) to 196 cm (highest position), easy to handle from the front side, does not slip down
- Board 66 x 97 cm
- Versatile: individually slidable pad holders for all normal pad sizes (pad Art.-No. 638 78 02)
- Cover flap with grip recess, made of shock-proof plastic material
- Well equipped: full width tray made of shock-proof plastic for flipchart accessories, markers etc.
- Safe and ecological packaging, can be recycled







#### Flipchart MAULstandard, three-legged plus

- The classic model for price-conscious people
- Designed by MAUL
- Bonus: 2 rods made of strong steel and suitable for magnets, can be clapped out e.g. for written sheets
- Triple use: board made of coated steel sheet, suitable for magnets, writable and dry-wipe
- · Light to carry: can be clapped for place saving storage if not used
- Sturdy: three-legged stand made of grey powder coated steel tubes Ø approx. 22 mm
- Versatile: stepless height adjustment from 110 cm (lowest position) to 186 cm (highest position), lockable via screws
- Suitable for standing or sitting work, e.g. for wheelchair users or children, but also on the desk to save place
- Board, 66 x 97 cm
- Versatile: individually slidable pad holders for all normal pad sizes (pad Art.-No. 638 78 02)
- Cover clap made of shock-proof plastic, with grip recess for easy opening
- Well equipped: full width tray made of shock-proof plastic for flipchart accessories, markers etc.
- Safe and ecological packaging, can be recycled

| Item   | Colours | Weight   | PU       |
|--------|---------|----------|----------|
| 637 22 | 82 grey | 10,35 kg | 1 pc(s). |



#### **OVERVIEW FLIPCHARTS**

| ArtNo. | Article Description  | Stars | Туре      | Base                    | Hight (cm)           | Paper-<br>holder | Weight<br>(ca. kg) | Colour  | Page |
|--------|----------------------|-------|-----------|-------------------------|----------------------|------------------|--------------------|---|------|
| 637 70 | MAULpro              | ☆☆☆☆☆ | Mobile    | Four-legged with wheels | 127,5 - 200          | 1                | 11,3               | silver  | 53   |
| 637 08 | MAULpro flip2use     | ****  | Mobile    | Round Base with wheels  | 136 - 178; 148 - 190 | 0                | 16,5               | grey  | 54   |
| 637 06 | MAULsolid flip2use   | ☆☆☆☆  | Mobile    | Round Base with wheels  | 154 - 196; 136 - 176 | 0                | 16,74              | grey  | 55   |
| 637 42 | MAULoffice white     | ****  | Mobile    | Four-legged with wheels | 125 - 201,5          | 0                | 9,56               | white   | 56   |
| 637 40 | MAULoffice           | ☆☆☆☆☆ | Stand     | Four-legged             | 118,5 - 195          | 0                | 8,91               | silver  | 57   |
| 637 50 | MAULoffice           | ****  | Mobile    | Round Base with wheels  | 172 - 196            | 2                | 16,76              | white, red, light blue,<br>silver, anthracite | 58   |
| 637 55 | MAULoffice           | ☆☆☆☆☆ | Mobile    | Star Base with wheels   | 174, 186, 195        | 0                | 11,8               | grey  | 59   |
| 637 48 | MAULoffice wall      | ☆☆☆☆☆ | Door/Wall |                         |                      | 0                | 7,65               | silver  | 59   |
| 637 28 | MAULsolid            | ****  | Mobile    | Round Base with wheels  | 178 - 196            | 2                | 15,3               | grey  | 61   |
| 637 24 | MAULsolid            | ***   | Stand     | Three-legged            | 110 - 186            | 2                | 10,96              | grey  | 61   |
| 637 26 | MAULstandard         | ☆☆☆   | Mobile    | Star Base with wheels   | 178 - 196            | 2                | 13                 | grey  | 62   |
| 637 22 | MAULstandard plus    | ☆☆☆   | Stand     | Three-legged            | 110 - 186            | 2                | 10,35              | grey  | 62   |
| 637 20 | MAULstandard         | ☆☆☆   | Stand     | Three-legged            | 110 - 186            | 0                | 10,2               | grey  | 63   |
| 637 16 | MAULstandard melamin | ☆☆☆   | Stand     | Three-legged            | 110 - 186            | 0                | 8,36               | grey  | 63   |

lockable via screws

to save place

ltem

637 20

637 16 82 grey

• Board, 66 x 97 cm

Colours

82 arev

#### MAUL Stars help you to find the right model for your requirements.

If you are looking for the best of the best in terms of functionality, convenience and quality, the five star model is perfect for you. Would you prefer beginner products with a good price-performance ratio? Then take a look at a three star model.

No matter what decision you make in the end:

All MAUL products undergo a technical examination and meet the quality requirements expected of a German brand company.

62



#### Flipchart MAULstandard, three-legged

# The classic model for price-conscious people Easy to carry: can be clapped for place saving storage if not used Sturdy: 3 legs stand made of grey powder coated steel tubes Ø approx. 22 mm

• Versatile: stepless height adjustment from 110 cm (lowest position) to 186 cm (highest position),

• Suitable for standing or sitting work, e.g. for wheelchair users or children, but also on the desk

- Versatile: individually slidable pad holders for all normal pad sizes (pad Art.-No. 638 78 02)
  Cover clap made of shock-proof plastic
- Well equipped: full width tray made of shock-proof plastic for flipchart accessories, markers etc.
  Safe and ecological packaging, can be recycled
- 637 20: Triple use: coated steel sheet, suitable for magnets, writable and dry-wipe
  637 16: Melamin resin panel

| Weight  | PU       |
|---------|----------|
| 10,2 kg | 1 pc(s). |
| 8,36 kg | 1 pc(s). |

#### **ACCESSORIES FOR PRESENTATIONS**









#### Accessory set, plastic box

- Stable plastic case
- Each item has its own place Made in Germany
- Größe Schalenkoffer 35,5 x 31,5 x 6 cm
- Inhalt:
- 10 Boardmarker XL Rundspitze 2,0-2,5 mm: 5 x schwarz, 2 x rot, 2 x blau, 1 x grün
- 1 Tafelwischer
- 10 Tafelwischer-Vlies
- 10 Wischtücher aus Vlies, 18 x 20 cm
- 1 Flasche Whiteboardreiniger, 250 ml
- 1 Teleskop-Kugelschreiber
- 5 Kraftmagnete, Ø 34 mm und 10 Rundmagnete, Ø 30 mm, grau • Zusätzliches Leerfach für Schere und Klebefilm im Innenfach des Koffers
- Colours PU Item 638 61 99 assorted colours 1 pc(s).

#### Acessory set, cardboard box, basic





- In practical storage box, 30,5 x 24,0 x 6,0 cm
- Content:
- 4 board markers XL bullet tip 2,0-2,5 mm: red, blue, green and black
- 1 eraser
- 10 eraser replacement felt wipes
- 1 bottle of whiteboard cleaner (125 ml)
- 15 Solid Magnets, Ø 32 mm: 10 x grey, 2 x red, 2 x blue, 1 x yellow





- · Each item has its own place
- Made in Germany
- In practical storage box 30,5 x 24,0 x 6,0 cm
- Contents:
- 4 board markers XL bullet tip 2,0-2,5 mm: red, blue, green, black
- 1 board wiper
- 10 pieces of felt for the board wiper • 1 bottle of whiteboard cleaner (250 ml)
- 5 grey spherical magnets, Ø 30 mm

Colours Item 638 60 99 assorted colours



PU

1 set(s)

#### **»VISUAL COMMUNICATION**

#### **ACCESSORIES FOR PRESENTATIONS**





#### • Dry wipe • PU/4 pieces per self-service packaging

Colours

Item











#### Acrylic pen holder · Ideal for storage of whiteboard or flipchart markers • Designed by MAUL

- Delivery without pens
- 638 84 05 transparent
- Magnetic, suitable for 4 pens
  - ltem Colours













#### · Can be used for all standard whiteboards

PU 1 pc(s).

• 638 25: With retaining clip, e.g. for chest pockets

|     | Size | Тір                             | PU       |
|-----|------|---------------------------------|----------|
| irs | S    | Finepoint bullet tip 1,5-2,0 mm | 1 set(s) |
| irs | XL   | Bigpoint bullet tip 2-2,5 mm    | 1 set(s) |

#### Flipchart marker

#### Bright colours, fast drying Does not write through to the next page

| Item   | Colours             | Size | Тір                       | PU       |
|--------|---------------------|------|---------------------------|----------|
| 638 37 | 99 assorted colours | XL   | Round bullet tip 2-2,5 mm | 1 set(s) |
| 638 38 | 99 assorted colours | XXL  | Chisel tip 3-6 mm         | 1 set(s) |
| 638 39 | 99 assorted colours | XXL  | Round bullet tip 2,5-3 mm | 1 set(s) |

| Size              | PU       |
|-------------------|----------|
| 17 x 9,5 x 5,5 cm | 1 pc(s). |

#### **»VISUAL COMMUNICATION**





# · Includes automatic gripping device for the non-woven eraser

• Thick non-woven eraser with high absorbance, economical to use

| Size          | PU       |
|---------------|----------|
| 11,4 x 5,7 cm | 1 pc(s). |

• Thick non-woven eraser with high absorption, economical to use

| Pieces/PU | PU       |
|-----------|----------|
| 10 pcs.   | 1 bag(s) |

#### • Designed by MAUL, developed and designed in our local plant

• 12-layer non-woven eraser; very efficient; layer can easily be removed after use

| Size          | PU       |
|---------------|----------|
| 9,4 x 4,9 cm  | 1 pc(s). |
| 14,4 x 5,4 cm | 1 pc(s). |



#### Designed by MAUL : developed and designed in our local plant • Handle area made of foam material: pleasant feel, secure grip

| Size          | PU       |
|---------------|----------|
| 11,5 x 6,0 cm | 1 pc(s). |



#### **INFORMATION BOARDS**





#### Mobile information board MAULpro

- The maximum in stability and quality for professional use and high comfort • Made in Germany, 3-year guarantee

- Extremely versatile: can be used in portrait or landscape orientation and from both sides. Can be also used as flipchart with included pad holders (for any pad perforation) • For mobile use: light weight, place-saving storage, fast mounting, set of wheels included • Easy and quick: mounting with MAUL fast safe-locking device

- Suitable as a partition wall: the boards can be attached via included foot clamps Stable standing: adjustable screws ensure balance on uneven surfaces
  Board size 150 x 120 cm (H x W), total height approx. 195 cm
- Suitable for permanent work
- Tray for pens and accessories included
  Durable: covering on 15 mm thick stable kernel made in sandwich technique
  Robust: strong aluminium frame, thickness approx. 1,3 mm
- Alignment: can be used in straight or semi-circle line due to angled legs
  Highest stability: powder-coated light grey oval steel tube legs (RAL 7035)
- Paper-covered, grey: pinnable • Textile surface: pinnable, closely woven, wear resistant. The pin is tightly pinned, the surface is
- self-healing • Whiteboard surface: coated steel sheet, suitable for magnets, writable and very good dry-wipe • Cork surface: natural finish, the pin is tightly pinned, the surface is self- healing
- Low emission production in our national plant
- Safe and ecological packaging, shipping box made of recycled cardboard

| Item   | Colours | Surface                 | PU       |
|--------|---------|-------------------------|----------|
| 638 01 | 82 grey | Paper-covered grey      | 1 pc(s). |
| 638 12 | 82 grey | Textile grey            | 1 pc(s). |
| 638 03 | 82 grey | Textile blue            | 1 pc(s). |
| 638 04 | 82 grey | Textile blue/Whiteboard | 1 pc(s). |
| 638 19 | 82 grey | Whiteboard              | 1 pc(s). |
| 638 05 | 82 grey | Cork                    | 1 pc(s). |



## **»VISUAL COMMUNICATION**

#### **INFORMATION BOARDS**



#### Mobile information board MAULpro

- The maximum in stability and quality for professional use and high comfort
- Place saving for small rooms
- Made in Germany, guarantee 3 years
- Triple use: pinnboard, whiteboard and flipchart (638 11: pad included)
- For mobile use: light weight, place-saving storage, fast mounting, set of wheels included
- Easy and quick: mounting with MAUL fast safe-locking device
- 638 11: includes flipchart pad, markers, moderation cards and map pins
- Stable standing: adjustable screws ensure balance on uneven surfaces
- 2 working heights: approx. 167 cm as pin- or partition board or 195 cm as flipchart
- Working surface size 120 x 75 cm (H x W), total height approx. 195 cm, both sides can be used
- Suitable for permanent work
- Tray and pad holders for any perforation included
- Durable: covering on 15 mm thick stable kernel made in sandwich technique
- Robust: strong aluminium frame, thickness approx. 1,3 mm
- Alignment: can be used in straight or semi-circle line due to angled legs
- Partition wall: the boards can be attached via included foot clamps
- Highest stability: powder-coated light grey oval steel tube legs (RAL 7035)
- Textile surface: pinnable, closely woven, wear resistant. The pin is tightly pinned, the surface is self-healing
- Whiteboard surface: coated steel sheet, suitable for magnets, writable and very good dry-wipe
- Low emission production in our national plant
- Safe and ecological packaging, shipping box made of recycled cardboard
- 638 11: Accessories: 20 sheet flipchart pad, 4 flipchart and 4 whiteboard markers, each 120 moderation cards round Ø 9,5 cm, oval 19 x 11 cm and rectangular 20 x 9,5 cm, 200 map pins

| Item   | Colours | Surface                 | PU       |
|--------|---------|-------------------------|----------|
| 638 09 | 82 grey | Textile blue/Whiteboard | 1 pc(s). |
| 638 11 | 82 grey | Textile blue/Whiteboard | 1 pc(s). |

#### **INFORMATION BOARDS**











• 4 double-castors in a set, 2 lockable

Colours Item 638 71 90 black







MAUL

#### Mobile information board MAULpro, folding

• The maximum in stability and quality for professional use and high comfort • Made in Germany, guarantee 3 years

· For mobile use: folding for the transport in the majority of cars, light to carry, place-saving storage, fast mounting, set of wheelss included

• Plane and resistant surface: the middle profile (tongue-and-groove joint) and the inside locking device keep the surface plane

• Long time tested: stable folding function with anodised aluminium middle profile

· Versatile: can be used from both sides and also as flipchart with included pad holders (for

• Board size 150 x 120 cm (H x W), total height approx. 195 cm, folded height approx. 120 cm • Suitable for permanent use

• Tray for pens and accessories included

any pad perforation)

self-healing

Colours

82 grey

82 grey 638 07 82 grey

• Durable: covering on 15 mm thick stable kernel made in sandwich technique

• Robust: strong aluminium frame, thickness approx. 1,3 mm

• Alignment: can be used in straight or semi-circle line due to angled legs

• Partition wall: the boards can be attached via included foot clamps

• Highest stability: powder-coated light grey oval steel tube legs (RAL 7035) • Stable standing: adjustable screws to ensure balance and set of castors included

• Paper-covered,grey: pinnable

• Textile surface: pinnable, closely woven, wear resistant. The pin is tightly pinned, the surface is

• Whiteboard surface: coated steel sheet, suitable for magnets, writable and very good dry-wipe Low emission production in our national plant

• Safe and ecological packaging, shipping box made of recycled material

| Surface                 | PU       |
|-------------------------|----------|
| Paper-covered grey      | 1 pc(s). |
| Textile grey            | 1 pc(s). |
| Textile blue            | 1 pc(s). |
| Textile blue/Whiteboard | 1 pc(s). |



## • Suitable for mobile information boards MAULpro

| PU       |
|----------|
| 1 set(s) |
#### **INFORMATION BOARDS**

# **»VISUAL COMMUNICATION**

#### **INFORMATION BOARDS**



- wheels included
- approx. 1 mm

- Paper surface: pinnable and neutral
- use
- Item Colours 636 59 82 grey 636 52 82 grey 636 56 82 grey 636 54 82 grey 636 58 82 grey

- dismountable legs, wheels included
- Easy: folding by means of sliding bolt • Versatile: can be used as separation wall

- Paper surface: pinnable and neutral
- use

| Item   | Colours | Surface              | PU       |
|--------|---------|----------------------|----------|
| 636 62 | 82 grey | Paper-covered, white | 1 pc(s). |
| 636 66 | 82 grey | Felt grey            | 1 pc(s). |
| 636 64 | 82 grey | Felt blue            | 1 pc(s). |
| 636 69 | 82 grey | Felt grey/Whiteboard | 1 pc(s). |
| 636 68 | 82 grey | Cork                 | 1 pc(s). |

#### Mobile information board MAULsolid • Sturdy basic model with high stability • Space saving for small rooms Designed by MAUL • Versatile: can also be used as separation wall

- For mobile use: light to carry, place-saving storage. Easy transport thanks to dismounted legs, wheels included
- · High stability: powder coated aluminium frame made of strong hollow profile, thickness approx. 1 mm
- Board size 120 x 75 cm (H x W), total height approx. 193,5 cm, both sides can be used
- Durable: covering on 15 mm thick stable kernel made in sandwich technique
- Protected: shook-proof plastic corners, legs have felt floor protection
- Felt surface: pinnable textile surface of high quality felt, self-healing for permanent use
- Whiteboard surface: coated steel sheet, suitable for magnets, writable and very good dry-wipe
- Safe and ecological: shipping box made of recycled cardboard











# Mobile information board MAULsolid

· Sturdy basic model with high stability, designed by MAUL • Versatile: can be used as separation wall · For mobile use: light to carry, place-saving storage. Easy transport due to dismountable legs,

#### • High stability: powder-coated aluminium frame made of strong hollow profile, thickness

• Board size 150 x 120 cm (H x W), total height approx. 193,5 cm, both sides can be used

• Durable: covering on 15 mm thick stable kernel made in sandwich technique

• Protected: shock-proof plastic corners, legs have felt floor protection

• Including 4 double wheels, 2 of them lockable

• Whiteboard surface: coated steel sheet, suitable for magnets, writable and very good dry wipe

• Felt surface: pinnable surface of high quality felt, self-healing for permanent use

• Cork surface: natural finish, the pin is tightly pinned, the surface is self- healing for permanent

| Surface              | PU       |
|----------------------|----------|
| Whiteboard           | 1 pc(s). |
| Paper-covered, white | 1 pc(s). |
| Felt grey            | 1 pc(s). |
| Felt blue            | 1 pc(s). |
| Cork                 | 1 pc(s). |

### Mobile information board MAULsolid, foldable

Sturdy basic model with high stability, designed by MAUL
For mobile use: foldable, light to carry, place-saving storage. Easy Transport thanks to

• Plane and resistant surface: the middle profile (tongue-and-groove joint) made of powder-coated aluminium keeps the surface plane

• Board size 150 x 120 cm (H x W), total height approx. 193,5 cm, both sides can be used • Durable: covering on 15 mm thick stable kernel made in sandwich technique. High stability: plastic-coated aluminium frame made of strong hollow profile, thickness approx. 1 mm · Protected: shock-proof plastic corners, legs have felt floor protection

• Whiteboard surface: coated steel sheet, suitable for magnets, writable and dry- wipe

• Felt surface: pinnable surface of high quality felt, self-healing for permanent use • Cork surface: natural finish, the pin is tightly pinned, the surface is self- healing for permanent

#### **INFORMATION BOARDS**



### Mobile information board MAULstandard

- For price-conscious people
- Designed by MAUL: developed and constructed in our national plant
- 3-year guarantee
- For mobile use: light to carry, easy transport due to dismountable legs, quick and easy mounting
- Convenient: the legs can be turned by 90° if something is in the way or for place-saving storage along a wall
- Versatile: can be used as separation wall
- Stable: light grey (RAL 7035) powder-coated steel profile, thickness approx. 1,5 mm, suitable for magnets to fix notes or presentation cards
- Board size 150 x 120 cm (H x W), total height approx. 191 cm, both sides can be used
- Strong: covering on 15 mm thick stable triple-crossed cardboard sandwich kernel
- Powder-coated light-grey steel legs with plastic stoppers
- Cardboard brown: pinnable standard surface
- Paper white surface: pinnable and neutral
- Felt surface: pinnable surface of high quality felt
- Cork surface: the pin is tightly pinned, the surface is self-healing for permanent use
- Can be recycled to 98%, low emission production in our national plant
- Safe and ecological packaging, shipping box made of recycled material

| Item   | Colours | Surface              | PU       |
|--------|---------|----------------------|----------|
| 636 31 | 82 grey | Cardboard brown      | 1 pc(s). |
| 636 32 | 82 grey | Paper-covered, white | 1 pc(s). |
| 636 33 | 82 grey | Felt grey            | 1 pc(s). |
| 636 34 | 82 grey | Felt blue            | 1 pc(s). |
| 636 35 | 82 grey | Cork                 | 1 pc(s). |



# »VISUAL COMMUNICATION

#### **OVERVIEW INFORMATION BOARDS**

| ArtNo. | Article Description | Stars | Surface                     | Size<br>(cm) | Foldable | Castors | Accessories  | Page |
|--------|---------------------|-------|-----------------------------|--------------|----------|---------|--|------|
| 638 01 | MAULpro             | ****  | Coated steel grey           | 150 x 120    | no       | yes     | Clamps, flipchart pas holders, pen tray  | 69   |
| 638 12 | MAULpro             | ****  | Textile grey                | 150 x 120    | no       | yes     | Clamps, flipchart pas holders, pen tray  | 69   |
| 638 03 | MAULpro             | ****  | Textile blue                | 150 x 120    | no       | yes     | Clamps, flipchart pas holders, pen tray  | 69   |
| 638 04 | MAULpro             | ****  | Textile blue/<br>Whiteboard | 150 x 120    | no       | yes     | Clamps, flipchart pas holders, pen tray  | 69   |
| 638 19 | MAULpro             | ****  | Whiteboard                  | 150 x 120    | no       | yes     | Clamps, flipchart pas holders, pen tray  | 69   |
| 638 05 | MAULpro             | ****  | Cork                        | 150 x 120    | no       | yes     | Clamps, flipchart pas holders, pen tray  | 69   |
| 638 09 | MAULpro             | ****  | Textile blue/<br>Whiteboard | 120 x 75     | no       | yes     | Clamps, flipchart pas holders, pen tray  | 70   |
| 638 11 | MAULpro             | ****  | Textile blue/<br>Whiteboard | 120 x 75     | no       | yes     | Clamps, flipchart pad holders, pen tray, 4 flipchart markers XL,<br>4 board markers XL, 200 map pins, 360 moderation cards, flipchart<br>pad | 70   |
| 638 02 | MAULpro             | ***   | Coated steel grey           | 150 x 120    | yes      | yes     | Clamps, flipchart pas holders, pen tray  | 71   |
| 638 13 | MAULpro             | ****  | Textile grey                | 150 x 120    | yes      | yes     | Clamps, flipchart pas holders, pen tray  | 71   |
| 638 06 | MAULpro             | ****  | Textile blue                | 150 x 120    | yes      | yes     | Clamps, flipchart pas holders, pen tray  | 71   |
| 638 07 | MAULpro             | ****  | Textile blue/<br>Whiteboard | 150 x 120    | yes      | yes     | Clamps, flipchart pas holders, pen tray  | 71   |
| 636 60 | MAULsolid           | ****  | Felt grey/<br>Whiteboard    | 120 x 75     | no       | yes     |  | 72   |
| 636 59 | MAULsolid           | ****  | Whiteboard                  | 150 x 120    | no       | yes     |  | 73   |
| 636 52 | MAULsolid           | ***   | Coated steel white          | 150 x 120    | no       | yes     |  | 73   |
| 636 56 | MAULsolid           | ****  | Felt grey                   | 150 x 120    | no       | yes     |  | 73   |
| 636 54 | MAULsolid           | ☆☆☆☆  | Felt blue                   | 150 x 120    | no       | yes     |  | 73   |
| 636 58 | MAULsolid           | ***   | Cork                        | 150 x 120    | no       | yes     |  | 73   |
| 636 62 | MAULsolid           | ***   | Coated steel white          | 150 x 120    | yes      | yes     |  | 73   |
| 636 66 | MAULsolid           | ☆☆☆☆  | Felt grey                   | 150 x 120    | yes      | yes     |  | 73   |
| 636 64 | MAULsolid           | ***   | Felt blue                   | 150 x 120    | yes      | yes     |  | 73   |
| 636 69 | MAULsolid           | ***   | Felt grey/<br>Whiteboard    | 150 x 120    | yes      | yes     |  | 73   |
| 636 68 | MAULsolid           | ***   | Cork                        | 150 x 120    | yes      | yes     |  | 73   |
| 636 31 | MAULstandard        | ***   | Cardboard brown             | 150 x 120    | no       | no      |  | 74   |
| 636 32 | MAULstandard        | ***   | Coated steel white          | 150 x 120    | no       | no      |  | 74   |
| 636 33 | MAULstandard        | ***   | Felt grey                   | 150 x 120    | no       | no      |  | 74   |
| 636 34 | MAULstandard        | ***   | Felt blue                   | 150 x 120    | no       | no      |  | 74   |
| 636 35 | MAULstandard        | ☆☆☆   | Cork                        | 150 x 120    | no       | no      |  | 74   |

Stars explanation on page 40



#### SEMINAR CASES AND ACCESSORIES



### Seminar trolley MAULpro advanced

- Large aluminium Trolley with lockable pull-out handle, lockable with castors
- Contains 2923 pieces
- No slipping: deep-drawn inner part as organiser system
- Lockable: 3 strong locks, 2 keys included
- Top quality information cards, 150g/m<sup>2</sup>, usable on both sides
- Comfortable transport: for travelling seminar-professionals
- Perfectly prepared for seminars and information sessions
- Classy aluminium case with silver riffle-look
- Two large ball bearing rolls plus 2 large plastic feet for base protection and safe stand
- Ergonomical grip on long and short side, sturdy protection on the corners
- Pads in cover with elastic band for larger objects
- Heavy duty hinges, kink-proof cover
- Contents:
- 30 flipchart markers XL bullet tip 2,0-2,5 mm: 15 x red, 15 x black
- 4 flipchart markers XXL chisel tip 3-6 mm: red, blue, green, black
- 1 scissors with plastic handles, 16 cm, stainless steel
- 1 cutter
- 400 map pins, assorted colours
- 1 pin cushion
- 4 glue pens
- Crêpe band, 50 m x 3 cm
- 6 colours: information cards in white, yellow, orange, red, green and blue
- 500 information cards 20.5 x 9.5 cm. assorted colours
- 250 information cards Ø 9,5 cm, assorted colours
- 250 information cards Ø 13,5 cm, assorted colours
- 250 information cards Ø 18,5 cm, assorted colours
- 250 information cards, oval, 11 x 19 cm, assorted colours
- 20 information cards, cloud, 26,5 x 43 cm
- 960 sticky dots, assorted colours
- Telscopic pointer with integrated pen

| Item   | Colours  | Size                | PU       |
|--------|----------|---------------------|----------|
| 639 92 | 09 other | 63 x 38,5 x 19,5 cm | 1 pc(s). |



**»VISUAL COMMUNICATION** 

- Large aluminium aluminium case
- Contains 2782 pieces

- Ergonomical grip
- Heavy duty hinges, kink-proof cover
- Contents:
- 1 knife
- 400 map pins, assorted colours, 1 pin cushion
- 1 tape dispenser with tape, 2 glue pens
- Crêpe band, 50 m x 3 cm
- 500 information cards 20,5 x 9,5 cm
- 120 information cards. oval. 11 x 19 cm
- 20 information cards. cloud. 26.5 x 43 cm
- 960 sticky dots, assorted colours
- Telescopic pointer with integrated pen

| Item   | Colours  | Size            | PU       |
|--------|----------|-----------------|----------|
| 639 94 | 09 other | 50 x 43 x 17 cm | 1 pc(s). |

# Seminar case MAULpro compact

- Large aluminium aluminium case Contains 2362 pieces
- Classy aluminium case with silver riffle-look
- Lockable: strong lock, 2 keys included

- Heavy duty hinges, kink-proof cover
- Contents:

- 400 map pins, assorted colours
- 1 tape dispenser with tape, 1 glue pen
- 500 information cards 20,5 x 9,5 cm
- 20 information cards-cloud, 14 x 23 cm
- 960 sticky dots, assorted colours Telescopic pointer with integrated pen

| ltem   | Colours  | Size              | PU       |
|--------|----------|-------------------|----------|
| 639 98 | 09 other | 36 x 35 x 16,5 cm | 1 pc(s). |









# Seminar case MAULpro confident

 Classy aluminium case with silver riffle-look • No slipping: deep-drawn inner part as organiser system · Lockable: 2 strong locks, 2 keys included • Top quality information cards, 150g/m<sup>2</sup>, usable on both sides

• Perfectly prepared for seminars and information sessions

• Pads in cover with elastic band for larger objects

• 20 flipchart markers XL bullet tip 2,0-2,5 mm: 10 x red, 10 x black • 4 flipchart markers XXL chisel tip 3-6 mm: red, blue, green, black

• 1 scissors with plastic handles, 16 cm, stainless steel • 6 colours: information cards in white, yellow, orange, red, green and blue • Information cards round, 250 pcs per size Ø 9,5 cm, Ø 13,5 cm, Ø 18,5 cm

 No slipping: deep-drawn inner part as organiser system • Top quality information cards, 150g/m<sup>2</sup>, usable on both sides

• Perfectly prepared for seminars and information sessions • Ergonomical grip, sturdy protection on the corners • Pads in cover with elastic band for larger objects • 16 flipchart markers XL bullet tip 2,0-2,5 mm: 8 x red, 8 x black • 2 flipchart markers XXL chisel tip 3-6 mm: red, black • 1 scissors with plastic handles, 16 cm, stainless steel • 6 colours: information cards in white, yellow, orange, red, green and blue • Information cards 120 pcs each size, Ø 9,5 cm, Ø 13,5 cm, oval 11 x 19 cm • 100 information cards, thumbs for positive or negative evaluation

# **»VISUAL COMMUNICATION**

#### SEMINAR CASES AND ACCESSORIES





### Seminar case MAULstarter

- Stable case made of plastic material
- Contains 1052 pieces
- · No slipping: deep-drawn inner part as organiser system • Top quality presentation cards, 150 g/m<sup>2</sup>
- Ideal basic set for the short presentation or for travelling
- Contents:
- 10 flipchart-markers XL bullet tip 2-2,5 mm: 4 x black, 2 x red, 2 x blue and 2 x green
- 1 scissors with plastic handles, 16 cm, stainless steel
- 200 map pins, assorted colours
- 6 colours: presentaion cards in white, yellow, orange, red, green and blue
- presentation cards, 120 pcs each size 20,5 x 9,5, Ø 9,5 cm, Ø 13,5 cm
- 480 sticker points in assorted colours • Telescopic pointer with integrated pen



### Seminar case MAULpro, refill

- Stable, neutral cardboard box
- Contains 1591 pieces
- Top quality information cards, 150g/m<sup>2</sup>, usable on both sides
- Re-fill assortment for seminar cases and trolleys
- Contents:
- 200 map pins, assorted colours
- 1 glue pen
- 50 heading strips 9,5 x 42,5 in white, yellow, orange, red, green, blue
- 6 colours: information cards in white, yellow, orange, red, green and blue
- 500 information cards 20,5 x 9,5 cm, assorted colours
- Information cards, 120 pcs each size Ø 9,5 cm, Ø 18,5 cm and oval 11 x 19 cm
- 480 sticky dots, assorted colours

| Item   | Colours             | Size               | PU       |
|--------|---------------------|--------------------|----------|
| 639 64 | 99 assorted colours | 44 x 21,5 x 7,5 cm | 1 pc(s). |

#### Seminar accessories MAULselect

- Stable cardboard box
- Contains 1051 pieces
- No slipping: deep-drawn inner part as organiser system
- Top guality presentation cards, 130 g/m<sup>2</sup>
- Additional compartment for personal working material
- · Ideal basic set for the short presentation or for travelling

Contents:

- 10 flipchart-markers XL bullet tip 2-2,5 mm: 4 x black, 2 x red, 2 x blue and 2 x green
- 200 map pins, assorted colours
- 5 colours: presentaion cards in white, yellow, red, green and blue
- presentation cards, 120 pcs each size 20,5 x 9,5, Ø 9,5 cm, Ø 13,5 cm
- 480 sticker points in assorted colours
- Telescopic pointer with integrated pen

| Item   | Colours             | Size           | PU       |
|--------|---------------------|----------------|----------|
| 639 61 | 99 assorted colours | 37 x 26 x 7 cm | 1 pc(s). |

| Art-No.                                     | 639 92 09        | 639 94 09         | 639 98 09       | 639 60 99   | 639 64 99      | 639 61 99  |
|---|------------------|-------------------|-----------------|-------------|----------------|------------|
| Page  | 76               | 77                | 77              | 78          | 78             | 78         |
| Description                                 | MAULpro advanced | MAULpro confident | MAULpro compact | MAULstarter | MAULpro refill | MAULselect |
| Туре  | Trolley          | Case              | Case            | Case        | Box            | Box        |
| Case material                               | Aluminium        | Aluminium         | Aluminium       | Plastic     | Carton         | Carton     |
| Flipchart marker XL                         | 30               | 20                | 16              | 10          |                | 10         |
| Flipchart marker XXL chisel tip             | 4                | 4                 | 2               |             |                |            |
| Scissor 16 cm                               | 1                | 1                 | 1               | 1           |                |            |
| Knife                                       | 1                | 1                 |                 |             |                |            |
| Map pins                                    | 400              | 400               | 400             | 200         | 200            | 200        |
| Pin cushion                                 | 1                | 1                 |                 |             |                |            |
| Tape dispenser                              |                  | 1                 | 1               |             |                |            |
| Glue pen                                    | 4                | 2                 | 1               |             | 1              |            |
| Crêpe band 50 m x 3 cm                      | 1                | 1                 |                 |             |                |            |
| Headlines Strips                            |                  |                   |                 |             | 50             |            |
| Information cards 20,5 x 9,5 cm, 5 colours  |                  |                   |                 |             |                | 120        |
| Information cards 20,5 x 9,5 cm, 6 colours  | 500              | 500               | 500             | 120         | 500            |            |
| Information cards Ø 9,5 cm, 5 colours       |                  |                   |                 |             |                | 120        |
| Information cards Ø 9,5 cm, 6 colours       | 250              | 250               | 120             | 120         | 120            |            |
| Information cards Ø 13,5 cm, 5 colours      |                  |                   |                 |             |                | 120        |
| Information cards Ø 13,5 cm, 6 colours      | 250              | 250               | 120             | 120         |                |            |
| Information cards Ø 18,5 cm, 6 colours      | 250              | 250               |                 |             | 120            |            |
| Information cards oval 11 x19 cm, 6 colours | 250              | 120               | 120             |             | 120            |            |
| Information cards cloud 14 x 23 cm          |                  |                   | 20              |             |                |            |
| Information cards cloud 26,5 x 43 cm        | 20               | 20                |                 |             |                |            |
| Information cards thumb Ø 9,5 cm            |                  |                   | 100             |             |                |            |
| Sticky dots assorted colours                | 960              | 960               | 960             | 480         | 480            | 480        |
| Telescopic ball pen                         | 1                | 1                 | 1               | 1           |                | 1          |
| Total pieces                                | 2923             | 2782              | 2362            | 1052        | 1591           | 1051       |

Art-No. 639 92 09

Art-No. 639 60 99













Art-No. 639 98 09





Art-No. 639 61 99



#### SEMINAR CASES AND ACCESSORIES











- For brainstorming sessions, mind-mapping, opinion surveys etc.
- 5 colours: white, yellow, red, green and blue
- Top quality presentation cards: 130g/m<sup>2</sup>, usable on both sides
- Contains:
- Presentation cards 120 pcs each size Ø 9,5 cm, Ø 13,5 cm and 20,5 x 9,5 cm, assorted colours
- 200 map pins, assorted colours

Colours

99 assorted colours

99 assorted colours

| Item   | Colours             | PU       |
|--------|---------------------|----------|
| 639 62 | 99 assorted colours | 1 set(s) |



**»VISUAL COMMUNICATION** 







- Higher quantity of favourite colours white and yellow • Top quality information cards, 150g/m<sup>2</sup>, usable on both sides

| lt | em    | Colours             |
|----|-------|---------------------|
| 6  | 39 56 | 99 assorted colour: |



Pieces/PU

120 pcs

250 pcs

120 pcs

250 pcs

PU

1 pack

1 pack

1 pack

1 pack

- · Higher quantity of favourite colours white and yellow
- Top quality information cards, 150g/m<sup>2</sup>, usable on both sides

• For brainstorming sessions, mind mapping, opinion surveys

• Top guality information cards, 150g/m<sup>2</sup>, usable on both sides

Size

Ø 9,5 cm

Ø 9,5 cm

Ø 13,5 cm

Ø 13,5 cm

| Item   | Colours             | Size          | Pieces/PU | PU     |
|--------|---------------------|---------------|-----------|--------|
| 639 40 | 99 assorted colours | 20,5 x 9,5 cm | 120 pcs   | 1 pack |
| 639 41 | 99 assorted colours | 20,5 x 9,5 cm | 250 pcs   | 1 pack |



| • | Тор | qual | ity i | nfor | mat | ior |
|---|-----|------|-------|------|-----|-----|
|   |     |      |       |      |     |     |
|   |     |      |       |      |     |     |

| tem   | Colours  |
|-------|----------|
| 39 38 | 02 white |



- · For brainstorming sessions, mind-mapping, opinion surveys etc. • 6 colours: white, yellow, orange, red, green, blue
- Top quality information cards, 150g/m<sup>2</sup>, usable on both sides

|    | Size       | Pieces/PU | PU     |
|----|------------|-----------|--------|
| rs | 11 x 19 cm | 120 pcs   | 1 pack |
| rs | 11 x 19 cm | 250 pcs   | 1 pack |

• For brainstorming sessions, mind mapping, opinion surveys • Top quality information cards, 150g/m<sup>2</sup>, usable on both sides

|     | Size          | Pieces/PU | PU     |
|-----|---------------|-----------|--------|
| irs | 9,5 x 42,5 cm | 50 pcs.   | 1 pack |

- · For brainstorming sessions, mind-mapping, opinion surveys etc.
- 6 colours: white, yellow, orange, red, green, blue

|     | Size      | Pieces/PU | PU     |
|-----|-----------|-----------|--------|
| irs | 9 x 20 cm | 120 pcs   | 1 pack |

# Presentation cards, thumb

• For brainstorming sessions, mind mapping, opinion surveys • Giving your opinion or evaluate: positive, negative or neutral on cards, 150g/m<sup>2</sup>

| Size     | Pieces/PU | PU     |
|----------|-----------|--------|
| Ø 9,5 cm | 100 pcs.  | 1 pack |

SEMINAR CASES AND ACCESSORIES

# »VISUAL COMMUNICATION





### Presentation cards, cloud

- For brainstorming sessions, mind mapping, opinion surveys
- Note remarks and comments properly • Top quality information cards, 150g/m<sup>2</sup>

| Item   | Colours  | Size       | Pieces/PU | PU     |
|--------|----------|------------|-----------|--------|
| 639 57 | 02 white | 11 x 19 cm | 50 pcs.   | 1 pack |

### Presentation cards, cloud

- For brainstorming sessions, mind mapping, opinion surveys
- 2 sizes • Top quality information cards, 150g/m<sup>2</sup>

| Item   | Colours  | Size         | Pieces/PU | PU     |
|--------|----------|--------------|-----------|--------|
| 639 58 | 02 white | 14 x 23 cm   | 20 pcs    | 1 pack |
| 639 59 | 02 white | 26,5 x 43 cm | 20 pcs    | 1 pack |



### Map pins

• Ø head 0,6 cm, length 1,6 cm • 200 pieces/ self-service box

| Item   | Colours             | Pieces/PU | PU        |
|--------|---------------------|-----------|-----------|
| 280 65 | 99 assorted colours | 200 St.   | 1 box(es) |

### Round stickers

• For evaluation or statements (for example points system) • 4 colours

| Item   | Colours             | Size     | Pieces/PU | PU     |
|--------|---------------------|----------|-----------|--------|
| 639 33 | 99 assorted colours | Ø 1,9 cm | 480 pcs.  | 1 pack |

### Name badges

• Carton 190 g/m<sup>2</sup>

| Item   | Colours  | Size        | Pieces/PU | PU     |
|--------|----------|-------------|-----------|--------|
| 639 36 | 02 white | 21 x 7,5 cm | 100 pcs.  | 1 pack |

Fr. Lohmann



-

|      | e design with teles<br>th 13 cm, extendab |
|------|---|
| Item | Colours                                   |

| Item   | Colours  |  |
|--------|----------|--|
| 639 81 | 09 other |  |



|          | Size       | Pieces/PU | PU     |
|----------|------------|-----------|--------|
| 00 black | 8 x 4,5 cm | 10 pcs.   | 1 ctn. |

copic pointer ble to 62,5 cm

| Size         | PU       |
|--------------|----------|
| 13 - 62,5 cm | 1 pc(s). |

#### **SHOW CASES**

| A4 | A4 | A4     |
|----|----|--------|
| A4 | A4 | 4<br>4 |

### Showcase MAULexcite

- Ideal for professional information in covered outdoor areas
- With circumferential seal
- Flat construction: depth 2,8 cm • Rear panel and wing door with sturdy silver anodised aluminium frame
- Mitred corners
- ESG safety glass wing door with integrated lock
- Coated steel rear panel, suitable for magnets, writable and dry wipe surface
- Lockable, delivery incl. 2 keys per lock
- Inside depth 1,9 cm
- Easy assembly
- Expected availability end of May 2021
- 665 34: With 1 lock
- 665 36: With 1 lock • 665 39: With 2 locks
- 665 42: With 2 locks • 665 44: With 2 locks

| Item   | Colours      | Outer dimensions      | Format  | Visible size    | PU       |
|--------|--------------|-----------------------|---------|-----------------|----------|
| 665 34 | 08 aluminium | 69,6 x 52,2 x 2,8 cm  | 4 x A4  | 60,8 x 43,4 cm  | 1 pc(s). |
| 665 36 | 08 aluminium | 69,6 x 73,9 x 2,8 cm  | 6 x A4  | 60,8 x 65,1 cm  | 1 pc(s). |
| 665 39 | 08 aluminium | 100 x 73,9 x 2,8 cm   | 9 x A4  | 91,2 x 65,1 cm  | 1 pc(s). |
| 665 42 | 08 aluminium | 100 x 95,6 x 2,8 cm   | 12 x A4 | 91,2 x 86,8 cm  | 1 pc(s). |
| 665 44 | 08 aluminium | 130,4 x 95,6 x 2,8 cm | 16 x A4 | 121,6 x 86,8 cm | 1 pc(s). |

| 66 | 5 39 08 |    |     |
|----|---------|----|-----|
|    | A4      | A4 | A4  |
|    | A4      | A4 | A4  |
|    | A4      | A4 | A4. |

# .....





Item

### 682 08 08

| A4 | A4 | A4 | A4 |
|----|----|----|----|
| A4 | A4 | A4 | A4 |

### Showcase MAULextraslim

#### Designed by MAUL • Ideal for interior professional information

• Silver anodised aluminium frame

- Bevelled plastic corners
- Lockable, delivery includes 2 keys
- Inside depth 0,9 cm Easy assembly
- 682 01: Equipped with a lock
- 682 02: Equipped with a lock
- 682 03: Equipped with a lock
- 682 04: Equipped with a lock • 682 06: Equipped with a lock
- 682 08: Equipped with a lock
- 682 09: Equipped with 2 locks

682 08 08 aluminium 682 09 08 aluminium

682 12 08 aluminium

| -  | -  |
|----|----|
| A4 | A4 |
| A4 | A4 |

#### 665 42 08

666 24 00

| A4 | A4 | A4 | A4, |
|----|----|----|-----|
| A4 | A4 | A4 | A4  |
| A4 | A4 | A4 | A4, |



A4 A4 A4

665 36 08

| 10  |    | Gr. |   | 6 |
|-----|----|-----|---|---|
| >D: | 54 | 14  | ы | a |

| A4 | A4 | A4 | A4. |
|----|----|----|-----|
| A4 | A4 | A4 | A4  |
| A4 | A4 | A4 | A4  |
| A4 | A4 | A4 | A4  |

| 682 01 08 |  |
|-----------|--|
|           |  |
| A4-       |  |



**»VISUAL COMMUNICATION** 

A4

A4

A4

A4

**SHOW CASES** 

A4

A4



682 09 08

| 1 |    | 10 |      |
|---|----|----|------|
|   | A4 | A4 | A4 • |
|   | -  |    | A4   |
|   | A4 | A4 | A4   |

NEW



# • Very flat construction, depth 3,1 cm

- Frameless plastic-glass wing door with integrated lock
- Coated steel rear panel, suitable for magnets, writable and dry wipe surface

  - n 2 locks

| Outer dimensions | Format  | Visible size   | PU       |
|------------------|---------|----------------|----------|
| 35,1x27x3,1 cm   | 1 x A4  | 31,1 x 21,9 cm | 1 pc(s). |
| 35,1x49x3,1 cm   | 2 x A4  | 31,1 x 43,9 cm | 1 pc(s). |
| 35,1x71x3,1 cm   | 3 x A4  | 31,1 x 65,9 cm | 1 pc(s). |
| 65,1x49x3,1 cm   | 4 x A4  | 61,1 x 43,9 cm | 1 pc(s). |
| 65,1x71x3,1 cm   | 6 x A4  | 61,1 x 65,9 cm | 1 pc(s). |
| 65,1x93x3,1 cm   | 8 x A4  | 61,1 x 87,9 cm | 1 pc(s). |
| 95,1x71x3,1 cm   | 9 x A4  | 91,1 x 65,9 cm | 1 pc(s). |
| 95,1x93x3,1 cm   | 12 x A4 | 91,1 x 87,9 cm | 1 pc(s). |

682 04 08





A4 A4 A4 A4 A4 A4

682 12 08

| A4 | A4 | A4 | A4 |
|----|----|----|----|
|    |    | A4 |    |
| A4 | A4 | A4 | Α4 |

# **»VISUAL COMMUNICATION**

A-BOARD

#### **SNAP FRAMES**



# Snap frame MAULstandard

- Ideal for the interior professional presentation of information, placards and posters
- Simple exchange of contents from the front side: open snap frame, remove the protection
- sheet, insert contents and protection sheet, close the frame finished
- UV-stabilised anti glare front sheet protects your contents from fading
- Flat silver anodised aluminium frame, 25 mm
- Mitred corners
- Shock-proof polystyrene rear panel
- Simple wall assembly thanks to concealed holes in the profile

| ltem   | Colours      | Outer dimensions   | Format | Visible size | PU       |
|--------|--------------|--------------------|--------|--------------|----------|
|        |              |                    |        |              |          |
| 660 44 | 08 aluminium | 33 x 24 x 1,2 cm   | A4     | 28 x 19 cm   | 1 pc(s). |
| 660 43 | 08 aluminium | 45 x 33 x 1,2 cm   | A3     | 40 x 28 cm   | 1 pc(s). |
| 660 42 | 08 aluminium | 62,5 x 45 x 1,2 cm | A2     | 57,5 x 40 cm | 1 pc(s). |
| 660 41 | 08 aluminium | 87 x 62,5 x 1,2 cm | A1     | 82 x 57,5 cm | 1 pc(s). |
| 660 40 | 08 aluminium | 122 x 87 x 1,2 cm  | A0     | 117 x 82 cm  | 1 pc(s). |



# A-Board MAULpublic

#### • Double-sided A-Board, ideal for the professional presentation of information, placards and posters both indoor and outdoor · Weather-resistant with integrated water outflow holes in the bottom profiles

- UV-stabilised anti glare sheet protects your contents from fading • Silver anodised aluminium frame, 25 mm profile
- Stable foldable aluminium frame

| Item   | Colours      | Size                   | Visible size  | Format | PU       |
|--------|--------------|------------------------|---------------|--------|----------|
| 663 12 | 08 aluminium | 105 x 45 x 67,3 cm     | 57,5 x 40 cm  | A2     | 1 pc(s). |
| 663 11 | 08 aluminium | 111,5 x 62,4 x 75,6 cm | 82 x 57,5 cm  | A1     | 1 pc(s). |
| 663 10 | 08 aluminium | 140,3 x 87,3 x 94 cm   | 117,3 x 82 cm | A0     | 1 pc(s). |



660 44 08



















# Replacement sheets

- Protects against fading
- Contents: 10 pieces per box

| ltem   | Colours        | For Format | PU     |
|--------|----------------|------------|--------|
| 663 80 | 05 transparent | A0         | 1 ctn. |
| 663 81 | 05 transparent | A1         | 1 ctn. |
| 663 82 | 05 transparent | A2         | 1 ctn. |



• Simple exchange of the contents from the front side: open the snap frame, remove the protection sheet, insert the contents and the protection sheet, close the frame - finished

- Non-corrosive heavy metal rear panel for higher stability



Available in the corresponding sizes for the A-Board MAULpublic and clip frame MAULstandard
 Stabilised UV anti-glare sheet

#### MAGNETS

# »HOW MUCH CAN A MAGNET HOLD?

The adhesiveness of a magnet is measured in kg. A normal misunderstanding is to believe that this is the same as the weight that the magnet can hold! An example: A magnet with 1 kg adhesiveness could hold a weight of 1 kg on the wall.

The specified adhesiveness is generally measured under these prescribed, constant conditions:



In practical use the adhesiveness of a magnet is reduced immensely by many different factors, e.g. by the composition of the product (smooth film compared to rough paper) or by the composition and strength of the backing board used.

For this reason a 10 mm thick steel sheet is used as a backing board when determining the adhesion of the magnet. In comparison: A whiteboard steel board is between 0,25 - 0,45 mm thick, thus only one fortieth thereof. For this reason a magnet with 1 kg adhesive force can hold considerably less on a whiteboard. Due to many factors it is not possible to give precise details on how much a magnet can hold. As an orientation here is an example from our test laboratory:

|                     | 6      |        |        |        | 8      |        |
|---------------------|--------|--------|--------|--------|--------|--------|
| Art. No.            | 617 51 | 617 71 | 617 91 | 616 86 | 616 88 | 616 94 |
| Strength [kg]       | 0,17   | 0,6    | 1,0    | 3,5    | 14     | 20     |
| Paper sheets [pcs.] | 4      | 7      | 10     | 14     | 40     | 60     |



DIN A4 pages (80g/m<sup>2</sup>) were attached to a 0,45 mm thick coated steel whiteboard at room temperature. The determined values are only for orientation purposes and we assume no liability for these measurements.

More information about adhesion force can be found under www.maul.uk

# **»VISUAL COMMUNICATION**

#### MAGNETS



### Writable marking tape, magnetic

- Strength 42 g/cm<sup>2</sup>

| Item   | Colours   | Width | Length | PU       |
|--------|---|-------|--------|----------|
| 652 31 | 02 white  | 1 cm  | 3 m    | 1 pc(s). |
| 652 33 | 02 white  | 2 cm  | 3 m    | 1 pc(s). |
| 652 35 | 02 white  | 3 cm  | 3 m    | 1 pc(s). |
| 652 37 | 02 white  | 4 cm  | 3 m    | 1 pc(s). |
| 652 39 | 02 white  | 5 cm  | 3 m    | 1 pc(s). |
| 652 41 | 02 white, 15 yellow, 25 red, 37 blue, 55 green    | 1 cm  | 10 m   | 1 pc(s). |
| 652 43 | 02 white, 15 yellow, 25 red, 37 blue, 55 green    | 2 cm  | 10 m   | 1 pc(s). |
| 652 45 | 02 white, 15 yellow, 25 red, 37 blue, 55<br>green | 3 cm  | 10 m   | 1 pc(s). |
| 652 47 | 02 white, 15 yellow, 25 red, 37 blue, 55<br>green | 4 cm  | 10 m   | 1 pc(s). |
| 652 49 | 02 white, 15 yellow, 25 red, 37 blue, 55 green    | 5 cm  | 10 m   | 1 pc(s). |







88

# MAUL



· Practical: for changing labelling on ferrous shelves in warehouses or sales rooms · Also in schools, offices, cellars, kitchens or on whiteboards • One side plastic coated, the opposite side magnetic • How to: cut the marking band, mark, apply on the iron surface - done Can be written on with felt pens and markers

• Flexible magnetic tape, gauge 1 mm, choice of various widths • Customized: cut at the desired length with common scissors

• Colours 15, 25, 37, 55: expected availability end of April 2021





# **»VISUAL COMMUNICATION**

#### MAGNETS





### Magnetic tape, self-adhesive

- Make your own magnets: with small objects, photos or other artworks
- One side self-adhesive, the other side magnetic
- Instructions: cut the magnetic tape, stick it, that's it
- Advantage of magnetic band: can't be seen from the front, flat application
- Flexible magnetic band, 1 mm thick, several sizes available
- Cutting: can be cut to length with normal scissors
- Strength approx. 40 g/cm<sup>2</sup>
- Art. No. 615 65 09 and 615 67 09: expected availability end of April 2021

| Item   | Colours  | Width  | Length | PU       |
|--------|----------|--------|--------|----------|
| 615 72 | 09 other | 1 cm   | 10 m   | 1 pc(s). |
| 615 74 | 09 other | 1,5 cm | 10 m   | 1 pc(s). |
| 615 76 | 09 other | 2,5 cm | 10 m   | 1 pc(s). |
| 615 61 | 09 other | 3,5 cm | 10 m   | 1 pc(s). |
| 615 63 | 09 other | 4,5 cm | 10 m   | 1 pc(s). |
| 615 65 | 09 other | 6,0 cm | 10 m   | 1 pc(s). |
| 615 67 | 09 other | 10 cm  | 10 m   | 1 pc(s). |



# Magnetic labels

- Ideal for ferruginous surfaces
- Plastic frame with transparent coating
- Inlets white on both sides, 7,5 x 2 cm • Size 8 x 2,5 cm



August

#### Pieces/PU Colours 651 98 82 grey 10 pcs.

PU

1 bag(s)



NEW

MAGNETS

New colours Art-No. 617 71





# normal conditions of use.

# Facetted edge magnet MAULpro

- Made in Germany

| Item   | Colours   | Size                           | Strength | Pieces/PU | PU       |
|--------|---|--------------------------------|----------|-----------|----------|
| 617 51 | 02 white, 13 yellow, 25 red, 35 blue, 55<br>green, 90 black, 99 assorted colours  | Ø 15 x 7 mm round              | 0,17 kg  | 20 pcs    | 1 set(s) |
| 617 61 | 02 white, 13 yellow, 25 red, 35 blue, 55<br>green, 90 black, 99 assorted colours  | Ø 20 x 8 mm round              | 0,3 kg   | 20 pcs    | 1 set(s) |
| 617 71 | 02 white, 13 yellow, 15 yellow, 25 red, 34<br>light blue, 35 blue, 43 orange, 54 light<br>green, 55 green, 90 black, 99 assorted<br>colours | Ø 30 x 10 mm round             | 0,6 kg   | 20 pcs    | 1 set(s) |
| 617 81 | 02 white, 13 yellow, 25 red, 35 blue, 55<br>green, 90 black, 99 assorted colours  | Ø 34 x 13 mm<br>power          | 2 kg     | 20 pcs    | 1 set(s) |
| 617 91 | 02 white, 13 yellow, 25 red, 35 blue, 55<br>green, 90 black, 99 assorted colours  | 53 x 18 x 10 mm<br>rectangular | 1 kg     | 20 pcs    | 1 set(s) |





MAUL

# » FERRITE OR NEODYM MAGNET ?

**Ferrite magnets** are worldwide the most-produced magnets and they are the classical office magnets. They are more robust and cheaper than neodymium magnets. With their colourful plastic covers one can accentuate as one pleases. The shipping is uncritical (except for airfreight).

**Neodymium magnets** have a high adhesive force compared with their volume, i.e. very small magnets can be very strong. Neodymium magnets should be used with caution. They are more sensitive than ferrite magnets, they can splitter easily and the oxidate quickly when the protection layer is removed. Children should not play with them. There are special safety rules which apply when using or sending neodymium magnets. Details are available under www.maul.uk.

The adhesive force of ferrite and neodymium magnets does not weaken under

• The original from MAUL: a real classic, distinctive design and functionality

#### • Elegant: facetted highly polished edge, surface with rough matt finish • Safe hold: a special glue ensures a strong fixing from the magnet kernel in the housing

• The bottom of the ferrite magnet is lacquered for protection of the board surface

• Ideal: in the office or for representative purposes

• Stable: housing made of shock-proof plastic

• Low emission production in local plant

• Set "assorted colours" (99) containing : 4 each in white, yellow, blue, 3 red, 3 green, 2 black • Comprehensive: many colours, shapes and sizes available

• 20 pieces on steel sheet with European hanging perforation

# **»VISUAL COMMUNICATION**

#### MAGNETS









### Facetted edge magnet MAULpro, self-service packaging

- The original from MAUL: a real classic, distinctive design and functionality
- Made in Germany
- Elegant: facetted highly polished edge, surface with rough matt finish
- Safe hold: a special glue ensures a strong fixing from the magnet kernel in the housing
- On attractive blister card
- The bottom of the ferrite magnet is lacquered for protection of the board surface
- Ideal: in the office or for representative purposes
- Stable: housing made of shock-proof plastic
- Low emission production in local plant
- Comprehensive: many colours, shapes and sizes available

| Item   | Colours   | Size               | Strength | Pieces/PU | PU        |
|--------|---|--------------------|----------|-----------|-----------|
| 617 52 | 02 white, 13 yellow, 25 red, 35 blue,<br>55 green, 90 black | Ø 15 x 7 mm round  | 0,17 kg  | 8 pcs.    | 10 set(s) |
| 617 62 | 02 white, 13 yellow, 25 red, 35 blue,<br>55 green, 90 black | Ø 20 x 8 mm round  | 0,3 kg   | 6 pcs.    | 10 set(s) |
| 617 72 | 02 white, 13 yellow, 25 red, 35 blue,<br>55 green, 90 black | Ø 30 x 10 mm round | 0,6 kg   | 4 pcs.    | 10 set(s) |

#### MAGNETS



### • For price-conscious people · Comfortable: fine grip border

- Solid: shock-proof plastic housing
- grey and black

| Item   | Colours  | Size                          | Strength | Pieces/PU | PU     |
|--------|--|-------------------------------|----------|-----------|--------|
| 616 15 | 02 white, 13 yellow, 25 red, 35 blue, 55<br>green, 84 grey, 90 black, 99 assorted<br>colours | Ø 15 x 7 mm round             | 0,15 kg  | 10 pcs.   | 1 ctn. |
| 616 20 | 02 white, 13 yellow, 25 red, 35 blue, 55<br>green, 84 grey, 90 black, 99 assorted<br>colours | Ø 20 x 7,5 mm round           | 0,3 kg   | 10 pcs.   | 1 ctn. |
| 616 24 | 02 white, 13 yellow, 25 red, 35 blue, 55<br>green, 84 grey, 90 black, 99 assorted<br>colours | Ø 24 x 8 mm round             | 0,6 kg   | 10 pcs.   | 1 ctn. |
| 616 32 | 02 white, 13 yellow, 25 red, 35 blue, 55<br>green, 84 grey, 90 black, 99 assorted<br>colours | Ø 32 x 9,6 mm round           | 0,8 kg   | 10 pcs.   | 1 ctn. |
| 616 39 | 02 white, 13 yellow, 25 red, 35 blue, 55<br>green, 84 grey, 90 black, 99 assorted<br>colours | Ø 38 x 15,5 mm<br>power       | 2,5 kg   | 10 pcs.   | 1 ctn. |
| 616 50 | 02 white, 13 yellow, 25 red, 35 blue, 55<br>green, 84 grey, 90 black, 99 assorted<br>colours | 54 x 19 x 9 mm<br>rectangular | 1 kg     | 10 pcs.   | 1 ctn. |

- For price-conscious people
- · Comfortable: fine grip border • On attractive blister card
- Solid: shock-proof plastic housing
- · Comprehensive: many colours and sizes available
- Item Colours 616 52 02 white, 25 red, 3 green, 90 black 616 54 02 white, 25 red, 3 green, 90 black 616 56 02 white, 25 red, 3 green, 90 black 616 58 02 white, 25 red, 3 green, 90 black

## Spherical magnet

- Perfect in form, hemispherical shape with mirror finish
- Made in Germany
- · For design oriented presentation: in representative rooms, agencies, museums
- · Elegant underlining of the corporate identity colours, or willful colour course setting
- Pleasant haptics
- The bottom of the ferrite magnet is lacquered for protection of the board surface
- Stable: housing made of shock-proof plastic
- Ø 30 mm, 20 mm height
- · Low emission production in local plant
- Comprehensive: many colours available
- · Nothing gets lost: on steel sheet with European hanging perforation

| Item   | Colours  | Size    | Strength | Pieces/PU | PU       |
|--------|--|---------|----------|-----------|----------|
| 616 60 | 02 white, 35 blue, 90 black, 95<br>silver, 99 assorted colours | Ø 30 mm | 0,6 kg   | 10 pcs.   | 1 set(s) |



# Magnet MAULsolid

# Modern design: lightly curved case, lightly scoured surface, vertically grooved edge

# · Ecological cardboard box with viewing window for colour identification, can be recycled

• The bottom of the ferrite magnet is lacquered for protection of the board surface

• Comprehensive: many shapes, colours and sizes available

• Set "assorted colours" (99) containing : 2 each in yellow, red and blue, 1 each in white, green,

## Magnet MAULsolid, self-service packaging

# • Modern design: lightly curved case, lightly scoured surface, vertically grooved edge

• The bottom of the ferrite magnet is lacquered for protection of the board surface

|             | Size                 | Strength | Pieces/PU | PU        |
|-------------|----------------------|----------|-----------|-----------|
| 35 blue, 55 | Ø 20 x 7,5 mm round  | 0,3 kg   | 8 pcs.    | 12 set(s) |
| 35 blue, 55 | Ø 32 x 9,6 mm round  | 0,8 kg   | 4 pcs.    | 12 set(s) |
| 35 blue, 55 | Ø 38 x 12,5 mm round | 1,5 kg   | 4 pcs.    | 12 set(s) |
| 35 blue, 55 | Ø 38 x 15,5 mm power | 2,5 kg   | 2 pcs.    | 12 set(s) |

#### MAGNETS



### Industrial magnet

- Sturdy: housing made of shock-proof plastic
- Particularly wear resistant
- Made in Germany
- Nearly indestructible: particularly suitable for workshops
- · Ideal: also for production areas (many ferruginous surfaces can be used), e.g. to fix information on machines or to be used on metal locker or on racks for inventories
- · Safe hold: a special glue ensures a strong fixing from the magnet kernel in the housing
- The bottom of the ferrite magnet is lacquered for protection of the board surface
- Low emission production in local plant
- Nothing is lost: on convenient steel sheet with European hanging perforation

| ltem   | Colours  | Size          | Strength | Pieces/PU | PU       |
|--------|--|---------------|----------|-----------|----------|
| 617 23 | 13 yellow, 25 red, 35 blue, 55<br>green, 84 grey | Ø 29 x 8,5 mm | 0,6 kg   | 10 pcs.   | 1 set(s) |
| 617 33 | 13 yellow, 25 red, 35 blue, 55<br>green, 84 grey | Ø 34 x 14 mm  | 2 kg     | 10 pcs.   | 1 set(s) |

#### MAGNETS



**»VISUAL COMMUNICATION** 



- Complete silicone encasement
- Holds on both sides
- Easy to grip: removal without slipping fingers

| ltem   | Colours            |
|--------|--------------------|
| 616 66 | 99 assorted colour |

# Neodymium disc magnet, silicone

- Holds on both sides
- Easy to grip: removal without slipping fingers
- ltem Colours 616 64 99 assorted colours

# Neodymium silicone ball magnet

- Complete silicone encasement
- Holds on all sides

• Easy to grip: removal without slipping fingers • Please observe the security advice for neodymium magnets on www.maul.uk

| ltem   | Colours |
|--------|---------|
| 616 75 | 35 blue |









- For the price conscious
- · Protects the fixing surface and the magnetic core
- Easy to grip: removal without slipping fingers
- Especially suitable for workshops
- · Also ideal to fix information on machines, metal lockers or on metal racks for inventories
- Ferrite disc magnet
- Holds on both sides
- Expected availability June 2021

| Item Co   | Colours             | Size            | Strength | Pieces/PU | PU       |
|-----------|---------------------|-----------------|----------|-----------|----------|
| 616 12 99 | 99 assorted colours | Ø 32,6 x 9,8 mm | 0,8 kg   | 4 pcs.    | 1 set(s) |

full size







NEW

full size

# Neodymium silicone disc magnet

# Advantage of the neodymium magnets: strong magnetic attraction on small volume

### · Protects the fixing surface and the magnetic core

· Please observe the security advice for neodymium magnets on www.maul.uk

|     | Size          | Strength | Pieces/PU | PU       |
|-----|---------------|----------|-----------|----------|
| irs | Ø 19,2 x 4 mm | 0,8 kg   | 10 pcs.   | 1 set(s) |

#### Advantage of neodymium: strong magnetic attraction on small volume

#### Protects the fixing surface and the magnetic core

· Please observe the security advice for neodymium magnets on www.maul.uk • Expected availability June 2021

|    | Size          | Strength | Pieces/PU | PU       |
|----|---------------|----------|-----------|----------|
| rs | Ø 14,6 x 9 mm | 1,5 kg   | 8 pcs.    | 1 set(s) |

# · Advantage of the neodymium magnets: strong magnetic attraction on small volume

#### Protects the fixing surface and the magnetic core

| Size      | Strength | Pieces/PU | PU       |
|-----------|----------|-----------|----------|
| Ø 11,8 mm | 0,6 kg   | 4 pcs.    | 1 set(s) |





NFW





#### MAGNETS



### Neodymium cone magnet



#### Advantage of the neodymium magnets: strong magnetic attraction on small volume

- In trendy colour combinations
- Conical
- · Accentuate, highlight oder just enjoy the colours
- User-friendly: easy to grip and to remove
- Strong neodymium magnet covered with coloured plastic layer
- Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension
- Please observe the security advice for neodymium magnets on www.maul.uk

| I | tem    | Colours             | Size         | Strength | Pieces/PU | PU       |
|---|--------|---------------------|--------------|----------|-----------|----------|
| ( | 516 84 | 99 assorted colours | Ø 12 x 16 mm | 1,5 kg   | 10 pcs.   | 1 set(s) |
| 6 | 516 85 | 99 assorted colours | Ø 12 x 16 mm | 1,5 kg   | 10 pcs.   | 1 set(s) |

# COLOUR MY WORK

These colours bring a breath of fresh air into everyday office life and can be combined perfectly. Discover more ideas about Colour my Work in the Lighting and Office accessories sections or on www.maul.uk



### Neodymium cone magnet

- · Advantage of the neodymium magnets: strong magnetic attraction on small volume
- Easy to grip thanks to conical form
- Versatile: e.g. to hang signboards or keys
- Suggestion: fix a cable or a band between 2 pin magnets and hang documents on it with maulys<sup>®</sup> e.g. pictures



- · Aesthetic in shape and surface, fits discretely in any environment
- Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension
- Please observe the security advice for neodymium magnets on www.maul.uk
- 616 89: Particularly powerful: 22 kg

| Item   | Colours         | Size         | Strength | Pieces/PU | PU       |
|--------|-----------------|--------------|----------|-----------|----------|
| 616 86 | 96 light silver | Ø 12 x 16 mm | 3,5 kg   | 5 pcs.    | 1 set(s) |
| 616 87 | 96 light silver | Ø 17 x 20 mm | 7 kg     | 4 pcs.    | 1 set(s) |
| 616 88 | 96 light silver | Ø 22 x 24 mm | 14 kg    | 4 pcs.    | 1 set(s) |
| 616 89 | 96 light silver | Ø 32 x 33 mm | 22 kg    | 2 pcs.    | 1 set(s) |

# **»VISUAL COMMUNICATION**

#### MAGNETS



### Neodymium power magnet, self-service packaging NEW

- Extremely strong magnetic adherence

- Massive refined steel housing

| ltem   | Colours         | Size        | Strength | PU       |
|--------|-----------------|-------------|----------|----------|
| 617 07 | 96 light silver | Ø 16 x 7 mm | 5 kg     | 1 pc(s). |
| 617 08 | 96 light silver | Ø 22 x 9 mm | 8 kg     | 1 pc(s). |
| 617 09 | 96 light silver | Ø 25 x 9 mm | 13 kg    | 1 pc(s). |
| 617 10 | 96 light silver | Ø 30 x 9 mm | 21 kg    | 1 pc(s). |

- Very sturdy: steel housing • Extremely powerful
- Bar form for easy grip
- Solid, refined steel housing
- Expected availability June 2021

| Item   | Colours         |
|--------|-----------------|
| 618 50 | 96 light silver |
| 618 51 | 96 light silver |
| 618 52 | 96 light silver |
| 618 53 | 96 light silver |













· Advantage of the neodymium magnets: strong magnetic attraction on small volume

· Round shape with edge for easy grip

• Pure, elegant and modern: for design oriented users, in prestiguous areas, agencies, museums • Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension

· Aesthetic in shape and surface, fits discretely in any environment

· Please observe the security advice for neodymium magnets on www.maul.uk

Neodymium magnet, easy grip bar



# · Advantage of the neodymium magnets: strong magnetic attraction on small volume

#### · Ideally suited for: the industry, production areas and workshops

• Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension · Please observe the security advice for neodymium magnets on www.maul.uk

| Size         | Strength | Pieces/PU | PU       |
|--------------|----------|-----------|----------|
| Ø 10 x 20 mm | 2,4 kg   | 4 pcs.    | 1 set(s) |
| Ø 16 x 20 mm | 9 kg     | 4 pcs.    | 1 set(s) |
| Ø 20 x 25 mm | 13 kg    | 2 pcs.    | 1 set(s) |
| Ø 25 x 35 mm | 19 kg    | 2 pcs.    | 1 set(s) |

# **»VISUAL COMMUNICATION**

#### MAGNETS







Art. No. 616 71: one side self-adhesive



### Neodymium disc magnet

- Advantage of the neodymium magnets: strong magnetic attraction on small volume
- Pure, elegant and modern: for design oriented users, in prestigious areas, agencies, museums · Wide range of sizes and adhesive forces, can be used on both sides
- Aesthetic in shape and surface, looks elegant on boards or steel strips
- Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension
- Please observe the security advice for neodymium magnet on www.maul.uk
- Art. Nos. 618 05 618 32: expected availability end of June 2021
- 616 71: One side self-adhesive (leaves residues when removed), one side magnetic

| Item   | Colours         | Size         | Strength | Pieces/PU | PU       |
|--------|-----------------|--------------|----------|-----------|----------|
| 618 05 | 96 light silver | Ø 5 x 3 mm   | 0,7 kg   | 10 pcs.   | 1 set(s) |
| 618 06 | 96 light silver | Ø 5 x 5 mm   | 1,1 kg   | 10 pcs.   | 1 set(s) |
| 618 07 | 96 light silver | Ø 5 x 10 mm  | 1,6 kg   | 10 pcs.   | 1 set(s) |
| 618 08 | 96 light silver | Ø 8 x 3 mm   | 1,5 kg   | 10 pcs.   | 1 set(s) |
| 618 09 | 96 light silver | Ø 8 x 5 mm   | 2,4 kg   | 10 pcs.   | 1 set(s) |
| 618 10 | 96 light silver | Ø 8 x 8 mm   | 2,8 kg   | 10 pcs.   | 1 set(s) |
| 616 61 | 96 light silver | Ø 10 x 1 mm  | 0,5 kg   | 10 pcs.   | 1 set(s) |
| 616 71 | 96 light silver | Ø 10 x 1 mm  | 0,5 kg   | 20 pcs    | 1 set(s) |
| 616 63 | 96 light silver | Ø 10 x 3 mm  | 2 kg     | 10 pcs.   | 1 set(s) |
| 618 13 | 96 light silver | Ø 10 x 5 mm  | 2,6 kg   | 10 pcs.   | 1 set(s) |
| 618 14 | 96 light silver | Ø 10 x 10 mm | 4 kg     | 10 pcs.   | 1 set(s) |
| 616 68 | 96 light silver | Ø 10 x 10 mm | 4 kg     | 4 pcs.    | 1 set(s) |
| 618 18 | 96 light silver | Ø 12 x 3 mm  | 2,5 kg   | 10 pcs.   | 1 set(s) |
| 618 19 | 96 light silver | Ø 12 x 5 mm  | 4 kg     | 4 pcs.    | 1 set(s) |
| 618 20 | 96 light silver | Ø 12 x 5 mm  | 4 kg     | 10 pcs.   | 1 set(s) |
| 618 21 | 96 light silver | Ø 12 x 10 mm | 5,3 kg   | 4 pcs.    | 1 set(s) |
| 618 22 | 96 light silver | Ø 12 x 10 mm | 5,3 kg   | 10 pcs.   | 1 set(s) |
| 618 23 | 96 light silver | Ø 15 x 3 mm  | 3,2 kg   | 10 pcs.   | 1 set(s) |
| 618 24 | 96 light silver | Ø 15 x 5 mm  | 4,5 kg   | 4 pcs.    | 1 set(s) |
| 618 25 | 96 light silver | Ø 15 x 5 mm  | 4,5 kg   | 10 pcs.   | 1 set(s) |
| 618 26 | 96 light silver | Ø 15 x 10 mm | 8 kg     | 4 pcs.    | 1 set(s) |
| 618 28 | 96 light silver | Ø 20 x 3 mm  | 4,2 kg   | 4 pcs.    | 1 set(s) |
| 618 29 | 96 light silver | Ø 20 x 3 mm  | 4,2 kg   | 10 pcs.   | 1 set(s) |
| 618 30 | 96 light silver | Ø 20 x 5 mm  | 6,2 kg   | 4 pcs.    | 1 set(s) |
| 618 32 | 96 light silver | Ø 20 x 10 mm | 12 kg    | 4 pcs.    | 1 set(s) |



#### MAGNETS

NEW







Colours

| ltem   | Colours         | Size            | Strength | Pieces/PU | PU       |
|--------|-----------------|-----------------|----------|-----------|----------|
| 618 40 | 96 light silver | 5 x 5 x 5 mm    | 1,1 kg   | 10 pcs.   | 1 set(s) |
| 618 41 | 96 light silver | 7 x 7 x 7 mm    | 1,6 kg   | 10 pcs.   | 1 set(s) |
| 616 92 | 96 light silver | 10 x 10 x 10 mm | 3,8 kg   | 4 pcs.    | 1 set(s) |
| 618 43 | 96 light silver | 10 x 10 x 10mm  | 3,8 kg   | 10 pcs.   | 1 set(s) |
| 616 93 | 96 light silver | 15 x 15 x 15 mm | 15 kg    | 1 pc.     | 1 pc(s). |
| 616 94 | 96 light silver | 20 x 20 x 20 mm | 20 kg    | 1 pc.     | 1 pc(s). |

## Neodymium ball magnet

- Holds on all sides
- Aesthetic in shape and surface, looks elegant on boards or metal strips • Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension · Please observe the security advice for neodymium magnets on www.maul.uk

| 616 74         96 light silver         Ø 10 mm         1,5 kg         4 pcs.         1 set(s)           616 76         96 light silver         Ø 15 mm         4 kg         4 pcs.         1 set(s) | Item   | Colours         | Size    | Strength | Pieces/PU | PU       |
|---|--------|-----------------|---------|----------|-----------|----------|
| 616 76 96 light silver Ø 15 mm 4 kg 4 pcs. 1 set(s)   | 616 74 | 96 light silver | Ø 10 mm | 1,5 kg   | 4 pcs.    | 1 set(s) |
|   | 616 76 | 96 light silver | Ø 15 mm | 4 kg     | 4 pcs.    | 1 set(s) |



98

# Neodymium ring magnet

- · Advantage of the neodymium magnets: strong magnetic attraction on small volume • Ring shape: subtle, elegant and very flat • Practical: marking small texts, Ø outer 1,2 cm, inner 0,9 cm Can be used on both sides
- Pure, elegant and modern: for design oriented users, in prestigious areas, agencies, museums
- Aesthetic in shape and surface, looks elegant on boards or ferrostrips • Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension • Please observe the security advice for neodymium magnets on www.maul.uk

| Size          | Strength | Pieces/PU | PU       |
|---------------|----------|-----------|----------|
| Ø 12 x 1,5 mm | 0,5 kg   | 10 pcs.   | 1 set(s) |

### Neodymium cube magnet

- · Advantage of the neodymium magnets: strong magnetic attraction on small volume • Practical: can be used on all sides
- · Cube: aesthetic in shape and surface, fits discretely in any environment • Pure, elegant and modern: for design oriented users, in prestigious areas, agencies, museums
- Aesthetic in shape and surface, looks elegant on boards or metal strips
- Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension
- Please observe the security advice for neodymium magnets on www.maul.uk
- Art.-Nos. 618 40 618 43: expected availability June 2021

#### · Advantage of the neodymium magnets: strong magnetic attraction on small volume • Pure, elegant and modern: for design oriented users, in prestigious areas, agencies, museums





# **»VISUAL COMMUNICATION**

MAGNETS

#### MAGNETS







### Neodymium bar magnet

- · Advantage of the neodymium magnets: strong magnetic attraction on small volume
- Pure, elegant and modern: for design oriented users, in prestigious areas, agencies, museums
- User friendly: easy to grip and to remove
- Can be used on both sides
- Aesthetic in shape and surface, looks elegant on boards or steel strips
- Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension
- Please observe the security advice for neodymium magnets on www.maul.uk

| Item   | Colours         | Size          | Strength | Pieces/PU | PU       |
|--------|-----------------|---------------|----------|-----------|----------|
| 616 90 | 96 light silver | 4 x 4 x 15 mm | 2 kg     | 4 pcs.    | 1 set(s) |

#### Large power magnetic knob, coat hook



- Powerful: strong magnetic adherence
- · Ideal: also for production areas (many ferruginous surfaces can be used), e.g. to hang workwear on metal locker or for bags and information

NEW

- Easy grip: 16 mm gap between knob and magnet
- Robust: steel housing, knob made of shock-proof plastic
- Soft: a felt cover on the bottom of the ferrite magnet protects the fixing surface
- Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension
- Art. nos. 615 48, 615 49: expected availability June 2021

| Item   | Colours         | Size         | Strength | PU       |
|--------|-----------------|--------------|----------|----------|
| 615 48 | 96 light silver | Ø 38 x 24 mm | 5 kg     | 1 pc(s). |
| 615 49 | 96 light silver | Ø 51 x 24 mm | 9 kg     | 1 pc(s). |
| 615 50 | 96 light silver | Ø 67 x 35 mm | 12 kg    | 1 pc(s). |



### Hook magnet caroussel

- Outstanding: hook can be turned and slanted, to be used on ceiling or inclined surfaces
- Strong: large curved metal hook, safely rounded front
- For everything to be hung, e.g. keys, information signs or light clothes
- Solid: steel case
- Protection film on the bottom of the ferrite magnet
- Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension

| Item   | Colours            | Size         | Strength | Pieces/PU | PU       |
|--------|--------------------|--------------|----------|-----------|----------|
| 615 57 | 02 white, 90 black | Ø 37 x 60 mm | 5 kg     | 2 pcs.    | 1 set(s) |





Colours





# Neodymium hook magnet carousel, coat hook

Ø 38,5 mm magnet

- Plastic housing

- ltem Colours 615 51 90 black





### Neodymium hook magnet carousel, coat hook



· Rotating hook (length approx. 55 mm), can also be used as ceiling hook or used on slanted

· For everything that can be hung, e.g. workwear on metal locker, decoration material or for bags and information signs · Large curved metal hook, with safe rounded point

• Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension • Please follow the safety instructions for neodymium magnets you will find on www.maul.uk

| Size             | Strength | PU       |
|------------------|----------|----------|
| Ø 38.5 mm magnet | 30 ka    | 1 pc(s). |

50 kg

1 pc(s).

• For everything that can be hung up, e.g. keys, information signs or light clothes Advantage of the neodymium magnets: strong magnetic attraction on small volume Robust plastic, rotative hook, safely rounded front

· Rubber layer decrease sliding, so more power is needed to slide downwards

• Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension · Please observe the security advice for neodymium magnets on www.maul.uk

| Size           | Strength | PU       |
|----------------|----------|----------|
| Ø 53 mm magnet | 10 kg    | 1 pc(s). |

#### MAGNETS





• Hook in elegant design with grey plastic housing

Size

Size

Ø 25 x 36 mm

Ø 36 x 36 mm

Ø 47 x 36 mm

34 x 24 mm

• Includes rubberised anti-slip dots for better grip

Power magnet with hook • Particularly strong magnetic adherence

• Nothing is lost: on convenient steel sheet

• Expected availability June 2021

Colours

(metric thread, M4)

• Solid: steel housing Ferrit kernel

Colours

615 78 02 white

615 80 02 white

615 90 02 white

615 54 82 grey

material

Matt surface

ltem

Item

· For everything that can be hung up, e.g. keys, information signs, light clothes or decoration

Strength

6 kg

• For do-it-you-self: hook can be removed and something else can be screwed on the magnet

Strength

3 kg

6 kg

12 kg

• For everything that can be hung up, e.g. keys, information signs or light clothes

Pieces/PU

Pieces/PU

5 pcs.

5 pcs.

5 pcs.

2 pcs.

PU

PU

1 bag(s)

1 bag(s)

1 bag(s)

1 set(s)

 Advantage of the neodymium magnets: strong magnetic attraction on small volume • Practical: on the metal shelf, the metal door, the locker or the fridge door

• Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension

• Please observe the security advice for neodymium magnets on www.maul.uk

NEW



- Considerable strength: 18 kg

- Ferrite magnet
- Lengths of hook: 25 and 40 mm
- ltem Colours 615 59 35 blue





# Large hook magnet

- Convenient: large curved hook
- Solid: steel housing

- Item Colours 615 55 96 light silver





MAGNETS

















### Double hook magnet caroussel

• For everything to be hung, e.g. keys, information signs or light clothes · Ideal for: applications during production, in the workshop or at school • Large curved metal hook, safely rounded front

• Solid: galvanized steel case with plastic coating

· Looking srew made of breakproof plastic material • Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension

| Size         | Strength | PU       |
|--------------|----------|----------|
| Ø 58 x 12 mm | 18 kg    | 1 pc(s). |

• Outstanding: can also be used as a ceiling hook · For everything that can be hung up, e. g. keys, information signs or accessories on cords

• Protection sticker on underside of the ferrite magnet

• Environmentally friendly cardboard packaging, recyclable, with Euro-hole suspension

| Size           | Strength | PU       |
|----------------|----------|----------|
| Ø 51,5 x 35 mm | 9 kg     | 1 pc(s). |

#### **OVERVIEW MAGNETS**

| Ferrite<br>Ferrite<br>Ferrite<br>Ferrite<br>Ferrite<br>Ferrite<br>Ferrite<br>Ferrite<br>Ferrite | 0,17 kg<br>0,3 kg<br>0,6 kg<br>2,0 kg<br>1,0 kg<br>0,17 kg  | round<br>round<br>round<br>round   | Ø 15 x 7<br>Ø 20 x 8   |   | Plastic  | 20   | white, yellow, red, blue, green, black, assorted   | 91   |
|---|---|--|--|---|--|--|--|--|
| Ferrite<br>Ferrite<br>Ferrite<br>Ferrite<br>Ferrite<br>Ferrite                                  | 0,6 kg<br>2,0 kg<br>1,0 kg  | round  |  |   |  |  |  | 1  |
| Ferrite<br>Ferrite<br>Ferrite<br>Ferrite<br>Ferrite   | 2,0 kg<br>1,0 kg  |  | 0.00 10  |   | Plastic  | 20   | white, yellow, red, blue, green, black, assorted   | 91   |
| Ferrite<br>Ferrite<br>Ferrite<br>Ferrite  | 1,0 kg  | round  | Ø 30 x 10  |   | Plastic  | 20   | white, yellow, red, light blue, blue, orange, light green,<br>green, black, assorted   | 91   |
| Ferrite<br>Ferrite<br>Ferrite   |   |  | Ø 34 x 13  |   | Plastic  | 20   | white, yellow, red, blue, green, black, assorted   | 91   |
| Ferrite<br>Ferrite  | 0,17 kg   | rectangular  | 53 x 18 x 10   |   | Plastic  | 20   | white, yellow, red, blue, green, black, assorted   | 91   |
| Ferrite   | . 5   | round  | Ø 15 x 7   |   | Plastic  | 8  | white, yellow, red, blue, green, black   | 92   |
|   | 0,3 kg  | round  | Ø 20 x 8   |   | Plastic  | 6  | white, yellow, red, blue, green, black   | 92   |
| Ferrite   | 0,6 kg  | round  | Ø 30 x 10  |   | Plastic  | 4  | white, yellow, red, blue, green, black   | 92   |
|   | 0,6 kg  | hemispherical  | Ø 30 x 20  |   | Plastic  | 10   | white, blue, black, silver, assorted   | 92   |
| Ferrite   | 0,15 kg   | round  | Ø 15 x 7   |   | Plastic  | 10   | white, yellow, red, blue, green, grey, black, assorted   | 93   |
| Ferrite   | 0,3 kg  | round  | Ø 20 x 7,5   |   | Plastic  | 10   | white, yellow, red, blue, green, grey, black, assorted   | 93   |
| Ferrite   | 0,6 kg  | round  | Ø 24 x 8   |   | Plastic  | 10   | white, yellow, red, blue, green, grey, black, assorted   | 93   |
| Ferrite   | 0,8 kg  | round  | Ø 32 x 9,6   |   | Plastic  | 10   | white, yellow, red, blue, green, grey, black, assorted   | 93   |
| Ferrite   | 2,5 kg  | round  | Ø 38 x 15,5  |   | Plastic  | 10   | white, yellow, red, blue, green, grey, black, assorted   | 93   |
| Ferrite   | 1,0 kg  | rectangular  | 54 x 19 x 9  |   | Plastic  | 10   | white, yellow, red, blue, green, grey, black, assorted   | 93   |
| Ferrite   | 0,3 kg  | round  | Ø 20 x 7,5   |   | Plastic  | 8  | white, red, blue, green, black   | 93   |
| Ferrite   | 0,8 kg  | round  | Ø 32 x 9,6   |   | Plastic  | 4  | white, red, blue, green, black   | 93   |
| Ferrite   | 1,5 kg  | round  | Ø 38 x 12,5  |   | Plastic  | 4  | white, red, blue, green, black   | 93   |
| Ferrite   | 2,5 kg  | round  | Ø 38 x 15,5  |   | Plastic  | 2  | white, red, blue, green, black   | 93   |
| Ferrite   | 0,6 kg  | round  | Ø 29 x 8,5   |   | Plastic  | 10   | yellow, red, blue, green, grey   | 94   |
| Ferrite   | 2,0 kg  | round  | Ø 34 x 14  |   | Plastic  | 10   | yellow, red, blue, green, grey   | 94   |
| Ferrite   | 0,8 kg  | round  | Ø 32,6 x 9,8   |   | Silicone   | 4  | assorted   | 94   |
| Neodymium   | 0,8 kg  | round  | Ø 19,2 x 4   |   | Silicone   | 10   | assorted   | 95   |
| Neodymium   | 1,5 kg  | round  | Ø 14,6 x 9   |   | Silicone   | 8  | assorted   | 95   |
|   |   | sphere   |  |   | Silicone   | 4  | blue   | 95   |
|   |   | cone   |  |   | Plastic  | 10   | assorted   | 96   |
|   |   | cone   |  |   | Plastic  | -  | colour my work - assorted  | 96   |
| ,   |   | cone   |  |   | Steel  |  |  | 96   |
|   |   |  |  |   |  |  | · · · · · · · · · · · · · · · · · · ·  | 96   |
| ,   |   |  |  |   |  |  | · · · · · · · · · · · · · · · · · · ·  | 96   |
| ,   |   |  |  |   |  |  |  | 96   |
|   |   |  |  |   |  |  | · · · · · · · · · · · · · · · · · · ·  | 97   |
|   | -   |  |  |   |  | -  | · · · · · · · · · · · · · · · · · · ·  | 97   |
|   |   |  |  |   |  | -  | · · · · · · · · · · · · · · · · · · ·  | 97   |
| ,   |   |  |  |   |  |  |  | 97   |
| ,   | -   |  |  |   |  |  | · · · · · · · · · · · · · · · · · · ·  | 97   |
| ,   | -   |  |  |   |  |  | · · · · · · · · · · · · · · · · · · ·  | 97   |
| ,   |   |  |  |   |  |  | *  | 97   |
| ,   |   |  |  |   |  |  |  | 97   |
| ,   | -   |  |  |   | Sleel  |  | ÷  | 97   |
|   |   |  |  |   |  |  | · ·  | 90   |
|   |   |  |  |   |  | -  |  | 98   |
| ,   |   |  |  |   |  |  |  | 98   |
|   |   |  |  |   |  |  | *  |  |
| ,   | -   |  |  |   |  |  | · · · · · · · · · · · · · · · · · · ·  | 98   |
|   | -   |  |  |   |  |  | ·  | 98   |
|   |   |  |  |   |  |  | ·  | 98   |
| ,   |   |  |  |   |  |  | *  | 98   |
|   |   | round  |  |   |  |  | · · · · · · · · · · · · · · · · · · ·  | 98   |
| ,   |   |  |  |   |  | -  | · · · · · · · · · · · · · · · · · · ·  | 98<br>98   |
|   | Ferrite<br>Ferrite<br>Ferrite<br>Ferrite<br>Ferrite<br>Ferrite<br>Ferrite<br>Ferrite<br>Neodymium | Ferrite         2,5 kg           Ferrite         1,0 kg           Ferrite         0,3 kg           Ferrite         0,8 kg           Ferrite         1,5 kg           Ferrite         2,5 kg           Ferrite         1,5 kg           Ferrite         2,5 kg           Ferrite         2,0 kg           Ferrite         0,8 kg           Neodymium         0,8 kg           Neodymium         0,8 kg           Neodymium         0,8 kg           Neodymium         0,6 kg           Neodymium         1,5 kg           Neodymium         1,5 kg           Neodymium         1,5 kg           Neodymium         1,5 kg           Neodymium         14,0 kg           Neodymium         5,0 kg           Neodymium         13,0 kg           Neodymium         21,0 kg           Neodymium         21,0 kg           Neodymium         13,0 kg           Neodymium         1,1 kg           Neodymium         1,5 kg           Neodymium         1,5 kg           Neodymium         1,5 kg           Neodymium         1,5 kg           Neodymiu | Ferrite2,5 kgroundFerrite1,0 kgrectangularFerrite0,3 kgroundFerrite0,8 kgroundFerrite1,5 kgroundFerrite1,5 kgroundFerrite2,5 kgroundFerrite0,6 kgroundFerrite2,0 kgroundFerrite0,8 kgroundFerrite0,8 kgroundNeodymium0,8 kgroundNeodymium0,8 kgroundNeodymium0,6 kgsphereNeodymium1,5 kgconeNeodymium1,5 kgconeNeodymium1,5 kgconeNeodymium3,5 kgconeNeodymium5,0 kgroundNeodymium5,0 kgroundNeodymium13,0 kgroundNeodymium21,0 kgroundNeodymium13,0 kgroundNeodymium1,1 kgroundNeodymium1,1 kgroundNeodymium1,2 kgroundNeodymium1,0 kgroundNeodymium1,1 kgroundNeodymium1,5 kgroundNeodymium1,5 kgroundNeodymium1,5 kgroundNeodymium1,5 kgroundNeodymium1,5 kgroundNeodymium1,5 kgroundNeodymium1,5 kgroundNeodymium1,5 kgroundNeodymium1,5 kg< | Ferrite2,5 kgroundØ 38 x 15,5Ferrite1,0 kgrectangular54 x 19 x 9Ferrite0,3 kgroundØ 20 x 7,5Ferrite0,8 kgroundØ 32 x 9,6Ferrite1,5 kgroundØ 38 x 12,5Ferrite2,5 kgroundØ 38 x 15,5Ferrite2,6 kgroundØ 34 x 14Ferrite0,6 kgroundØ 34 x 14Ferrite0,8 kgroundØ 19,2 x 4Neodymium0,8 kgroundØ 19,2 x 4Neodymium1,5 kgroundØ 12 x 16Neodymium1,5 kgconeØ 12 x 16Neodymium1,5 kgconeØ 12 x 16Neodymium1,5 kgconeØ 12 x 16Neodymium7,0 kgconeØ 22 x 24Neodymium14,0 kgconeØ 22 x 24Neodymium14,0 kgconeØ 32 x 33Neodymium5,0 kgroundØ 16 x 7Neodymium13,0 kgroundØ 10 x 20Neodymium13,0 kgroundØ 10 x 20Neodymium14,0 kgconeØ 22 x 9Neodymium13,0 kgroundØ 10 x 20Neodymium14,0 kgconeØ 25 x 35Neodymium14,0 kgroundØ 50 x 3Neodymium13,0 kgroundØ 10 x 20Neodymium14,0 kgroundØ 5 x 3Neodymium1,6 kgroundØ 5 x 3Neodymium1,6 kgroun | Ferrite2,5 kgroundØ 38 x 15,5Ferrite1,0 kgrectangular54 x 19 x 9Ferrite0,3 kgroundØ 20 x 7,5Ferrite0,8 kgroundØ 32 x 9,6Ferrite1,5 kgroundØ 38 x 15,5Ferrite2,5 kgroundØ 38 x 15,5Ferrite0,6 kgroundØ 29 x 8,5Ferrite0,6 kgroundØ 34 x 14Ferrite0,8 kgroundØ 32,6 x 9,8Neodymium0,8 kgroundØ 19,2 x 4Neodymium0,8 kgroundØ 14,6 x 9Neodymium1,5 kgconeØ 12 x 16Neodymium1,5 kgconeØ 12 x 16Neodymium1,5 kgconeØ 12 x 16Neodymium7,0 kgconeØ 22 x 24Neodymium14,0 kgconeØ 22 x 9Neodymium13,0 kgroundØ 10 x 7Neodymium13,0 kgroundØ 10 x 20Neodymium13,0 kgroundØ 10 x 20Neodymium13,0 kgroundØ 10 x 20Neodymium1,1 kgroundØ 10 x 20Neodymium1,1 kgroundØ 10 x 20Neodymium1,2 kgroundØ 10 x 20Neodymium1,0 kgroundØ 10 x 20Neodymium1,0 kgroundØ 10 x 20Neodymium1,1 kgroundØ 10 x 3Neodymium1,0 kgroundØ 10 x 3Neodymium1,0 kg <td< td=""><td>Ferrite2,5 kground0 38 x 15,5PlasticFerrite1,0 kgrectangular54 x 19 x 9PlasticFerrite0,3 kground0 20 x 7,5PlasticFerrite0,8 kground0 32 x 9,6PlasticFerrite1,5 kground0 38 x 12,5PlasticFerrite2,5 kground0 32 x 9,6PlasticFerrite2,5 kground0 29 x 8,5PlasticFerrite0,6 kground0 34 x 14PlasticFerrite0,8 kground0 32,6 x 9,8SiliconeNeodymium0,8 kground0 19,2 x 4SiliconeNeodymium0,8 kground0 12, x 16PlasticNeodymium1,5 kgcone0 12 x 16PlasticNeodymium1,5 kgcone0 12 x 16PlasticNeodymium1,5 kgcone0 12 x 16SteelNeodymium1,5 kgcone0 16 x 7SteelNeodymium1,6 kground0 22 x 9SteelNeodymium13,0 kground0 20 x 25SteelNeodymium13,0 kground0 20 x 25SteelNeodymium13,0 kground0 10 x 20SteelNeodymium13,0 kground0 20 x 25SteelNeodymium13,0 kground0 20 x 25SteelNeodymium13,0 kground0 20 x 25SteelNeodymium13,0 kground0 20 x 25&lt;</td><td>Ferrite         2,5 kg         round         0 38 x 15,5         Plastic         10           Ferrite         1,0 kg         rectangular         54 x 19 x 9         Plastic         10           Ferrite         0,3 kg         round         0 20 x 7,5         Plastic         4           Ferrite         0,8 kg         round         0 32 x 9,6         Plastic         4           Ferrite         1,5 kg         round         0 38 x 12,5         Plastic         2           Ferrite         2,5 kg         round         0 38 x 15,5         Plastic         10           Ferrite         2,0 kg         round         0 34 x 14         Plastic         10           Ferrite         0,8 kg         round         0 32,6 x 9,8         Silicone         4           Neodymium         0,8 kg         round         0 14,6 x 9         Silicone         8           Neodymium         1,5 kg         cone         0 12 x 16         Plastic         10           Neodymium         1,5 kg         cone         0 12 x 16         Plastic         10           Neodymium         1,5 kg         cone         0 12 x 16         Plastic         11           Neodymium         1,5 kg</td><td>Ferite         2,5 kg         round         0 8 x 15,5         Plastic         10         white, yellow, red, blue, green, grw, black, assorted           Ferite         0,3 kg         round         0 20 x 7,5         Plastic         10         white, yellow, red, blue, green, grw, black, assorted           Ferite         0,8 kg         round         0 32 x 7,5         Plastic         4         white, red, blue, green, black           Ferite         0.8 kg         round         0 33 x 15,5         Plastic         4         white, red, blue, green, black           Ferite         2,5 kg         round         0 33 x 15,5         Plastic         10         welthite, red, blue, green, black           Ferite         2,6 kg         round         0 33 x 15,5         Plastic         10         welthite, red, blue, green, black           Ferite         0,8 kg         round         0 32 x 6, 9,8         Plastic         10         welthite, red, blue, green, black           Neodymiun         1,5 kg         cround         0 132 x 6, 9,8         Siltone         4         assorted           Neodymiun         1,5 kg         cround         0 12 x 16         Plastic         10         colour ny, work -assorted           Neodymiun         1,5 kg         crone         0 12 x 1</td></td<> | Ferrite2,5 kground0 38 x 15,5PlasticFerrite1,0 kgrectangular54 x 19 x 9PlasticFerrite0,3 kground0 20 x 7,5PlasticFerrite0,8 kground0 32 x 9,6PlasticFerrite1,5 kground0 38 x 12,5PlasticFerrite2,5 kground0 32 x 9,6PlasticFerrite2,5 kground0 29 x 8,5PlasticFerrite0,6 kground0 34 x 14PlasticFerrite0,8 kground0 32,6 x 9,8SiliconeNeodymium0,8 kground0 19,2 x 4SiliconeNeodymium0,8 kground0 12, x 16PlasticNeodymium1,5 kgcone0 12 x 16PlasticNeodymium1,5 kgcone0 12 x 16PlasticNeodymium1,5 kgcone0 12 x 16SteelNeodymium1,5 kgcone0 16 x 7SteelNeodymium1,6 kground0 22 x 9SteelNeodymium13,0 kground0 20 x 25SteelNeodymium13,0 kground0 20 x 25SteelNeodymium13,0 kground0 10 x 20SteelNeodymium13,0 kground0 20 x 25SteelNeodymium13,0 kground0 20 x 25SteelNeodymium13,0 kground0 20 x 25SteelNeodymium13,0 kground0 20 x 25< | Ferrite         2,5 kg         round         0 38 x 15,5         Plastic         10           Ferrite         1,0 kg         rectangular         54 x 19 x 9         Plastic         10           Ferrite         0,3 kg         round         0 20 x 7,5         Plastic         4           Ferrite         0,8 kg         round         0 32 x 9,6         Plastic         4           Ferrite         1,5 kg         round         0 38 x 12,5         Plastic         2           Ferrite         2,5 kg         round         0 38 x 15,5         Plastic         10           Ferrite         2,0 kg         round         0 34 x 14         Plastic         10           Ferrite         0,8 kg         round         0 32,6 x 9,8         Silicone         4           Neodymium         0,8 kg         round         0 14,6 x 9         Silicone         8           Neodymium         1,5 kg         cone         0 12 x 16         Plastic         10           Neodymium         1,5 kg         cone         0 12 x 16         Plastic         10           Neodymium         1,5 kg         cone         0 12 x 16         Plastic         11           Neodymium         1,5 kg | Ferite         2,5 kg         round         0 8 x 15,5         Plastic         10         white, yellow, red, blue, green, grw, black, assorted           Ferite         0,3 kg         round         0 20 x 7,5         Plastic         10         white, yellow, red, blue, green, grw, black, assorted           Ferite         0,8 kg         round         0 32 x 7,5         Plastic         4         white, red, blue, green, black           Ferite         0.8 kg         round         0 33 x 15,5         Plastic         4         white, red, blue, green, black           Ferite         2,5 kg         round         0 33 x 15,5         Plastic         10         welthite, red, blue, green, black           Ferite         2,6 kg         round         0 33 x 15,5         Plastic         10         welthite, red, blue, green, black           Ferite         0,8 kg         round         0 32 x 6, 9,8         Plastic         10         welthite, red, blue, green, black           Neodymiun         1,5 kg         cround         0 132 x 6, 9,8         Siltone         4         assorted           Neodymiun         1,5 kg         cround         0 12 x 16         Plastic         10         colour ny, work -assorted           Neodymiun         1,5 kg         crone         0 12 x 1 |

# **»VISUAL COMMUNICATION**

#### **OVERVIEW MAGNETS**

| ArtNo. | Magnet-Type | Strength | Form        | Size (mm)    | Hook | Material of case | Pieces/PU | Colour                                | Page |
|--------|-------------|----------|-------------|--------------|------|------------------|-----------|---------------------------------------|------|
| 618 14 | Neodymium   | 4,0 kg   | round       | Ø 10 x 10    |      |                  | 10        | light silver                          | 98   |
| 618 18 | Neodymium   | 2,5 kg   | round       | Ø 12 x 3     |      |                  | 10        | light silver                          | 98   |
| 618 19 | Neodymium   | 4,0 kg   | round       | Ø 12 x 5     |      |                  | 4         | light silver                          | 98   |
| 618 20 | Neodymium   | 4,0 kg   | round       | Ø 12 x 5     |      |                  | 10        | light silver                          | 98   |
| 618 21 | Neodymium   | 5,3 kg   | round       | Ø 12 x 10    |      |                  | 4         | light silver                          | 98   |
| 618 22 | Neodymium   | 5,3 kg   | round       | Ø 12 x 10    |      |                  | 10        | light silver                          | 98   |
| 618 23 | Neodymium   | 3,2 kg   | round       | Ø 15 x 3     |      |                  | 10        | light silver                          | 98   |
| 618 24 | Neodymium   | 4,5 kg   | round       | Ø 15 x 5     |      |                  | 4         | light silver                          | 98   |
| 618 25 | Neodymium   | 4,5 kg   | round       | Ø 15 x 5     |      |                  | 10        | light silver                          | 98   |
| 618 26 | Neodymium   | 8,0 kg   | round       | Ø 15 x 10    |      |                  | 4         | light silver                          | 98   |
| 618 28 | Neodymium   | 4,2 kg   | round       | Ø 20 x 3     |      |                  | 4         | light silver                          | 98   |
| 618 29 | Neodymium   | 4,2 kg   | round       | Ø 20 x 3     |      |                  | 10        | light silver                          | 98   |
| 618 30 | Neodymium   | 6,2 kg   | round       | Ø 20 x 5     |      |                  | 4         | light silver                          | 98   |
| 618 32 | Neodymium   | 12,0 kg  | round       | Ø 20 x 10    |      |                  | 4         | light silver                          | 98   |
| 616 83 | Neodymium   | 0,5 kg   | ring        | Ø 12 x 1,5   |      |                  | 10        | light silver                          | 99   |
| 618 40 | Neodymium   | 1,1 kg   | cone        | 5 x 5 x 5    |      |                  | 10        | light silver                          | 99   |
| 618 41 | Neodymium   | 1,6 kg   | cone        | 7 x 7 x 7    |      |                  | 10        | light silver                          | 99   |
| 616 92 | Neodymium   | 3,8 kg   | cone        | 10 x 10 x 10 |      |                  | 4         | light silver                          | 99   |
| 618 43 | Neodymium   | 3,8 kg   | cone        | 10 x 10 x 10 |      |                  | 10        | light silver                          | 99   |
| 616 93 | Neodymium   | 15,0 kg  | cone        | 15 x 15 x 15 |      |                  | 1         | light silver                          | 99   |
| 616 94 | Neodymium   | 20,0 kg  | cone        | 20 x 20 x 20 |      |                  | 1         | light silver                          | 99   |
| 616 74 | Neodymium   | 1,5 kg   | sphere      | Ø 10         |      |                  | 4         | light silver                          | 99   |
| 616 76 | Neodymium   | 4,0 kg   | sphere      | Ø 15         |      |                  | 4         | light silver                          | 99   |
| 616 90 | Neodymium   | 2,0 kg   | rectangular | 4 x 4 x 15   |      |                  | 4         | light silver                          | 100  |
| 615 48 | Ferrite     | 5,0 kg   | round       | Ø 38 x 24    | Knob | Steel            | 1         | light silver                          | 100  |
| 615 49 | Ferrite     | 9,0 kg   | round       | Ø 51 x 24    | Knob | Steel            | 1         | light silver                          | 100  |
| 615 50 | Ferrite     | 12,0 kg  | round       | Ø 67 x 35    | Knob | Steel            | 1         | light silver                          | 100  |
| 615 57 | Ferrite     | 5,0 kg   | round       | Ø 37 x 60    | х    | Steel            | 2         | white, black                          | 100  |
| 615 56 | Neodymium   | 30,0 kg  | round       | Ø 38,5       | х    | Steel            | 1         | light silver                          | 101  |
| 615 60 | Neodymium   | 50,0 kg  | round       | Ø 38,5       | х    | Steel            | 1         | light silver                          | 101  |
| 615 51 | Neodymium   | 10,0 kg  | round       | Ø 53         | х    | Plastic          | 1         | black                                 | 101  |
| 615 54 | Neodymium   | 6,0 kg   | rectangular | 34 x 24      | х    | Plastic          | 2         | grey                                  | 102  |
| 615 78 | Ferrite     | 3,0 kg   | round       | Ø 25 x 36    | х    | Steel            | 5         | white                                 | 102  |
| 615 80 | Ferrite     | 6,0 kg   | round       | Ø 36 x 36    | х    | Steel            | 5         | white                                 | 102  |
| 615 90 | Ferrite     | 12,0 kg  | round       | Ø 47 x 36    | х    | Steel            | 5         | white                                 | 102  |
| 615 59 | Ferrite     | 18,0 kg  | round       | Ø 58 x 12    | х    | Steel, Plastic   | 1         | blue                                  | 103  |
| 615 55 | Ferrite     | 9,0 kg   | round       | Ø 51,5 x 35  | х    | Steel            | 1         | light silver                          | 103  |
|        |             | -        |             |              | -    |                  | -         | · · · · · · · · · · · · · · · · · · · |      |



# » MAUL PRODUCTS WITH ADVERTISING INSCRIPTION

Many of our products can be inscribed with customised advertising if purchased in sufficient quantities. Here are some examples of the numerous design options. The products are mostly screen printed or pad printed; multicolour and special colour printing is possible. Feel free to contact us for advice on the various printing options available.







In tomorrow's world of work, the focus is on flexibility and well-being. If you also value effi-ciency, you'll be aiming to create an attractive, healthy and ergonomic working environment. In this area we see ourselves as partners, offering products that are both practical and parthetic aesthetic.

And you can depend on first-class brand quality from a German manufacturer to do its job while you do something to improve your posture. Stylish, versatile and intelligent – we understand the needs of modern-day office



# **»FOCUSING ON PEOPLE**

Whether you work from home or in an open-plan office, at a sewing machine or a PC, expectations of the workplace have increased in recent years. In addition to the basic essentials, such as ergonomics and sufficient space, emotional well-being has become an important item on the wishlist for an optimal workplace. Products from MAUL make all these things easier to achieve while also providing a pleasing aesthetic.



### **ERGONOMICS**

An ergonomic work environment helps maintain good health and increase efficiency on a long-term basis. It is important that the furniture can be adapted to the individual.

When it comes to correct posture, the first thing to consider is your sitting position. You are sitting at the right height if your lower and upper arms form a right-angle to the angle between your thigh and your torso and between your lower leg and your thigh.

If your feet are not resting firmly on the floor when you are sitting at the correct height, this problem can be overcome by using a footrest. Make sure you have enough legroom to avoid a twisted posture. Correct sitting posture also means making full use of the seat surface. Sit straight in front of the monitor and avoid turning from side to side. Adjust the backrest to a movable position; leaning against the backrest should not require any effort.

### MOBILITY

Moving around at regular intervals is good for your musculoskeletal system. Stand up when you're on the phone. Place documents that you only need once a day away from your desk so that you're forced to stand up to fetch them. Complement your workplace with a height-adjustable standing table; alternate between a standing and sitting position when working. Mobility helps prevent back and neck disorders. Fill up on when resting on the desk. The same applies vitamin D by taking a brief walk during your break, give your eyes a rest by looking into the distance, and relax your muscles.

### SPACE REQUIREMENTS

A lot of productive time is lost while looking for documents. Get yourself organised. Too many documents on your desk are only a distraction. Tidying up your desk helps you keep a clear head. With the help of standing or clamp-on desk shelves, you can increase your work surface even in small spaces. Memos can be attached to a magnetic wall strip; for larger documents a plan holder is the best option.

## WELL-BEING

A pleasant environment makes work easier, thereby improving your motivation and hence your productivity. In addition to the colour scheme, comfort and design are decisive factors in creating a feel-good atmosphere. A stylish wall clock, a designer lamp with variable colour temperatures or an elegant coat stand can provide the workplace with the desired aesthetic appeal.









MAUL

• Premium, elegantly designed and sturdy coat rack

- Holds many garments: 8 hooks for hanging items of clothing, two additional hooks on the
- Ingenious: stands can also be used to hang up caps, bicycle helmets and accessories • Very sturdy design with a large base plate of heavy-gauge steel
- Multifunctional: also suitable for airing jackets and shirts
- Best suited to offices, reception rooms, surgeries and publicly accessible areas

- Load: hanging rail 40 kg or 12 jackets + 8 hooks each loadable up to 10 kg + hooks for handbags • Firmly screwed hooks made of chromium-plated metal – no rocking, Ø 2 cm, conical shape for
- Large, flat steel base plate 52 x 40 cm, 5 mm thick improves stability and reduces trip hazard

| Height | Weight  | PU       |
|--------|---------|----------|
| 172 cm | 15,5 kg | 1 pc(s). |

- High-quality freestanding steel coat rack for continuous use
- Sturdy and elegant: steel post, matt black powder-coating
- Extremely stable: heavy plastic coated concrete base and felt floor protectors
- MAUL design: glossy base with matt distressed surface, scratch-resistant for umbrella tips • Clever: 4 additional hooks on the post for light garments or accessories, 4 more on the
- Particularly suitable for high traffic: public areas, foyers, offices

• From the pro: over 100 years of metalworking experience

- 32 plastic hooks made from break-proof ABS: 8 hat hooks, 16 coat hooks, 4 additional hooks on
- With umbrella stand, Ø 27 cm, for up to 8 umbrellas and 4 telescoping umbrellas

| Height | Weight | PU       |
|--------|--------|----------|
| 175 cm | 9,6 kg | 1 pc(s). |

# **»WORKPLACE DESIGN**

**COAT RACKS** 

#### **COAT RACKS**







### Coat rack MAULnebula

- Elegant freestanding steel coat rack for heavy use
- Sturdy and elegant: glossy metallic look post and hooks
- Extremely stable: heavy plastic coated concrete base and felt floor protectors
- MAUL design: glossy base with matt distressed surface, scratch-resistant for umbrella tips • Clever: 4 additional hooks on the post for light garments or accessories, 4 more on the
- umbrella stand for pocket umbrellas
- Fixed with screws: plastic tips are tight and won't wobble · Particularly suitable for high exposure areas, e.g. cafés, foyers, waiting rooms
- Safe: rounded plastic tips are easy on clothing
- From the pro: over 100 years of metalworking experience
- Post Ø 5 cm
- 20 hooks: 6 hat hooks and 6 coat hooks in metal, 4 additional plastic hooks on both the post and the umbrella stand
- Plastic tips: hat hooks Ø 5,5 cm, coat hooks Ø 3,8 cm, made from break-proof ABS
- Spin top, Ø 41 cm, for easy access from all sides
- With umbrella stand, Ø 27 cm, for up to 8 umbrellas and 4 telescoping umbrellas
- Base Ø 36,5 cm, weight 6 kg

| ltem   | Colours         | Height | Weight | PU       |
|--------|-----------------|--------|--------|----------|
| 940 77 | 96 light silver | 176 cm | 9,6 kg | 1 pc(s). |

### Coat rack MAULnubis

- Sturdy freestanding steel coat rack for heavy use
- Extremely stable: heavy plastic coated concrete base and felt floor protectors
- · MAUL design: glossy base with matt distressed surface, scratch-resistant for umbrella tips · Clever: 4 additional hooks on the post for light garments or accessories, 4 more on the
- · Fixed with screws: plastic tips are tight and won't wobble









- Sturdy freestanding steel coat rack for heavy use • Well thought-out: offset clothes rails with hooks on both sides distribute the load and enable easy access
- Extremely stable: heavy plastic coated concrete base and felt floor protectors
- MAUL design: glossy base with matt distressed surface, scratch-resistant for umbrella tips · Clever: 4 additional hooks along the column for light garments or accessories, 4 more on the umbrella stand for pocket umbrellas
- · Safe: rounded plastic tips are easy on clothing • Fixed with screws: plastic tips are tight and won't wobble
- Discretely fits into any area
- From the pro: over 100 years of metalworking experience
- Post Ø 5 cm, glossy black

2

- 16 hooks, 8 metal coat hooks, 4 additional plastic hooks on both the post and umbrella stand • Plastic coat hook tips Ø 5,5 cm, made from break-proof ABS
- Spin top, Ø 37,5 cm, for easy access from any side
- With umbrella stand, Ø 27 cm, for up to 8 umbrellas and 4 telescoping umbrellas
- Base Ø 36,5 cm, weight 6 kg Colour black RAL 9004

• Quick and easy to assemble • Recyclable: disassemble and recycle

| Item   | Colours  |
|--------|----------|
| 940 60 | 90 black |

# Coat rack MAU

- Elegant: glossy column and hooks

- Stable: flat, solid steel base plate with a wide diameter ensures excellent stability and minimises the risk of tripping

- Discretely fits into any surroundings
- Ø 4 cm chrome-plated column

- Ø 35 cm base with 5 floor-protecting felt pads
- Quick and easy to assemble
- Recyclable: disassemble and recycle
- Item
   Colours
   Height

   940 64
   96 light silver
   177 cm

Weight 10,3 kg 940 70 90 black 176 cm 1 pc(s).





- umbrella stand for pocket umbrellas
- Safe: rounded plastic tips are easy on clothing
- Discretely fits into any area
- From the pro: over 100 years of metalworking experience
- Post Ø 5 cm, matt black powder-coating
- 20 hooks: 6 hat hooks and 6 coat hooks in metal, 4 additional plastic hooks on both the post and the umbrella stand
- Plastic tips: hat hooks Ø 5,5 cm, coat hooks Ø 3,8 cm, made from break-proof ABS
- Spin top, Ø 41 cm, for easy access from all sides
- With umbrella stand, Ø 27 cm, for up to 8 umbrellas and 4 telescoping umbrellas
- Base Ø 36,5 cm, weight 6 kg
- Colour black RAL 9004
- Easy to assemble
- Recyclable: disassemble and recycle



- Easy to assemble • Recyclable: disassemble and recycle



# Coat rack MAULgrando

| Height | Weight | PU       |
|--------|--------|----------|
| 175 cm | 9,4 kg | 1 pc(s). |

|     | •     |
|-----|-------|
|     |       |
|     | lima  |
| LCU | CITIC |
|     |       |

- Designer coat rack in an elegant metallic look
- Well thought-out: offset hanging rails distribute the load and enable easy access
- Fixed with screws: hanging rails and metal caps are kept secure
- Heavy duty: sturdy column with silver metal spacers for a secure hold
- · Ideal space-saving option for entrance areas, offices or the home
- A professional touch: over 100 years of metalworking experience
- 7 fixed and screwed metal hanging rails with metal end caps for hanging garments and accessories • Offset clothes hooks for easy access from all sides

| Height | Weight  | PU       |
|--------|---------|----------|
| 177 cm | 6,62 kg | 1 pc(s). |

# **»WORKPLACE DESIGN**

|        |      | <ul> <li>Fixed with screws: hat</li> <li>Heavy duty: sturdy c</li> <li>Stable: flat, solid stee minimises the risk of</li> <li>Ideal for entrance ar</li> </ul> | designer coat rack<br>fset hanging rails distrib<br>nging rails and metal ca<br>blumn with silver metal<br>el base plate with a larg<br>tripping<br>eas, offices or the home | aps are kept secure<br>spacers for a secure h<br>le diameter ensures e             | old                                       |   |
|--------|------|---|--|--|---|---|
| ŀ.     |      | <ul> <li>Ø 4 cm column, black</li> <li>7 fixed and screwed m</li> <li>Offset clothes hooks</li> </ul>   | over 100 years of metalw<br>matt finish<br>etal hanging rails with me<br>or easy access from all si<br>g 3,6 kg with 5 floor-prot<br>4<br>emble                              | tal end caps for hanging<br>des  | g garments and accessories                |   |
|        |      | Item Colours  | Height   | Weight   | PU  |   |
| -      |      | 940 62 90 black   | 177 cm   | 6,62 kg  | 1 pc(s).                                  |   |
|        | 191/ |   | anding steel coat rack i   |  |   |   |
|        |      | <ul> <li>Elegant and safe: rou</li> <li>Extremely stable: he</li> <li>MAUL design: glossy</li> <li>Fixed with screws: pl</li> </ul>                             | astic tips are tight and w   | sy on clothing<br>ete base and felt floo<br>ed surface, scratch-re<br>von't wobble | r protectors<br>sistant for umbrella tips | ٦ |
|        | Y    |   | umbrella stand with rou<br>to modern spaces, clubs,  | •  |   |   |
|        | 1    | <ul> <li>From the pro: over 10</li> <li>Post Ø 4 cm</li> </ul>  | o years of metalworking astic tips, Ø 5,5 cm, made   | experience   | 5   |   |
|        |      | • Top Ø 41 cm   | ð 21 cm, for up to 6 umb<br>ht 6 kg<br>emble   |  |   |   |
|        |      | Item Colours  | Height   | Weight   | PU  |   |
|        |      | 940 65 96 light silver  | 188 cm   | 9,4 kg   | 1 pc(s).                                  |   |
| 1-E-4- |      |   |  |  |   |   |

# Coat rack MAULaura • The young, modern freestanding steel coat rack • Column bottom Ø 5 cm, top 2,5 cm Crown width 35 cm • Steel base Ø 36,5 cm, rounded for stability Colour black RAL 9004 • Quick and easy to assemble • Recyclable: disassemble and recycle ltem Colours 940 55 70 wood

# Coat stand MAULsamba

- stand for children's coats or handbags
- Very sturdy design with a solid cross brace

- optimum support of the garments
- Colour black RAL 9004
- Easy to assemble
- Recyclable: disassemble and recycle
- Available from end of April 2021
- Colours Item 942 41 90 black

172,5 cm



• Exciting contrast: black matt surface and round wooden tips in beech Dynamic design: three straight and one elliptical hook Compact: small diameter also fits small spaces • Safe: rounded wooden tips are easy on clothes • Particularly suited for household use or as a second coat rack

• 4 metal hooks with tips,  $\emptyset$  3,3 cm in wood, firmly glued in





115,5 x 172,5 x 50,8 cm 11,5 kg

1 pc(s).

#### **COAT RACKS** Coat stand MAULbolero NEW • Mobile clothes rack in a compact design · Large capacity: accommodates 12 jackets or coats • Sturdy: made of robust metal with a rigid hanging rail · Moveable: easy to wheel around even when loaded with clothes thanks to four wheel swivel castors · Practical: features a large hat and shoe shelf consisting of a sturdy, ventilating perforated sheet • Space-saving: clothes rack can be positioned up against a wall · Suitable for event spaces, shared houses, trade fairs, reception areas and the home • A professional touch: over 100 years of metalworking experience Clothes rail made of powder-coated metal in black matt • Convenient: hanging rail at the front makes it easy to hang up garments, length 74 cm, Ø 2,5 cm, maximum load 46 kg • Spacious: hat shelf 72,5 x 30,5 cm (maximum load 20 kg) and second shelf 72,5 x 42 cm (maximum load 20 kg) for bags or shoes • Includes 4 double roller wheels Ø 5 cm, 2 of which are lockable Colour black RAL 9004 Quick and easy to assemble • Recyclable: disassemble and recycle Item Colours Height Weight 942 44 90 black 166 cm 12,4 kg 166 x 78 x 46 cm

Height 156 cm

156 x 151 x 50 cm

6,3 kg



# **»WORKPLACE DESIGN**

#### **COAT RACKS**

NEW



### HQ plastic coat hanger

Modern design

- For use with dry and wet clothes
- Wrinkle-free garment storage

Item Colours 945 15 02 white, 90 black



### Metal coat hanger

- · Protective ends in finished wood
- Simple design with high stability
- · For use with dry and wet clothes
- Wrinkle-free garment storage

| Item |    | Colours  | Size       | Hook Ø | Pieces/PU | PU     |
|------|----|----------|------------|--------|-----------|--------|
| 945  | 20 | 90 black | 46 x 19 cm | 5,5 cm | 5 pcs.    | 1 pack |

### Wooden coat hanger

- Classic coat hanger made from solid beech With trouser bar and notch for hanging skirts • Practical: shirt and blouse collars keep their shape
- Swivel metal hook
- Heavy duty: even holds heavy jackets
- For use with dry and wet clothes
- Proven: wrinkle-free garment storage • Particularly suited for traditional décor or wardrobes Pleasant to the touch
- Colours ltem 945 33 70 wood



116



• Looks beautiful on a coat rack and in the wardrobe High-guality plastic hook and shoulders • Elegant: glossy black or white finish • Sturdy: won't break if accidentally dropped

• Heady duty: even holds heavy jackets

|   | Size       | Hook Ø | Pieces/PU | PU     |
|---|------------|--------|-----------|--------|
| k | 46 x 19 cm | 4 cm   | 5 pcs.    | 1 pack |

• High-quality steel coat hanger, matte black power-coating with black design ends

· Particularly suited for modern décor and coat racks in foyers and offices

- Sturdy: won't break if accidentally dropped

· Heavy duty: even holds heavy jackets

| Size       | Hook Ø | Pieces/PU | PU     |
|------------|--------|-----------|--------|
| 45 x 22 cm | 4 cm   | 8 pcs.    | 1 pack |







- Radio controlled clock
- Choice of black or white clock face
- 30,5 cm diameter
- Narrow, discreet hands, easily visible
- Clock face cover made of mineral glass
- Movement mechanism in same colour as clock hands
- transmitter location • Mounted on a wall using a loop

Item Colours

906 34 02 white, 90 black







# Wall clock MAULpilot, RC

- Wide, brushed aluminium frame
- Radio controlled clock • 30,5 cm diameter
- Clock hands in black, very easily visible
- - Clock face cover made of mineral glass
  - Clock face in white with hour and minute marks
  - Movement mechanism in same colour as clock hands

  - transmitter location
  - Mounted on a wall using a loop

ltem Colours 906 33 08 aluminium



Elegant: classic, modern design, sturdy workmanship
 Narrow, brushed aluminium frame

# • For the modern office space, representative premises and design-orientated users

• Battery operation, includes 1 x 1.5 V (AA) battery

• Clock face in white or black with hour and minute marks

• Automatic synchronisation with DCF77 signal, automatic adjustment of summer/winter time • Signal interference due to geological situations or metal constructions in buildings is possible.

In these cases, a manual adjustment is necessary. Range of the signal approx. 1500 km from the

|   | Size          | Туре             | PU       |
|---|---------------|------------------|----------|
| k | Ø 30,5 x 5 cm | Radio-controlled | 1 pc(s). |

# Classy: elegant, classical design, sturdy workmanship

# • For the modern office space, representative premises and design-orientated users

• Battery operation, includes 1 x 1.5 V (AA) battery

• Automatic synchronisation with DCF77 signal, automatic adjustment of summer/winter time • Signal interference due to geological situations or metal constructions in buildings is possible.

In these cases, a manual adjustment is necessary. Range of the signal approx. 1500 km from the

| Size            | Туре             | PU       |
|-----------------|------------------|----------|
| Ø 30,5 x 4,5 cm | Radio-controlled | 1 pc(s). |

#### WALL CLOCKS



# Wall clock MAULmove, RC

- Classy: elegant, modern appearance, stable workmanship
- Wide, brushed aluminium frame
- Radio controlled clock
- Two sizes
- Clearly legible numbers
- Narrow and stylish arabic numerals in black
- Digit height: 3,5 cm (Ø 30,5 cm); 4,4 cm (Ø 40 cm)
- For the modern office space, representative premises and design-orientated users
- Clock face cover made of mineral glass
- Battery operation, includes 1 x 1,5 V (AA) battery
- Clock face in white with hour and minute marks
- Movement mechanism in same colour as clock hands
- Automatic synchronisation with DCF77 signal, automatic adjustment of summer/winter time
- Signal interference due to geological situations or metal constructions in buildings is possible. In these cases, a manual adjustment is necessary. Range of the signal approx. 1500 km from the transmitter location
- Mounted on a wall using a loop

| Item   | Colours      | Size            | Туре             | PU       |
|--------|--------------|-----------------|------------------|----------|
| 906 30 | 08 aluminium | Ø 30,5 x 4,5 cm | Radio-controlled | 1 pc(s). |
| 906 31 | 08 aluminium | Ø 40 x 5,2 cm   | Radio-controlled | 1 pc(s). |



# **»WORKPLACE DESIGN**

#### WALL CLOCKS





- Radio controlled clock
- Diameter: 47 cm
- foyers
- Clock face cover made of mineral glass
- Battery operation, includes 1 x 1.5 V (AA) battery

- transmitter location
- Mounted on a wall using a loop
- Expected availability end of May 2021

| Item   | Colours  |
|--------|----------|
| 905 48 | 90 black |





# Wall clock MAULdrive, RC

- +130°F) Radio controlled clock
- 30 cm diameter
- Clearly legible numbers
- For monitoring indoor climatic conditions
- Clock face cover made of mineral glass
- Arabic digits in white, wide font
- Digit height: 2,5 cm
- Clock face in black with hour and minute marks

- transmitter location
- Mounted on a wall using a loop

ltem Colours 905 90 95 silver









 Classy: Elegant appearance, modern design • Extra large digits for good legibility even at long distances • Narrow and subtle frame, 0,6 cm, made from black shockproof plastic material

• Narrow and stylish arabic numerals in black, height 5,7 cm • For coworking offices, in auditoriums, seminar halls, warehouses, large entrance areas or

• Clock face in white with hour and minute marks • Movement mechanism, hour and minute hands in black, second hand in red • Automatic synchronisation with DCF77 signal, automatic adjustment of summer/winter time • Signal interference due to geological situations or metal constructions in buildings is possible. In these cases, a manual adjustment is necessary. Range of the signal approx. 1500 km from the

| Size          | Туре             | PU       |
|---------------|------------------|----------|
| Ø 47 x 5,5 cm | Radio-controlled | 1 pc(s). |

• Elegant model with thermometer and hygrometer

• Measures humidity on a scale of 0 - 100% and temperature between -30° - + 50°C (-30° -

# • Modern frame made of shatterproof plastic, silver

• Battery operation, includes 1 x 1,5 V (AA) battery

· Movement mechanism in same colour as clock hands • Automatic synchronisation with DCF77 signal, automatic adjustment of summer/winter time • Signal interference due to geological situations or metal constructions in buildings is possible. In these cases, a manual adjustment is necessary. Range of the signal approx. 1500 km from the

| Size        | Туре             | PU       |
|-------------|------------------|----------|
| Ø 30 x 5 cm | Radio-controlled | 1 pc(s). |

#### WALL CLOCKS









# Wall clock MAULstep, RC/quartz

- Standard model with appealing design
- Quartz or radio-controlled clock
- Three sizes
- Modern frame made of shock proof plastic
- Clearly legible numbers
- Discreet appearance for office spaces or in the home
- Clock face cover made of mineral glass
- Battery-operated, includes 1 x 1,5 V (AA) battery
- Arabic digits in black, wide font for Ø 30 cm, narrow font for Ø 35 cm
- Digit height 2,5 cm (Ø 30 cm); 3 cm (Ø 35 cm); 3,5 cm (Ø 40 cm)
- Clock face in white with hour and minute marks
- Movement mechanism in same colour as clock hands
- Mounted on a wall using a loop
- 905 30, 905 35, 905 40: Automatic synchronisation with DCF77 signal, automatic adjustment of summer/winter time. Signal interference due to geological situations or metal constructions in buildings is possible. In these cases, a manual adjustment is necessary. Range of the signal approx. 1500 km from the transmitter location
- 905 30 02: Sturdy standard model in pure white frame made of shatterproof plastic in white
- 905 31: Sliding second hand

| ltem   | Colours             | Size        | Туре             | PU       |
|--------|---------------------|-------------|------------------|----------|
| 905 30 | 02 white, 95 silver | Ø 30 x 5 cm | Radio-controlled | 1 pc(s). |
| 905 31 | 95 silver           | Ø 30 x 5 cm | Quartz           | 1 pc(s). |
| 905 35 | 95 silver           | Ø 35 x 5 cm | Radio-controlled | 1 pc(s). |
| 905 40 | 95 silver           | Ø 40 x 5 cm | Radio-controlled | 1 pc(s). |

NEW

### Wall clock MAULjump, RC

- Trendy design, 3 modern colours
- Wide frame, coloured outside and black inside
- Radio controlled clock
- 30.5 cm diameter
- Elegant: narrow hands, easily visible
- Sturdy workmanship: frame of 1,5 cm, made of shock proof plastic
- · In offices, meeting and recreation rooms, entrance areas, the workshop or at home
- Clock face cover made of mineral glass
- Battery operation, includes 1 x 1.5 V (AA) battery
- Clock face in frame colour, second hand in red (905 34 25: second hand in black)
- · Movement mechanism, hour and minute hands in white
- Automatic synchronisation with DCF77 signal, automatic adjustment of summer/winter time
- Signal interference due to geological situations or metal constructions in buildings is possible. In these cases, a manual adjustment is necessary. Range of the signal approx. 1500 km from the transmitter location
- Mounted on a wall using a loop
- Expected availability end of May 2021



# **»WORKPLACE DESIGN**

#### WALL CLOCKS

# 10 9 З



MAUL

# Wall and table clock MAULflow, digital, RC

• 25,2 cm diameter

• Digit height 2,3 cm

Colours

- 2099 with reminder function
- function, dual alarm

- Automatic ajdustment of summer/winter time • Flexible: select 12-hour or 24-hour display
- and for the week-end
- Snooze /repeated alarm function: 8 x 5 min
- · Easy operation, silent control buttons
- Battery operated: 2 batteries AA included 1,5 V
- Automatic synchronisation with DCF77 signal
- Signal interference due to geological situations or metal constructions in buildings is possible.
- In these cases, a manual adjustment is necessary. Range of the signal approx. 1500 km from the transmitter location
- Time zone adjustable +/- 12 hours

| ltem   | Colours  | Size       | PU       |
|--------|----------|------------|----------|
| 908 28 | 90 black | 23 x 16 cm | 1 pc(s). |







### Wall clock MAULrun, RC/guartz

#### Standard model for price-conscious people Quartz or radio-controlled clock

#### Modern frame made of shock proof plastic, silver • Discreet appearance for office spaces or in the home

 Clock face cover made of mineral glass • Battery-operated, includes 1 x 1,5 V (AA) battery • Arabic digits in black, fine font

• Clock face in white with hour and minute marks Movement mechanism in same colour as clock hands • Mounted on a wall using a loop

• 905 25: Automatic synchronisation with DCF77 signal, automatic adjustment of summer/winter time. Signal interference due to geological situations or metal constructions in buildings is possible. In these cases, a manual adjustment is necessary. Range of the signal approx. 1500 km from the

| Size          | Туре             | PU       |
|---------------|------------------|----------|
| Ø 25,2 x 5 cm | Radio-controlled | 1 pc(s). |
| Ø 25,2 x 5 cm | Quartz           | 1 pc(s). |

#### • Precise: digital time display to the second by radio signal

· Overlook everything at a glance: displays the week day and the week number, calender until

· Many other functions: displays room temperature and moon phases, timer function, snooze

#### • Large time digits: 4,8 cm, also readable from 10 m distance, well arranged display · Days of the week in 7 languages: German, English, French, Italian, Dutch, Spanish, Danish · Ideal for the office, the reception area, public institutions, at home or in a home office

· Modern design: black surface in high-gloss finish, control buttons on the back

- Dual alarm: two alarm sounds, e.g. for using 2 different wake-up times from Monday to Friday
- Displays room temperature (-10° to +50°C) in °C or °F

• Practical: for standing on fold-out foot or hanging on a wall, 2 loops on the back • Total size of clock 23 x 16 cm, high contrast LCD display, 17 x 9 cm

#### **UNIVERSAL STANDS**



# » HIGH DESKS: **ERGONOMIC AND EFFICIENCY-IMPROVING**

As a standing work station for storage, laptop work or making phone calls, as a discussion or projection table, or to extend table depth - high desks fulfil many different functions and save you tones of money at the same time.

Poor posture when working at a desk can reduce a worker's productivity by up to 40%. Mobility is a blessing for your musculoskeletal system, as a fixed working posture is avoided and stress on the spine is reduced. Switch between working sitting down and standing up with a high desk. Place your phone on the desk so that you will always have to stand up when it rings.

Keep a minimum distance of 50 cm between you and your monitor. More is better - you can do this if you place the high desk behind your desk at the same height as the desk and place the monitor on it.

The work surface recommended by the German Employer's Liability Insurance Association is 160 x 80 cm, which is often not complied with. Invest in a high desk and save on time lost due to searching for documents to increase productivity.

### Professional monitor lectern with flat screen arm

- Maximum stability and top quality
- Made in Germany, guarantee 3 years
- · Complete: with flat monitor arm for screens up to 8 kg, two adapters, PC holding and keyboard trav
- Strong: high quality materials, robust processing technique
- Sitting or standing: stepless adjustable height from 75 cm (sitting height) to 120 cm, platform can be tilted forward + 10°
- · Safe: gentle lowering of desk by means of air damp technology prevents stand from suddenly giving way
- · Versatile and healthy: for dynamic office work part-time sitting/part-time standing, or compact workplace, e.g. in sales rooms
- Attachment according to VESA-standard (Video Electronics Standard Association), two adapters included 7,5 x 7,5 cm or 10 x 10 cm
- 3 joints for every angle option: adjustable 180° upwards/downwards and to the left/right, monitor connection can be turned up to 270°
- Stable: strong steel arm, made of 6 mm steel, powder-coated
- Adjustable sight distance: screw fixing can be released and slipped (under the platform) by 5 cm
- Sturdy: steel PC holder 40 x 15,5 x 25,5 cm (w x d x h ), mountable on both sides
- Firmly fixed: two included flat belts secure the PC, even while moving the stand
- Non-wearing: platform, maximum load 30 kg, rounded, easy to clean
- Aluminium keyboard tray, can be pulled out 5,5-21 cm, width 39 cm, with raised edge at front
- Massive: steel telescopic column, external Ø 6 cm
- Safe locking by means of ergonomic clamp screw, to be used without effort
- Star base Ø 61 cm, made of robust die-cast aluminium with 5 locking castors
- Protected: external column and base powder coated, internal column zinc-plated
- Developed with 100 years know-how in metal-processing



# **»WORKPLACE DESIGN**

#### **UNIVERSAL STANDS**



# Ergonomic table lectern

- Maximum stability and top quality
- Healthy: for dynamic office work part-time sitting/part-time standing or compact workplace, e.g. phone calls, laptop or filing work
- can be tilted forward + 10°
- giving way
- Versatile: compact workplace e.g. in sales rooms or extension of the working surface to improve the sight distance to the monitor
- Non-wearing: platform, maximum load 30 kg, rounded, easy to clean
- Convenient: tray for pens and accessories, raised edge at front prevents rolling down • Massive: steel telescopic column, external Ø 6 cm
- Safe locking by means of ergonomic clamp screw, to be used without effort • Star base Ø 61 cm, made of robust die-cast aluminium with 5 locking castors
- Protected: external column and base powder coated, internal column zinc-plated
- Developed with 100 years know-how in metal-processing
- · Additional types of surface on request

| ltem   | Colours           | Surface                                | PU       |
|--------|-------------------|--|----------|
| 930 40 | 70 wood           | Beech (multiplex plywood) 60x52x2,2 cm | 1 pc(s). |
| 930 41 | 02 white, 82 grey | Melamin resin laminated 60x51x2,5 cm   | 1 pc(s). |

- Unique in stability, quality and function • Made in Germany, guarantee 3 years
- Versatile: ideal to enlarge small desks or to be used as standing workplace
- Space-saving: thanks to clamp more available surface
- · Back-friendly: avoids fixed posture, reduces pressure on the spine Elegant platform with straight front for optimal work position

#### Load 30 kg

- Solid platform, rounded, easy to clean
- Variable platform height approx. 31 43 cm (above the desk)
- Adjustable: platform can be tilted forward + 10°, turned 360° and fixed by means of a lever clamp • Convenient: tray for pens and accessories, raised edge at front prevents rolling down

- Clamp base width 10 cm, made of strong flat steel, suitable for desks up to 8 cm, with desk
- protection

| Item   | Colours           | Surface                                | PU       |
|--------|-------------------|--|----------|
| 930 10 | 70 wood           | Beech (multiplex plywood) 60x52x2,2 cm | 1 pc(s). |
| 930 11 | 02 white, 82 grey | Melamin resin laminated 60x51x2,5 cm   | 1 pc(s). |















- Made in Germany, guarantee 3 years
- Strong: high guality materials, robust processing technique
- Sitting or standing: stepless adjustable height from 75 cm (sitting height) to 120 cm, platform
- · Safe: gentle lowering of desk by means of air damp technology prevents stand from suddenly

# Ergonomic table lectern

- · Powerful: high-quality sturdy clamp ensures stability
- Massive: steel telescopic column, external Ø 6 cm
- · Safe locking by means of ergonomic clamp lever, to be used without effort

# **»WORKPLACE DESIGN**

#### UNIVERSAL STANDS



#### Art. No. 933 30: Incl. multiple socket and lead

- Highest stability and top quality • Made in Germany, 3 years guarantee
- European plug
- construction professionals
- stand from suddenly giving way
- can be tilted forward +10°

- length of lead 3 m

| Item   | Colours                | Accessories | PU       |
|--------|------------------------|-------------|----------|
| 933 30 | 82 grey, 89 anthracite | inclusive   | 1 pc(s). |
| 933 31 | 82 grey, 89 anthracite | exclusive   | 1 pc(s). |



# Projector trolley MAULpro

- Highest stability and top quality
  - Made in Germany, 3 years guarantee
  - platform can be tilted forward +10°

  - construction professionals
  - stand from suddenly giving way
- Sturdy: steel telescopic column, ext. Ø 6 cm

- Laminated melamine resin surface, other surfaces on request

ltem Colours 933 29 82 grey, 89 anthra

#### Basic model, low-priced • For overhead-projectors and all common beamers • Can be used as a side-table

Item

Side table

High table

High stability, top quality

Non-wearing: easy to clean

Colours

70 wood

932 31 02 white

Item

932 30

• Made in Germany, guarantee 3 years

• Diameter 60 cm, desk top thickness 2,2 cm

• Sturdy: steel column, Ø 5 cm, powder-coated • Stable: aluminium base, Ø 61 cm, powder-coated

• Total height of table approx. 109,5 cm

• Protects: with plastic gliders to prevent scratching the floor

Surface

Melamin resin laminated

Melamin resin laminated

- Stepless height adjustment from 64 100 cm
- Sturdy: steel telescopic column, strong platform
- Size of platform 38 x 38 cm, capacity approx. 20 kg
- Platform with melamine surface, easy to clean
- Safe blocking without effort by means of star knob srew
- Stable pedestal cubic tube • Mobile: including 4 castors, 2 lockable

Colours 933 10 82 grey 1 pc(s)



126





Colour-Code 89: noble surface, anthracite-metallic-fine structure



# Projector trolley MAULpro with side shelf

· Includes side shelf for projector, 933 30: with lead and triple socket for grounded round

• Lead friendly: parallel height adjustment of shelves, lead will not be overstretched • Sturdy: high quality materials, robust application technique, designed by MAUL metal

· Safe: gentle lowering of the supporting plate by means of air-damp technology prevents

• Sitting or standing use: stepless height adjustment from 73,5 cm (sitting height) - 120 cm, platform

• Size of platform 35 x 50 cm (L x B), with stop angle, capacity approx. 30 kg

• Side shelf 30 x 30 cm, capacity 8 kg, for the right or left side

• Side shelf can be stored by folding upwards using magnetic clamp

· 39 cm distance between both shelves in horizontal position

• Sturdy: steel telescopic column, ext. Ø 6 cm

Safe blocking without effort by means of ergonomic clamping lever

• Star base Ø 61 cm, robust die-cast aluminium with 5 locking castors

• Durable: external column and foot are powder coated, the internal column is zinc plated

• Constructed with the experience of 100 years metal processing

• Laminated melamine resin surface, other surfaces on request

Colour-Code 89: noble surface, anthracite-metallic-fine structure

• 933 30: Includes multiple socket, 230 V, max. 2500W (GS, VDE) and red lead (compulsory),



• Sitting or standing use: stepless height adjustment from 73,5 cm (sitting height) - 120 cm,

· Sturdy: high quality materials, robust application technique, designed by MAUL metal

· Safe: gentle lowering of the supporting plate by means of air-damp technology prevents

• Size of platform 35 x 50 cm (L x B), with stop angle, capacity approx. 30 kg

• Safe blocking without effort by means of ergonomic clamping lever

• Star base Ø 61 cm, robust die-cast aluminium with 5 locking castors

• Durable: external column and foot are powder coated, the internal column is zinc plated

Constructed with the experience of 100 years metal processing

|      | PU       |
|------|----------|
| cite | 1 pc(s). |

NEW

# **»WORKPLACE DESIGN**

#### MAULBOARDS





- · Creates additional space on the desk
- Made in Germany, guarantee 3 years
- All you need within your reach Board depth accommodates files
- Desk protection pads
- Laminated melamine resin surface, thickness 2,2 cm
- Suitable for many lines of office furniture
- Height 17 cm, depth 30 cm
- · Feet made of sturdy aluminium

|  | - |   | Ite             |
|--|---|---|-----------------|
|  | N | 1 | lte<br>80<br>80 |
|  |   | - |                 |
|  |   |   |                 |



| m    | Colours | Length | Capacity | PU       |
|------|---------|--------|----------|----------|
| 0 28 | 82 grey | 80 cm  | 100 kg   | 1 pc(s). |
| 0 30 | 82 grey | 100 cm | 100 kg   | 1 pc(s). |

#### FOOTRESTS







• 220 V/35 W

• Design model

# Ergonomic footrest MAULpro, convenient

- · Carpeted footrest for maximum comfort

- Design model
- Ergonomical: to adapt posture to desk height

| E |        |         |                 |          |  |  |
|---|--------|---------|-----------------|----------|--|--|
|   | Item   | Colours | Available space | PU       |  |  |
|   | 902 25 | 85 grey | 45 x 39 cm      | 1 pc(s). |  |  |

# Ergonomic footrest MAULpro

- Non-slippery: platform with knobbed surface for better grip • Made in Germany, guarantee 3 years • Professional: height-adjustable in 5 stages, large platform • Angle can be changed using feet, integrated brake avoids unintentional tilting • Safe: in accordance with the latest regulations and DIN norms

- Design model
- Ergonomical: to adapt posture to desk height • Well-thought: no disturbing edges, freedom of motion • Stable: shock-proof plastic, non-slip underside • Front height min. 4,8 cm, max. 11,9 cm/ back height min. 6,6 cm, max. 22 cm

- Colours
- 902 20 85 grey







## Ergonomic footrest with heating MAULpro

- · Against cold feet: high-quality carpet covering, quick warm-up
- Stepless adjustable from 30° to 45° C, operation and indication panel on front side
- Made in Germany, guarantee 3 years
- Professional: height-adjustable in 5 stages, large platform
- Angle can be changed using feet, integrated brake avoids unintentional tilting
- Safe: in accordance with the latest regulations and DIN norms
- Ergonomical: to adapt posture to desk height • Well-thought: no disturbing edges, freedom of motion • Stable: shock-proof plastic, non-slip underside
- EMV tested (electromagnetic conformity)
- Front height min. 4,8 cm, max. 11,9 cm/ back height min. 6,6 cm, max. 22 cm

| Available space | PU       |
|-----------------|----------|
| 45 x 39 cm      | 1 pc(s). |

• Made in Germany, guarantee 3 years • Professional: height-adjustable in 5 stages, large platform • Angle can be changed using feet, integrated brake avoids unintentional tilting • Safe: in accordance with the latest regulations and DIN norms

• Well-thought: no disturbing edges, freedom of motion • Stable: shock-proof plastic, non-slip underside • Front height min. 4,8 cm, max. 11,9 cm/ back height min. 6,6 cm, max. 22 cm

| Available space | PU       |
|-----------------|----------|
| 45 x 39 cm      | 1 pc(s). |

# **»WORKPLACE DESIGN**

**COPY HOLDERS** 

#### **FOOTRESTS**





# Footrest MAULstandard, nubby

- To adapt posture to desk height: basic model with large platform
- Non-slippery: platform with knobbed surface for better grip
- Functional: adjustable in height 2 stages and 6 inclinations
- To adapt posture to desk height
- Well-thought: no disturbing edges, freedom of motion
- Stable: shock-proof plastic
- Front height min. 5,5 cm, max. 6,5 cm / back min. 9,1 cm, max. 13,8 cm

• Non-slip stand

| ltem   | Colours  | Available space | PU       |
|--------|----------|-----------------|----------|
| 901 15 | 90 black | 45 x 35,3 cm    | 1 pc(s). |

### Footrest MAULsolid, rubberized

- Very flexible: basic model, 4 stages
- Non-slippery: platform with rubberised surface
- Adjustable in height 4 stages and 4 inclinations
- To adapt posture to desk height
- Well-thought: no disturbing edges, freedom of motion
- Stable: shock-proof plastic
- Front height min. 3 cm, max. 6,5 cm / back height min. 8 cm, max. 12,5 cm
- Non-slip rubberised surface

| Item   | Colours  | Available space | PU       |
|--------|----------|-----------------|----------|
| 901 25 | 90 black | 37 x 25 cm      | 1 pc(s). |



| ≥90° |  |
|------|--|
| F    |  |
|      |  |

# » IMPROVE YOUR WORKSTATION WITH FOOTRESTS

Using a footrest, you can create a stress-free and ergonomically-efficient workstation in three easy steps.

#### The first step:

Correctly position your seat. Your upper arm must be vertical, while your lower arm must be parallel to the table's surface – the height of the seat's surface must be adjusted.

#### The second step:

Your thigh should lie horizontally on the seat - the height of the footrest must be adjusted.

#### The third step:

Your thigh and lower leg should form an angle of at least 90° - the incline of the footrest must be adjusted.

Poor posture when working at a desk can reduce a worker's productivity by up to 40%. The footrest prevents unnecessary performance loss due to poor posture at work, as it facilitates a comfortable and relaxed posture.





- Work conform adjustment of the sighting distance • Work is less tiring, fewer mistakes • Made in Germany, guarantee 3 years • A4 holder, revolves through 360° · Can be used separately as a clipboard by withdrawing it from the holder

- · Fewer head movements
- Gentle on head, neck and eyes • Portrait and landscape format possible, line guides can be switched
- Non central attachment of clipboard to arm possible
- Clip width: 0,9 cm, holds up to 100 sheets • Clip (blue) can be placed either on the short or long side
- 4,2 cm pull-out extension on the top for larger formats
- Line guide made of non-reflective SAN plastic material, adjustable for its full height and removable • Joints can be easily adjusted, due to the practical wing screws
- Shock-proof plastic, anti-glare matt surface
- 813 22: Double-arm length 38 cm. Clamp fitting for desks up to 9,5 cm thick. Metal clamp with hidden mounting. Additional swivel joint with pivoting angle limitation







MAUL

# Copy holder universal with double arm and clamp

- Line guide can be placed on the long or short side, with an extension for landscape format
- 813 24: With tray for pens and paper clips. Length of support arm 19 cm. Foot 22,4 x 19,7 cm

| Base       | PU       |
|------------|----------|
| Clamp      | 1 pc(s). |
| Base plate | 1 pc(s). |

# **»WORKPLACE DESIGN**

#### **TELEPHONE ARMS**



# Telephone arm with multifunctional platform

- Also for notebooks, small switchboards, fax, combined units • Made in Germany, guarantee 3 years
- Arm length 29,8 cm, desk clearance 16,4 cm, revolves through 360°
- Metal clamp foot for desks up to 7,5 cm
- Including two side wings, 4 positioning pins to secure the telephone

| Item   | Colours | Capacity | Platform     | PU       |
|--------|---------|----------|--------------|----------|
| 830 42 | 82 grey | 5 kg     | 22 x 35,7 cm | 1 pc(s). |





K.A.

### Telephone arm classic

- Powder-coated metal column
- Made in Germany, guarantee 3 years
  Arm extendable to 1 m length
- Shock-proof plastic base cover and platform
- Adjustable for telephones up to 26 cm wide, max. depth 26,5 cm
- Platform can be inclined downwards by 14°, rotates through 360°
- Desk clearance 22 cm in horizontal position
- Clamp fitting up to 8 cm can be affixed with screws





# Telephone arm elegant

- Revolves through 360°
- Made in Germany, guarantee 3 years
- With two side wings
- Column height 40,5 cm, desk clearance 18 cm
- Clamp foot for desks up to 7,5 cm







- With two side wings • Made in Germany, guarantee 3 years
- 4 positioning pins to secure the telephone

| Ite | m    | Colours |
|-----|------|---------|
| 83  | 1 35 | 82 grey |









#### • Arm extendable to 1 m total length, cable management on the scissors

4 positioning pins to secure the telephone
Auxiliary joint for frontal positioning of the telephone

| Capacity | Platform     | PU       |
|----------|--------------|----------|
| 5 kg     | 22 x 35,7 cm | 1 pc(s). |

# Telephone arm elegant with wall-mounting

# • Arm extendable to 1 m total length, cable management on the scissors

• Auxiliary joint for frontal positioning of the telephone

| Capacity | Platform     | PU       |
|----------|--------------|----------|
| 5 kg     | 22 x 35,7 cm | 1 pc(s). |

#### **INFORMATION RAILS**





Extension adapter for connection of the rails



- Multi-function clamping rail MAULpro, aluminium NEW
- Five functions: powerful, elegant clamping rail
- · Simply insert the entire length of the document from below, and it is automatically held securely in place
- Front suitable for magnets, can be used for photos or magnetic name tags, can be written on using whiteboard markers and dry-wiped
- · Including: 2 multifunctional hooks, sliding and removable for light jackets, keys or flipchart pads from 11 mm perforation
- Groove on the top for placing pens or holding up cards, photos, memos
- Made in Germany from the pro with decade-long experience in metal construction
- Convenient: incl. fixing material for screwing on, with height compensation function
- High-performance: for paper 80 g/m<sup>2</sup> and over to 1 mm thick cardboard
- Restrained and permanent: information becomes more visible, e.g. drawings, memos, plans, pictures or posters
- Useful everywhere: in the office or home office, workshop, hall, kitchen or children's room
- Practical: can be used individually or joined together for large rooms or long halls
- Extension adapter and mounting material included
- High quality: elegant design, flat construction
- Insertion aid for the paper integrated in the profile
- Bar filled with plastic rolls: no wedging, paper can be changed easily and quickly
- Sturdy whiteboard panel set in aluminium profile with plastic end caps, depth 1.5 cm
- Magnets/accessories/pens/decoration not included
- Save and ecological packaging, can be recycled
- 3-year guarantee
- · Expected availability: end of April 2021

| - | the. | 6 |
|---|------|---|
| Ľ |      | 6 |
|   |      |   |





# **»WORKPLACE DESIGN**

#### **INFORMATION RAILS**







automatically

themselves







# Roller clip wall rail

- themselves • Made in Germany, guarantee 3 years
- Can be nailed on the wall, nails are included

- plans, pictures etc.
- For offices, halls, kitchen or children's room, for walls, closets or doors. • Can be used individually or joined together
- Can be extended with roller clips V (Art. No. 625 20 84) or magnetic clips V (Art. No. 626 30 84)
- Safe and ecological packaging, can be recycled

| C.T. | ltem   | Colours |
|------|--------|---------|
| I    | 624 31 | 82 grey |
|      |        |         |





# Swivel arm wall rail



#### With 4 adjustable roller clips

• Practical: documents (also thicker) only have to be pushed into the clips and they snap shut

#### Made in Germany, guarantee 3 years

• Can be mounted on the wall (screws are hidden), assembly material included • Flexible: by sliding the clips different formats can be attached • Profiled elegant silver anodised aluminium wall rail

• Restrained, permanent and low-cost: information becomes more visible, e.g. drawings, memos, plans, pictures or posters

• For offices, halls, kitchen or children's room, for walls, closets or doors

- Can be used individually or joined together
- Semi-circular knobs and joints

• Can be extended with roller clips V (Art. No. 625 20 84) or magnetic clips V (Art. No. 626 30 84) · Safe and ecological packaging, can be recycled

• 625 10: Incl. 4 sliding roller clips : insert the paper from below. The roller clip holds it

• 625 11: Incl. 4 sliding magnetic clips: open the clip, insert the paper, the clip snaps shut and holds

| Length   | Width  | PU       |
|----------|--------|----------|
| 104,5 cm | 3,8 cm | 1 pc(s). |
| 104,5 cm | 3,8 cm | 1 pc(s). |

#### • With roller clip mechanism: with 4 adjustable roller clips • Practical: documents (also thicker) only have to be pushed into the clips and they snap shut

# • Flexible: by sliding the clips different formats can be attached Clear grey profiled rail, shock-proof plastic material

• Restrained, permanent and low-cost: Information becomes more visible, e.g. drawings, memos,

| Length | Width   | PU       |
|--------|---------|----------|
| 100 cm | 3,81 cm | 1 pc(s). |

# **»WORKPLACE DESIGN**

**INFORMATION RAILS** 

#### **INFORMATION RAILS**



Se

12.09

### Magnetic clip S

- Magnetic clips with snap mechanism: large documents can be affixed by one person
- The way it goes: open clips (automatically stay open) enter documents and clips snap shut themselves and stay closed
- Made in Germany, guarantee 3 years
- · Easy mounting: self-adhesive, can be removed without leaving residues and reused with double-sided adhesive tape
- Magnetic clips lacquered on the inside to avoid rupture when pulling documents from closed clips
- · Can't be lost in contrast to magnets
- Restrained, permanent and low-cost: information becomes more visible, e.g. drawings, memos, plans, pictures or posters
- For offices, halls, kitchen or children's room
- Only restrictedly suitable for structured walls and painted surfaces
- Surface must be clean and dust-free







### Roller clip S

- Roller clips with snap mechanism: large documents (also thicker) can be affixed by one person
- The way it goes: documents only have to be pushed into the roller clips and they snap shut themselves. In order to withdraw documents just lift the roll
- Made in Germany, guarantee 3 years
- · Easy mounting: self-adhesive, can be removed without leaving residues and reused with double-sided adhesive tape
- · Can't be lost in contrast to magnets
- Restrained, permanent and low-cost: Information becomes more visible, e.g. drawings, memos, plans, pictures or posters
- For offices, halls, kitchen or children's room
- Only restrictedly suitable for structured walls and painted surfaces
- Surface must be clean and dust-free

| Item   | Colours                     | Size         | Pieces/PU | PU     |
|--------|-----------------------------|--------------|-----------|--------|
| 624 10 | 35 blue, 84 grey, 94 silver | 3,3 x 4,3 cm | 10 pcs.   | 1 ctn. |





- Exposure of information using clamp mechanism
- Elegant shape made of silver anodised aluminium, extremely flat
- · Designed by MAUL: developed and constructed in Germany
- Easy mounting: equipped with self-adhesive foam to balance out uneven wall surfaces, leaves residues when removing
- plans, pictures etc.

- Flat clip, only 1,3 cm in height
- Clip opening 1 cm
- Self-service packaging
- Surface must be clean and dust-free

| Item   | Colours      | Length  | Width | PU       |
|--------|--------------|---------|-------|----------|
| 624 69 | 08 aluminium | 3,5 cm  | 4 cm  | 1 pc(s). |
| 624 66 | 08 aluminium | 11,3 cm | 4 cm  | 1 pc(s). |
| 624 65 | 08 aluminium | 15,6 cm | 4 cm  | 1 pc(s). |
| 624 64 | 08 aluminium | 21,8 cm | 4 cm  | 1 pc(s). |
| 624 63 | 08 aluminium | 30,5 cm | 4 cm  | 1 pc(s). |
| 624 62 | 08 aluminium | 42,8 cm | 4 cm  | 1 pc(s). |





# Aluminium wall clip, self-adhesive

• The way it goes: press the clip on the upper side, enter the documents and release for secure fit • Restrained, permanent and low-cost: information becomes more visible, e.g. drawings, memos,

• For offices, halls, kitchen or children's room, for walls, closets or doors. • Functional: can be used individually or joined together

• Restrictedly suitable for structured wall surfaces and painted surfaces



# **»WORKPLACE DESIGN**

**INFORMATION RAILS** 

#### **INFORMATION RAILS**





1. Screw the hangers to the wall 2. Simply click in the strip









# Aluminium wall clip MAULgrip

- Convenient: attach information by slotting it in from below
- Secure: firm hold with three rubber lips, 4 kg/100 cm load
- High-performance: for paper 80 g/m<sup>2</sup> and over to 2 mm thick cardboard
- Flat design • Easy to assemble: screw the hangers to the wall and simply click in the strip
- Subtle, durable and convenient: for putting up information in viewing range, e.g., graphics, reminders, schedules, alternating notices and posters
- In the office or garage, at school or nursery school, at home, on walls, cabinets and doors
- · How to do it: insert the fixing material into the opening from below and release it, as well as the insertion aid. It will stay in place
- Practical: affix individually or connect others
- Length individually adjustable with hacksaw
- Includes assembly material and end caps







- Restrained, permanent and low-cost: information becomes more visible, e.g. drawings, memos, plans, pictures or posters
- For offices, halls, kitchen, children's room or in showcases allowing quick changes of the displayed information
- Magnetic strip on the backside
- · Can be used individually or joined together
- Self-service packaging

documents





# Clamping rail MAULballfix, aluminium

plans, pictures

Colours

- Made in Germany, 3-year guarantee

- pictures
- For offices, halls, kitchen or children's room
- · Can be used individually or joined together

| Item   | Colours      | Length   | Width  | PU       |
|--------|--------------|----------|--------|----------|
| 624 41 | 08 aluminium | 50,6 cm  | 5,6 cm | 1 pc(s). |
| 624 42 | 08 aluminium | 100,6 cm | 5,6 cm | 1 pc(s). |





138



# Clip wall rail MAULexpress, self-adhesive

#### · Documents can be easily affixed from below

- For price-conscious people
- For regular changing information: room occupancy, machine data, menus etc.
- Easy mounting: equipped with self-adhesive foam to balance out uneven wall surfaces, leaves residues when removing

#### Rail made of break-proof plastic

• Restrained, permanent and low-cost: information becomes more visible, e.g. drawings, memos,

- For offices, halls, kitchen or children's room
- Can be used individually or joined together
- Only restrictedly suitable for structured walls and painted surfaces
- Surface must be clean and dust-free

| Length | Width | PU       |
|--------|-------|----------|
| 50 cm  | 3 cm  | 1 pc(s). |
| 100 cm | 3 cm  | 1 pc(s). |

· Several functions: rail filled with ball bearings and grooves for further information options • Documents can be affixed along the complete rail and hold automatically · Front side with slots for paper slips (height 34 mm) for organisation purposes

 Screw fastening with longholesystem, assembly material included • Noble: made of silver anodised aluminium, end-knobs are grey

· Restrained and permanent: information becomes more visible, e.g. drawings, memos, plans,

# **»WORKPLACE DESIGN**

#### **INFORMATION RAILS**







| 0 | 0 00     |
|---|----------|
|   |          |
|   | and the  |
|   | BE H H H |



Extension adapter for connection of the rails





### Clamping rail MAULballfix, plastic

- · Several functions: rail filled with ball bearings and grooves for further information options • Documents can be affixed along the complete rail and hold automatically
- · Front side with slots for paper slips (height 36 mm) for organisation purposes
- Made in Germany, 3-year guarantee
- · Easy mounting: equipped with self-adhesive foam to balance out uneven wall surfaces, leaves residues when removing
- Restrained and permanent: information becomes more visible, e.g. drawings, memos, plans, pictures
- For offices, halls, kitchen or children's room
- Can be used individually or joined together
- Only restrictedly suitable for structured walls and painted surfaces
- Surface must be clean and dust-free

| ltem   | Colours  | Length | Width  | PU       |
|--------|----------|--------|--------|----------|
| 624 44 | 09 other | 50 cm  | 4,7 cm | 1 pc(s). |
| 624 45 | 09 other | 100 cm | 4,7 cm | 1 pc(s). |

#### **INFORMATION RAILS**



# Metal ledge MAULnail-up

- Informing using magnets
- Well-thought: 3-dimensional profile offers more stability • Made in Germany, guarantee 3 years • Includes steel nails for attaching to wall Sturdy: plastic-coated steel

- Restrained, permanent and low-cost: information becomes more visible, e.g. drawings, memos, plans, pictures or posters
- For offices, halls, kitchen or children's room
- Magnets are not included





- Informing using magnets, d esigned by MAUL
- · Easy mounting without drilling
- · Equipped on the full surface with self-adhesive foam to balance out uneven wall surfaces, leaves residues when removing

- Surface must be clean and dust-free

| Item   | Colours   | Length | Width | PU       |
|--------|-----------|--------|-------|----------|
| 620 66 | 95 silver | 50 cm  | 5 cm  | 1 pc(s). |
| 620 76 | 95 silver | 100 cm | 5 cm  | 1 pc(s). |

# Metal ledge MAULsolid, self-adhesive

- Informing using magnets
- Your choice: 2 colours and 2 sizes
- Designed by MAUL
- · Easy mounting without drilling: equipped on the full surface with self-adhesive foam to balance out uneven wall surfaces, leaves residues when removing Non-scratch surface: stove-lacquered fine steel sheet, thickness 0,5 mm

- Restrained, permanent and low-cost: information becomes more visible, e.g. drawings, memos, plans, pictures or posters
- For offices, workshops, halls or kitchens
- Can be used individually or joined together
- Surface must be clean and dust-free

| Item   | Colours           | Length | Width | PU       |
|--------|-------------------|--------|-------|----------|
| 620 30 | 02 white          | 50 cm  | 5 cm  | 1 pc(s). |
| 620 40 | 02 white, 84 grey | 100 cm | 5 cm  | 1 pc(s). |

# Information rail design MAULpro

- Nicely formed: inform using magnets
- 4 spherical magnets included
- Extra useful: front hold magnets and writeable with whiteboardmarkers
- Made in Germany, guarantee 3 years
- Can be mounted on the wall (screws are hidden), assembly material included
- More design: metal rail framed by an aluminium profile depth 1 cm
- Restrained and permanent: information becomes more visible, e.g. drawings, memos, plans, pictures or posters
  - For offices, halls, kitchen or children's room
  - · Can be used individually or joined together
- Safe and environmental-friendly packaging, can be recycled











- Can be used individually or joined together
- Safe and environmental-friendly packaging, can be recycled

| Length | Width | PU       |
|--------|-------|----------|
| 100 cm | 5 cm  | 1 pc(s). |

# Metal ledge MAULsolid, stainless steel,

- Elegant: brushed stainless steel, thickness 0,45 mm
- Restrained and permanent: information becomes more visible, e.g. drawings, memos, plans, pictures or posters. For offices, workshops, halls or kitchen
- Can be used individually or joined together
- Only restrictedly suitable for structured walls and painted surfaces

- Only restrictedly suitable for structured walls and painted surfaces

# **»WORKPLACE DESIGN**

#### **INFORMATION RAILS**





### Metal ledge MAULstandard, self-adhesive

- Informing using magnets
- For price-conscious people
- Functional: can be used with whiteboard markers and dry-wiped
- Non-scratch surface: plastic-coated thin steel sheet, thickness 0,41 mm
- Easy mounting without drilling
- · Equipped with self-adhesive foam pads to balance out uneven wall surfaces, leaves residues when removing
- Restrained and permanent: information becomes more visible, e.g. drawings, memos, plans, pictures or posters
- For offices, workshops, halls or kitchens
- Can be used individually or joined together
- Only restrictedly suitable for structured walls and painted surfaces
- Surface must be clean and dust-free
- 620 60: 4 self-adhesive foam pads 4 x 4 cm included
- 620 70: 8 self-adhesive foam pads 4 x 4 cm included

| Item   | Colours  | Length | Width | PU       |
|--------|----------|--------|-------|----------|
| 620 60 | 02 white | 50 cm  | 5 cm  | 1 pc(s). |
| 620 70 | 02 white | 100 cm | 5 cm  | 1 pc(s). |



### Metal ledge MAULstandard, self-adhesive, with magnets

- Informing using magnets
- Including grey magnets Ø 24 x 8 mm, strength 0,6 kg
- For price-conscious people
- Functional: can be used with whiteboard markers and dry-wiped
- · Easy mounting: equipped with self-adhesive foam to balance out uneven wall surfaces, leaves residues when removing
- Non-scratch surface: plastic-coated steel sheet, thickness 0,41 mm
- Restrained and permanent: information becomes more visible, e.g. drawings, memos, plans, pictures or posters
- For offices, halls, kitchen or children's room, for walls, closets or doors
- · Can be used individually or joined together
- Only restrictedly suitable for structured walls and painted surfaces
- Surface must be clean and dust-free
- 620 62: 4 self-adhesive foam pads 4 x 4 cm included
- 620 72: 8 self-adhesive foam pads 4 x 4 cm included



| ltem   | Colours  | Length | Width | Includes  | PU       |
|--------|----------|--------|-------|-----------|----------|
| 620 62 | 02 white | 50 cm  | 5 cm  | 2 magnets | 1 pc(s). |
| 620 72 | 02 white | 100 cm | 5 cm  | 4 magnets | 1 pc(s). |



**INFORMATION RAILS** 

# Metal strip, self-adhesive

- Informing using magnets

- Made in Germany, 3-year guarantee
- residues when removing
- plans, pictures etc.
- · Can be used individually or joined together
- Surface must be clean and dust-free
- Magnets not included

| Item   | Colours  |
|--------|----------|
| 621 00 | 02 white |
| 621 01 | 02 white |
| 621 05 | 02 white |
| 621 10 | 02 white |
| 621 20 | 02 white |













• Extra long: magnetic wall rail on a roll, can be hung from wall to wall and around the corner Cut to required length with normal scissors

• For kindergarten, schools, meetingrooms, galeries or advertising agencies

• Easy mounting: equipped with self-adhesive foam to balance out uneven wall surfaces, leaves

#### Non-scratch surface: white coated steel sheet, material thickness 0,13 mm

• Restrained, permanent and low-cost: information becomes more visible, e.g. drawings, memos,

• Only restrictedly suitable for structured walls and painted surfaces

• 621 00: Includes 3 blue round magnets, Ø 30 mm • 621 20: Packed in a practical dispensing box

| Length | Width  | PU       |
|--------|--------|----------|
| 100 cm | 3,5 cm | 1 pc(s). |
| 100 cm | 3,5 cm | 1 pc(s). |
| 250 cm | 3,5 cm | 1 pc(s). |
| 500 cm | 3,5 cm | 1 pc(s). |
| 25 m   | 3,5 cm | 1 pc(s). |





# **»WORKPLACE DESIGN**

#### PRESENTER AND ACCESSORIES





- · Highly functional: for presenting info-sheets: posters, proofs, technical drawings, flipchart sheets
- Versatile: for changing venues, easily moved thanks to castors
- Made in Germany, guarantee 3 years
- Flexible: free-standing or between 2 desks
- · Advantage of the magnetic clips: documents only have to be pushed into the clips and they snap shut themselves, thus allowing large documents to be affixed by one person
- Attractive design, high quality material
- Creates space: 3 aluminium swivel arms AO (132 cm, 80 g/m<sup>2</sup>) with 3 sliding magnetic clips each
  Can be extended for up to 6 arms (Art. No. 626 00 08 or 626 10 08)
- Documents can be hung on various clips, showing both sides
- Suitable for paper and other material as well, like cloth or slides upto approx. 100 g/m<sup>2</sup>, depending on surface and thickness
- Clever: swivel arm with automatic braking for individual height adjustment, horizontally adjustable
- When not in use, the arms can be folded down out of the way
- Stable aluminium support Ø 30 mm
- Telescopic adjustable from 140 200 cm
- Elegant: very flat roller base
- Stable roller base with 5 special castors integrated
- Base cone-connection for simple assembly
- Safe: height adjustment with integrated brake and signal-coloured arm ends
- Colours: black-silver in combination with locking parts in grey
- Magnetic clips lacquered on the inside to avoid rupture when pulling documents from closed
- clips • Can also be used with rollerclips V (Art. No. 625 20 84)
- Safe and ecological packaging, can be recycled

| Item   | Colours | PU       |  |  |
|--------|---------|----------|--|--|
| 625 60 | 84 grey | 1 pc(s). |  |  |









• Highly functional: for presenting info-sheets: posters, proofs, technical drawings, flipchart

- Advantage of the magnetic clips: documents only have to be pushed into the clips and they snap shut themselves, thus allowing large documents to be affixed by one person
- Aluminium swivel arm A1 (100 cm, 80 g/m<sup>2</sup>) with 3 sliding magnetic clips
- Can be extended for up to 4 arms (Art. No. 626 00 08 or 626 10 08)
- Documents can be hung on various clips, showing both sides
- Suitable for paper and other material as well, like cloth or slides upto approx. 100 g/m<sup>2</sup>, depending
- Clever: swivel arm with automatic braking for individual height adjustment, horizontally adjustable • When not in use, the arms can be folded down out of the way
- Stable silver anodised support extendable to 120 cm above the desk
- Safe: height adjustment with integrated brake and signal-coloured arm ends
- Steel clamp with plastic housing suitable for desks up to 6 cm thickness
- Colours: black-silver in combination with locking parts in grey
- Magnetic clips lacquered on the inside to avoid rupture when pulling documents from closed

• Can also be used with rollerclips V (Art. No. 625 20 84)

PH

1 pc(s).

# **»WORKPLACE DESIGN**

PRESENTER AND ACCESSORIES

#### PRESENTER AND ACCESSORIES



### Wall presenter

- · Highly functional: for presenting info-sheets: posters, proofs, technical drawings, flipchart sheets
- Swivelable: can be mounted on the wall
- Made in Germany, guarantee 3 years
- · Advantage of the magnetic clips: documents only have to be pushed into the clips and they snap shut themselves, thus allowing large documents to be affixed by one person
- Including mounting material
- Attractive design, high quality material
- Creates a lot of space: 2 aluminium swivel arms A0 (132 cm, 80 g/m<sup>2</sup>) with 3 sliding magnetic clips each
- Can be extended to up to 8 arms (Art. No. 626 00 08 or 626 10 08)
- Documents can be hung on various clips, showing both sides
- Suitable for paper and other material as well, like cloth or slides upto approx. 100 g/m<sup>2</sup>, depending on surface and thickness
- · Clever: swivel arm with automatic braking for individual height adjustment, horizontally adjustable
- When not in use, the arms can be folded down out of the way
- Stable silveranodised aluminium vertical support
- Safe: height adjustment with integrated brake and signal-coloured arm ends
- Colours: black-silver in combination with locking parts in grey
- Magnetic clips lacquered on the inside to avoid rupture when pulling documents from closed clips

1 pc(s)

- Can also be used with rollerclips V (Art. No. 625 20 84)
- Safe and ecological packaging, can be recycled







• For extension of presenters (please observe max. load) • Made in Germany, guarantee 3 years • Both sides can be equipped with magnetic clips V and roller clip V Automatic braking for vertical adjustment

• Noble: aluminium, silver anodised • Safe: signal-coloured arm ends

| ltem   | Colours      | Length | Format | PU       |  |
|--------|--------------|--------|--------|----------|--|
| 626 00 | 08 aluminium | 132 cm | A0     | 1 pc(s). |  |
| 626 10 | 08 aluminium | 100 cm | A1     | 1 pc(s). |  |

# Magnet clip V

- Made in Germany, guarantee 3 years
- With magnetic snapping mechanism

- themselves and stay closed
- clips



# Roller clip V

- Made in Germany, guarantee 3 years

Lift the roll to withdraw the documents











full size



# Sliding magnetic clips: for extension of swivel arms Clever: large documents can be affixed by one person

• The way it goes: open clips (automatically stay open) enter documents and clips snap shut

· Magnetic clips lacquered on the inside to avoid rupture when pulling documents from closed

• Practical: integrated hook which can be used to hang up keys or pictures

| Size       | Pieces/PU | PU     |
|------------|-----------|--------|
| 3,6 x 4 cm | 10 pcs.   | 1 ctn. |

#### • Sliding roller clips: for swivel arms, wall rail and rollerclip wall rail • With roller snapping mechanism, even holds thicker documents · Clever: large documents can be affixed by one person

• The way it goes: documents only have to be pushed into the clips and they roll shut themselves.

• Practical: Integrated hook which can be used to hang up keys or pictures

| ltem   | Colours | Size         | Pieces/PU | PU     |  |
|--------|---------|--------------|-----------|--------|--|
| 625 20 | 84 grey | 3,3 x 3,8 cm | 10 pcs.   | 1 ctn. |  |

| rticle                                   | Page            |
|--|-----------------|
| -BOARD                                   | 87              |
| -Board MAULpublic                        | 87              |
| ccessories for A-Board                   | 87              |
| ccessories for boards                    | 83              |
| ccessories for flipcharts                | 65 <b>-</b> 66  |
| ccessories for mobile information boards | 82              |
| CCESSORIES FOR PRESENTATIONS             | 64–67           |
| ccessories for whiteboard                | 65              |
| ccessories presenter                     | <b>136, 147</b> |
| ccessory set                             | 50              |
| ccessory set, cardboard box              | 64              |
| ccessory set, plastic box                | 64              |
| cessory set, cardboard box, basic        | 64              |
| lastic coat hanger                       | 117             |
| crylic pen holder                        | 65              |
| dvertising board                         |                 |
| luminium information ledge, magnetic     | 138             |
| luminium wall clip MAULgrip              | 138             |
| luminium wall clip, self-adhesive        | 137             |
| oard 21-                                 | 39, 43-47       |
| oard cleaner                             | 66–67           |
| oard marker                              |                 |
| oard wiper                               | 67              |
| oard wiper with marker S                 | 66              |
| oard wiper, non-woven                    | 67              |
| halkboard with wooden frame              | 39              |
| lamping rail MAULballfix, aluminium      | 139             |
| lamping rail MAULballfix, plastic        | 140             |
| leaner                                   | 66              |
| leaning set                              |                 |
| lip wall rail MAULexpress, self-adhesive | 139             |
| oat rack MAULaura                        | 115             |
| oat rack MAULcaligo                      | 111             |
| oat rack MAULcalima                      |                 |
| oat rack MAULcaurus                      | 114             |
| oat rack MAULgrando                      | 113             |
| oat rack MAULnebula                      |                 |
| oat rack MAULnubis                       |                 |
| oat rack MAULsalsa                       |                 |
| oat rack MAULventus                      | 114             |
| OAT RACKS                                |                 |
| oat stand MAULbolero                     |                 |
| oat stand MAULlimbo                      |                 |
| oat stand MAULsamba                      |                 |
| ombiboard MAULstandard                   |                 |
| opy holder universal with double arm and |                 |
| opy notuer universat with doubte ann and |                 |
| OPY HOLDERS                              |                 |
|  |                 |

| Article                                    | Page /           | Arti |
|--|------------------|------|
| Document holder                            | <b>131</b> M     | Mag  |
| Door flipchart                             | <b>59</b> N      | Mag  |
| Double hook magnet caroussel               | <b>103</b> M     | Mag  |
| Easel                                      | <b>52–63</b> N   | Mag  |
| Endless whiteboard MAULpro, coated stee    | el <b>26</b> M   | Mag  |
| Endless whiteboards MAULpro, enamel        | <b>27</b> M      | Mag  |
| Eraser                                     | <b>67</b> M      | Mag  |
| Ergonomic footrest MAULpro                 | <b>129</b> M     | Mag  |
| Ergonomic footrest MAULpro, convenient     | <b>129</b> M     | Mag  |
| Ergonomic footrest with heating MAULpro    | <b>129</b> M     | Mag  |
| Ergonomic table lectern                    | <b>125</b> M     | Mag  |
| Extension rod                              | <b>58</b> M      | MAG  |
| Facetted edge magnet MAULpro               | <b>91</b> M      | Иар  |
| Facetted edge magnet MAULpro, self-servi   | ce packaging     | Mark |
|  | <b>92</b> M      | MAL  |
| Flipchart marker                           | <b>65</b> M      | MAL  |
| Flipchart MAULoffice, four-legged          | <b>57</b> M      | Men  |
| Flipchart MAULoffice, four-legged, white . | <b>56</b> M      | Neta |
| Flipchart MAULoffice, round base           | <b>58</b> M      | Neta |
| Flipchart MAULoffice, star base            | <b>59</b> N      | Neta |
| Flipchart MAULoffice, wall                 | <b>59</b> N      | Meta |
| Flipchart MAULpro, four-legged             | 53 .             |      |
| Flipchart MAULpro, round base flip2use     | <b>54</b> N      | Neta |
| Flipchart MAULsolid, round base            | <b>61</b> M      | Veta |
| Flipchart MAULsolid, round base flip2use   | 55 .             |      |
| Flipchart MAULsolid, three-legged          | <b>61</b> M      | Meta |
| Flipchart MAULstandard, star base          | <b>62</b> M      | Nob  |
| Flipchart MAULstandard, three-legged       | 63 .             |      |
| Flipchart MAULstandard, three-legged plu   | ıs <b>62</b> M   | Nob  |
| Flipchart pad                              |                  | Nob  |
| Flipchart pad holder                       | <b>26</b> N      | Nob  |
| Flipchart starter set                      |                  |      |
| FLIPCHARTS                                 | <b>52–63</b> M   | Nob  |
| Footrest MAULsolid, rubberized             | <b>130</b> M     | Nob  |
| Footrest MAULstandard, nubby               | <b>130</b> M     | Nob  |
| FOOTRESTS                                  | <b>129–130</b> M | Nob  |
| Headlines strips                           |                  | Nob  |
| High table                                 | <b>126</b> N     | Nob  |
| Hook magnet caroussel                      | <b>100</b> M     | Nob  |
| Industrial magnet                          | <b>94</b> N      | Nob  |
| Info boards                                | 59               |      |
| Info cabinet                               | <b>84–85</b> M   | Nob  |
| Infoboards                                 | <b>52–63</b> M   | Nob  |
| INFORMATION BOARDS                         | 68–74            |      |
| Information rail design MAULpro            | <b>140</b> M     | Nob  |
| INFORMATION RAILS                          | <b>134–143</b> M | Nob  |
| Large hook magnet                          | 103              |      |
| Large power magnetic knob, coat hook       | <b>100</b> M     | Nod  |
| Lectern                                    | <b>124–125</b> M | Nod  |
|  |                  |      |

| rticle  | Page    |
|---|---------|
| lagnet clip V   | 147     |
| lagnet MAULsolid  | 93      |
| lagnet MAULsolid, self-service packaging  | 93      |
| lagnetic accessories <b>50–5</b>  | 51, 90  |
| lagnetic clip S   | 136     |
| lagnetic labels   | 90      |
| lagnetic ledge141   | -142    |
| lagnetic sheets, writeable  | 51      |
| lagnetic strips50   | ), 143  |
| lagnetic symbols  | 51      |
| lagnetic tape, self-adhesive  | 90      |
| IAGNETS   | 8-103   |
| lap pins  | 82      |
| larker  |         |
| IAULboard stand version   |         |
| IAULBOARDS  | 128     |
| lenu board  |         |
| letal coat hanger   |         |
| letal ledge MAULnail-up   |         |
| letal ledge MAULsolid, self-adhesive  |         |
| letal ledge MAULsolid, stainless steel, self-adh  | esive   |
| ·····   |         |
| letal ledge MAULstandard, self-adhesive   | 142     |
| letal ledge MAULstandard, self-adhesive, with ma  | agnets  |
|   | 142     |
| letal strip, self-adhesive  | 143     |
| lobile board MAULstandard, revolve, coated ste  |         |
| lobile board MAULstandard, revolve, enamel  |         |
| lobile folding board MAULpro, coated steel  |         |
| lobile folding board MAULstandard, coated stee  |         |
|   |         |
| lobile information board MAULsolid, foldable  |         |
| lobile information board MAULpro  |         |
| lobile information board MAULpro, folding   |         |
| lobile information board MAULpro, rotaing   |         |
| lobile information board MAULstandard   |         |
|   |         |
| lobile presenter  |         |
| lobile whiteboard 2000 MAULpro, coated steel<br>lobile whiteboard MAULpro easy2move, coated |         |
| iobile whiteboard MAULpro easy2move, coatec   |         |
| lobile whiteboard MAULpro, fixed, coated steel  |         |
| obile whiteboard MAULpro, revolve, coated ste   |         |
|   |         |
| lobile whiteboard MAULpro, revolve, enamel  |         |
| lobile whiteboard MAULsolid easy2move, coated   | d steel |
|   |         |
| loderation accessories7   |         |
| loderation kit7   | 76-78   |

| Article                                       | Page          | Article   |
|---|---------------|---|
| loderation starter kit                        | <b>78</b>     | Projector trolley MAULpro                         |
| Monthly-/Yearly planner MAULstandard          | 48            | Projector trolley MAULpro with side shelf         |
| Multi-function clamping rail MAULpro, alum    | inium         | Rail  |
|   | 134           | Replacement sheets                                |
| Name badges                                   | 82-83         | Rewritable marking tape, magnetic                 |
| Name label                                    | 83            | Roller clip S                                     |
| Neodymium ball magnet                         |               | Roller clip V                                     |
| Neodymium bar magnet                          | 100           | Roller clip wall rail                             |
| Neodymium cone magnet                         |               | Round stickers                                    |
| Neodymium cube magnet                         |               | Sandwich board                                    |
| Neodymium disc magnet                         |               | Seminar accessories MAULselect                    |
| Neodymium disc magnet, silicone               |               | Seminar accessories set                           |
| Neodymium hook magnet carousel, coat hoc      | ok <b>101</b> | Seminar case MAULpro compact                      |
| Neodymium magnet with hook for clothes        | 102           | Seminar case MAULpro confident                    |
| Neodymium magnet, easy grip bar               | 97            | Seminar case MAULpro, refill                      |
| Neodymium power magnet, self-service pack     | kaging        | Seminar case MAULstarter                          |
|   | 97            | SEMINAR CASES AND ACCESSORIES                     |
| Neodymium ring magnet                         |               | Seminar trolley MAULpro advanced                  |
| Neodymium silicone ball magnet                | 95            | Set of wheels                                     |
| Neodymium silicone disc magnet                |               | Shelves   |
| Notice boards 42-5                            | i0, 68-74     | SHOW CASES  |
| OVERVIEW FLIPCHARTS                           | 63            | Showcase MAULexcite                               |
| OVERVIEW INFORMATION BOARDS                   |               | Showcase MAULextraslim                            |
| OVERVIEW MAGNETS                              | 104-105       | Side table  |
| OVERVIEW PINBOARDS                            | 47            | Small whiteboard, coated steel, self-service pack |
| OVERVIEW SEMINAR CASES                        |               |   |
| OVERVIEW WHITEBOARDS                          | 40-41         | Snap Frame  |
| Paper cards                                   | 80-82         | Snap frame MAULstandard                           |
| Pinboard 2000 MAULpro, cork                   | 43            | SNAP FRAMES                                       |
| Pinboard 2000 MAULpro, structure              | 44            | Spherical magnet                                  |
| Pinboard 2000 MAULpro, textile                | 44            | Starter kit                                       |
| Pinboard MAULstandard, cork                   | 45            | Swivel arm for presenter                          |
| Pinboard MAULstandard, self-service packag    | ing <b>45</b> | Swivel arm wall rail                              |
| Pinboard MAULstandard, textile                | 46            | Table presenter                                   |
| Pinboard with wooden frame                    | 47            | Telephone arm classic                             |
| PINBOARDS                                     | 42-47         | Telephone arm elegant                             |
| PLANNING BOARDS                               | 48-51         | Telephone arm elegant with wall-mounting          |
| Poster frame                                  |               | Telephone arm with multifunctional platform       |
| Power magnet with hook                        | 102           | TELEPHONE ARMS 132                                |
| Presentaion cards, rectangular                | 80            | Telescopic ball pen                               |
| Presentation cards, cloud                     | 82            | Universal planner MAULstandard                    |
| Presentation cards, oval                      | 81            | UNIVERSAL STANDS 124                              |
| Presentation cards, person                    | 81            | Wall and table clock MAULflow, digital, RC        |
| Presentation cards, round                     | 80            | Wall clock MAULclimb, RC                          |
| Presentation cards, thumb                     | 81            | Wall clock MAULdrive, RC                          |
| Presenter                                     | 137-146       | Wall clock MAULfly, RC                            |
| PRESENTER AND ACCESSORIES                     | 144-147       | Wall clock MAULjump, RC                           |
| Professional monitor lectern with flat screen | arm           | Wall clock MAULmove, RC                           |
|   |               | Wall clock MAULpilot, RC                          |

| 127         Wall clock MAULrun, RC/quartz           127         Wall clock MAULstep, RC/quartz           34–143         WALL CLOCKS | 122<br>18-123<br>59<br>146 |
|---|----------------------------|
|   | 18–123<br>59<br>146        |
| <b>34–143</b> WALL CLOCKS 1   | 59<br>146                  |
|   | 146                        |
| 87 Wall flipchart   |                            |
|   | 20-20                      |
| 136 Whiteboard  | . 20-39                    |
| 147 Whiteboard 2000 MAULpro, coated steel   | 22                         |
| 135 Whiteboard 2000 MAULpro, coated steel, comp   | olete-set                  |
|   | 24                         |
|   | er <b>25</b>               |
|   | 23                         |
| 80 Whiteboard 2000 MAULpro, white, coated stee  | el <b>25</b>               |
| 77 Whiteboard cleaner   | 66                         |
|   | eel <b>28</b>              |
| 78 Whiteboard folding board MAULstandard, coat  | ed steel                   |
|   | 36                         |
| 76-83 Whiteboard MAULstandard, coated steel   | 33                         |
|   |                            |
| <b>71</b> Whiteboard MAULstandard, grid 10 x 10 mm .  | 35                         |
| 128 Whiteboard MAULstandard, grid 20 x 20 mm .  | 35                         |
| 84-85 WHITEBOARDS   | 20-39                      |
|   | 66-67                      |
| 85 Wooden coat hanger   | 117                        |
| <b>126</b> Writing board <b>52–55</b> ,   | 59-63                      |
| ckaging Yearly planer MAULstandard 14 months  | 49                         |
| <b>39</b> Yearly planer MAULstandard 2x6 months   |                            |
| 87 Yearly planner MAULstandard  |                            |

| 1                            |        |
|------------------------------|--------|
| 5                            |        |
| tape, magnetic               |        |
|                              |        |
|                              |        |
|                              |        |
|                              |        |
|                              |        |
| MAULselect                   |        |
| 5 set                        |        |
| pro compact                  |        |
| pro confident                |        |
| pro, refill                  |        |
| starter                      |        |
| ND ACCESSORIES               |        |
| ULpro advanced               |        |
|                              |        |
|                              |        |
|                              |        |
| raslim                       |        |
|                              |        |
| oated steel, self-service pa |        |
|                              |        |
|                              |        |
| tandard                      |        |
|                              |        |
|                              | 92     |
|                              | 64     |
| enter                        |        |
| l                            | 135    |
|                              | 145    |
| sic                          | 132    |
| gant                         | 133    |
| gant with wall-mounting      | 133    |
| n multifunctional platform . | 132    |
| 1                            | 32-133 |
|                              | 83     |
| IAULstandard                 |        |
| S 1                          |        |
| k MAULflow, digital, RC      |        |
| mb, RC                       |        |
| ive, RC                      |        |
| r, RC                        |        |
| mp, RC                       | 122    |

. 120

... 119

| Article          | Page      | Article          | Page       | Article          | Page     | Article          | Page     | Article          | Page     | Article          | e Page   | Article          | Page       |
|------------------|-----------|------------------|------------|------------------|----------|------------------|----------|------------------|----------|------------------|----------|------------------|------------|
| 252 30           | 39        | 617 61           | 91         | 625 20           | 147      | 633 96           | 21       | 639 40           | 80       | 646 30           | 34       | 830 42           | 132        |
| 252 40           | 39        | 617 62           | 92         | 625 30           | 146      | 636 31           | 74       | 639 41           | 80       | 646 34           | 34       | 831 32           | 133        |
| 252 60           | 39        | 617 71           | 91         | 625 50           | 145      | 636 32           | 74       | 639 43           | 80       | 646 36           | 34       | 831 35           | 133        |
| 252 61           | 39        | 617 72           | 92         | 625 60           | 144      | 636 33           | 74       | 639 44           | 80       | 646 38           | 34       | 831 50           | 132        |
| 270 30           | 47        | 617 81           | 91         | 626 00           | 147      | 636 34           | 74       | 639 46           | 80       | 646 40           | 34       | 901 15           | 130        |
| 270 40           | 47        | 617 91           | 91         | 626 10           | 147      | 636 35           | 74       | 639 47           | 80       | 646 42           | 34       | 901 25           | 130        |
| 270 60           | 47        | 618 05           | 98         | 626 30           | 147      | 636 52           | 73       | 639 49           | 80       | 646 46           | 34       | 902 20           | 129        |
| 270 61           | 47        | 618 06           | 98         | 628 12           | 39       | 636 54           | 73       | 639 50           | 80       | 646 50           | 35       | 902 25           | 129        |
| 270 81<br>280 65 | 47<br>82  | 618 07<br>618 08 | 98         | 628 14<br>629 34 | 39       | 636 56<br>636 58 | 73       | 639 52<br>639 53 | 81<br>81 | 646 52<br>646 54 | 35<br>35 | 902 50<br>905 25 | 129<br>123 |
| 280 03<br>615 48 | 02<br>100 | 618 09           | 98<br>98   | 629 35           | 44<br>43 | 636 59           | 73<br>73 | 639 56           | 81       | 646 56           | 35       | 905 25           | 123        |
| 615 49           | 100       | 618 10           | 98         | 629 38           | 44       | 636 60           | 73       | 639 57           | 82       | 646 58           | 35       | 905 30           | 123        |
| 615 50           | 100       | 618 13           | 98         | 629 44           | 44       | 636 62           | 73       | 639 58           | 82       | 646 60           | 35       | 905 31           | 122        |
| 615 51           | 101       | 618 14           | 98         | 629 45           | 43       | 636 64           | 73       | 639 59           | 82       | 646 62           | 50       | 905 34           | 122        |
| 615 54           | 102       | 618 18           | 98         | 629 48           | 44       | 636 66           | 73       | 639 60           | 78       | 646 63           | 48       | 905 35           | 122        |
| 615 55           | 103       | 618 19           | 98         | 629 54           | 44       | 636 68           | 73       | 639 61           | 78       | 646 64           | 48       | 905 40           | 122        |
| 615 56           | 101       | 618 20           | 98         | 629 55           | 43       | 636 69           | 73       | 639 62           | 80       | 646 65           | 48       | 905 48           | 121        |
| 615 57           | 100       | 618 21           | 98         | 629 58           | 44       | 637 06           | 55       | 639 64           | 78       | 646 66           | 49       | 905 90           | 121        |
| 615 59           | 103       | 618 22           | 98         | 629 64           | 44       | 637 08           | 54       | 639 81           | 83       | 646 67           | 49       | 906 30           | 120        |
| 615 60           | 101       | 618 23           | 98         | 629 65           | 43       | 637 10           | 29       | 639 92           | 76       | 651 36           | 50       | 906 31           | 120        |
| 615 61           | 90        | 618 24           | 98         | 629 68           | 44       | 637 16           | 63       | 639 94           | 77       | 651 83           | 83       | 906 33           | 119        |
| 615 63           | 90        | 618 25           | 98         | 630 10           | 22       | 637 20           | 63       | 639 98           | 77       | 651 98           | 90       | 906 34           | 119        |
| 615 65<br>615 67 | 90<br>90  | 618 26<br>618 28 | 98<br>98   | 630 16<br>630 17 | 22<br>23 | 637 22<br>637 24 | 62<br>61 | 644 14<br>644 18 | 45<br>45 | 652 01<br>652 03 | 50<br>50 | 908 28<br>930 10 | 123<br>125 |
| 615 72           | 90        | 618 29           | 98         | 630 28           | 23       | 637 26           | 62       | 644 22           | 45       | 652 05           | 50       | 930 10           | 125        |
| 615 74           | 90        | 618 30           | 98         | 630 29           | 23       | 637 28           | 61       | 644 26           | 45       | 652 07           | 50       | 930 40           | 125        |
| 615 76           | 90        | 618 32           | 98         | 630 40           | 22       | 637 40           | 57       | 644 30           | 45       | 652 31           | 89       | 930 41           | 125        |
| 615 78           | 102       | 618 40           | 99         | 630 41           | 23       | 637 42           | 56       | 644 38           | 46       | 652 33           | 89       | 931 70           | 124        |
| 615 80           | 102       | 618 41           | 99         | 630 46           | 22       | 637 48           | 59       | 644 42           | 46       | 652 35           | 89       | 932 30           | 126        |
| 615 90           | 102       | 618 43           | 99         | 630 47           | 23       | 637 50           | 58       | 644 50           | 46       | 652 37           | 89       | 932 31           | 126        |
| 616 12           | 94        | 618 50           | 97         | 630 51           | 22       | 637 55           | 59       | 644 54           | 47       | 652 39           | 89       | 933 10           | 126        |
| 616 15           | 93        | 618 51           | 97         | 630 52           | 23       | 637 59           | 58       | 644 56           | 47       | 652 41           | 89       | 933 29           | 127        |
| 616 20           | 93        | 618 52           | 97         | 630 53           | 22       | 637 70           | 53       | 644 58           | 47       | 652 43           | 89       | 933 30           | 127        |
| 616 24           | 93        | 618 53           | 97         | 630 54           | 23       | 638 01           | 69       | 644 64           | 45       | 652 45           | 89       | 933 31           | 127        |
| 616 32           | 93        | 620 30           | 141        | 630 55           | 22       | 638 02           | 71       | 644 68           | 45       | 652 47           | 89       | 940 55           | 115        |
| 616 39           | 93        | 620 40           | 141        | 630 56           | 23       | 638 03           | 69<br>60 | 644 70           | 45       | 652 49           | 89       | 940 60           | 113        |
| 616 50<br>616 52 | 93<br>93  | 620 50<br>620 60 | 141<br>142 | 630 58<br>630 59 | 22       | 638 04<br>638 05 | 69<br>69 | 645 10<br>645 14 | 33<br>33 | 652 61<br>653 11 | 51<br>51 | 940 62<br>940 64 | 114<br>113 |
| 616 54           | 93        | 620 62           | 142        | 630 66           | 23<br>25 | 638 06           | 71       | 645 18           | 33       | 653 14           | 51       | 940 65           | 113        |
| 616 56           | 93        | 620 62           | 141        | 630 68           | 25       | 638 07           | 71       | 645 22           | 33       | 653 17           | 51       | 940 70           | 112        |
| 616 58           | 93        | 620 70           | 142        | 630 85           | 22       | 638 09           | 70       | 645 26           | 33       | 653 21           | 51       | 940 77           | 112        |
| 616 60           | 92        | 620 72           | 142        | 630 92           | 24       | 638 11           | 70       | 645 30           | 33       | 653 24           | 51       | 940 78           | 111        |
| 616 61           | 98        | 620 76           | 141        | 630 95           | 24       | 638 12           | 69       | 645 34           | 33       | 660 40           | 86       | 940 80           | 111        |
| 616 63           | 98        | 621 00           | 143        | 631 23           | 25       | 638 13           | 71       | 645 36           | 33       | 660 41           | 86       | 942 11           | 116        |
| 616 64           | 95        | 621 01           | 143        | 631 24           | 25       | 638 19           | 69       | 645 38           | 33       | 660 42           | 86       | 942 41           | 115        |
| 616 66           | 95        | 621 05           | 143        | 631 28           | 25       | 638 25           | 65       | 645 40           | 33       | 660 43           | 86       | 942 44           | 116        |
| 616 68           | 98        | 621 10           | 143        | 633 46           | 27       | 638 27           | 65       | 645 42           | 33       | 660 44           | 86       | 945 15           | 117        |
| 616 71           | 98        | 621 20           | 143        | 633 47           | 27       | 638 37           | 65       | 645 46           | 33       | 663 10           | 87       | 945 20           | 117        |
| 616 74<br>616 75 | 99<br>95  | 624 00<br>624 10 | 136<br>136 | 633 48<br>633 49 | 27       | 638 38<br>638 39 | 65<br>65 | 645 52<br>645 54 | 32       | 663 11<br>663 12 | 87<br>87 | 945 33           | 117        |
| 616 76           | 95        | 624 31           | 135        | 633 51           | 27<br>26 | 638 52           | 67       | 645 79           | 32<br>36 | 663 80           | 87       |                  |            |
| 616 83           | 99        | 624 41           | 139        | 633 52           | 26       | 638 53           | 67       | 645 80           | 36       | 663 81           | 87       |                  |            |
| 616 84           | 96        | 624 42           | 139        | 633 53           | 26       | 638 54           | 67       | 645 82           | 36       | 663 82           | 87       |                  |            |
| 616 85           | 96        | 624 44           | 140        | 633 54           | 26       | 638 58           | 65       | 645 85           | 38       | 665 34           | 84       |                  |            |
| 616 86           | 96        | 624 45           | 140        | 633 55           | 29       | 638 59           | 64       | 645 86           | 38       | 665 36           | 84       |                  |            |
| 616 87           | 96        | 624 55           | 139        | 633 56           | 29       | 638 60           | 64       | 645 92           | 37       | 665 39           | 84       |                  |            |
| 616 88           | 96        | 624 56           | 139        | 633 57           | 29       | 638 61           | 64       | 645 93           | 37       | 665 42           | 84       |                  |            |
| 616 89           | 96        | 624 58           | 138        | 633 58           | 29       | 638 62           | 66       | 645 94           | 37       | 665 44           | 84       |                  |            |
| 616 90           | 100       | 624 62           | 137        | 633 61           | 30       | 638 64           | 67       | 645 95           | 37       | 682 01           | 85       |                  |            |
| 616 92           | 99        | 624 63           | 137        | 633 62           | 30       | 638 66           | 67       | 645 96           | 37       | 682 02           | 85       |                  |            |
| 616 93           | 99        | 624 64           | 137        | 633 63           | 30       | 638 68           | 66<br>71 | 646 02           | 37       | 682 03           | 85       |                  |            |
| 616 94<br>617 07 | 99<br>07  | 624 65<br>624 66 | 137        | 633 64<br>622 65 | 30       | 638 71           | 71       | 646 03           | 37<br>27 | 682 04           | 85       |                  |            |
| 617 07<br>617 08 | 97<br>97  | 624 66<br>624 69 | 137<br>137 | 633 65<br>633 66 | 30       | 638 73<br>638 78 | 26       | 646 04<br>646 05 | 37<br>27 | 682 06<br>682 08 | 85       |                  |            |
| 617 08           | 97<br>97  | 624 69           | 137        | 633 66           | 30<br>30 | 638 80           | 66<br>66 | 646 05           | 37<br>37 | 682 09           | 85<br>85 |                  |            |
| 617 10           | 97        | 624 82           | 134        | 633 70           | 28       | 638 84           | 65       | 646 10           | 34       | 682 12           | 85       |                  |            |
| 617 23           | 94        | 624 84           | 134        | 633 72           | 28       | 639 20           | 81       | 646 14           | 34       | 800 28           | 128      |                  |            |
| 617 33           | 94        | 625 00           | 140        | 633 81           | 31       | 639 33           | 82       | 646 18           | 34       | 800 30           | 128      |                  |            |
| 617 51           | 91        | 625 10           | 135        | 633 84           | 30       | 639 36           | 82       | 646 22           | 34       | 813 22           | 131      |                  |            |
| 617 52           | 92        | 625 11           | 135        | 633 94           | 21       | 639 38           | 81       | 646 26           | 34       | 813 24           | 131      |                  |            |
|                  |           |                  |            |                  |          |                  |          |                  |          |                  |          |                  |            |

# » OUR SYMBOLS

In order to understand the special advantages of our products at a glance you can find the symbols by the item. An additional explanation can be found here: :





# **»TOMORROW'S WORLD OF WORK**

# »CONCENTRATION / EFFICIENCY

The workspace is becoming a retreat for tasks that require lengthy periods of concentration. This is a peaceful environment where your stress level falls and you can work in a shielded setting without any distractions. In the case of flexible workplaces, dividing walls provide privacy. Quiet spaces and "think" spaces are used for relaxation, while also facilitating concentrated work on an individual basis. Phone calls are made from sound-insulated audio rooms where 100% silence is guaranteed. Flexible working hours and locations free up office space. Fewer mistakes are made; efficiency and productivity increase.

# CREATIVITY / COMMUNICATION

The office of tomorrow is more than just a workplace; it's a place for meeting and interacting. People meet up face-to-face to discuss ideas or findings. This communication culture facilitates creativity and rapid knowledge transfer. There need to be spaces large enough to cater for teamwork. In "smart" meeting areas, information flows faster; in work & play zones, new solutions can be developed in a fun way. Mobile presentation tools that can be adapted to the size of the team provide assistance with creative techniques. Everything is in flux.

# WORK-LIFE **INTEGRATION**

The boundaries between work and home are disappearing; professional and private lives are merging due to digitisation. There is a desire for feel-good surroundings that generate satisfaction and maintain health. Ergonomics are not only important in the office, but in all areas of life. Movement is being encouraged; sport and play areas are being created along with recreation zones and relaxation oases. There, in contrast to the work areas, the emphasis is on de-digitisation. Biophilic design is an ongoing trend: connectivity with nature via plants and other it's time for a break, you can enjoy some natural elements facilitates well-being and improves air quality.

# MOBILITY / FLEXIBILITY

Working when and where you want. Data and information come from the cloud and can be accessed anywhere via mobile devices. This means you're free to choose where you want to work, depending on your personal situation and the tasks on hand. It may mean working in co-working spaces or from home, and desk-sharing at the office the next day. Alternatively, you may find yourself doing concentrated tasks in "privacy areas" and attending a meeting in the "creative center" an hour later. When relaxing music in the "quiet room" before preparing for the next meeting on a train or plane.



A shielded setting is the key to concentrated work. Mobile moderation boards provide the necessary privacy. At the same time, the various different surfaces can be used for visualising information. Another factor to consider is ergonomics, as body posture is mostly static in the case of focused activities; you don't move about a great deal. Therefore furniture that can be adapted to the user, such as height-adjustable desks, are important. Footrests are helpful if the desk height is unsuitable. There is also a need for lamps that can be adapted easily to movements of the desk and provide direct illumination of the workstation. The best option is variable lighting intensity and colour temperature to cater for every task.

# »WORK-LIFE INTEGRATION

This is where we appeal to the senses, as the working environment should be attractive, sustainable and comfortable. Products manufactured in Germany using low-emission methods satisfy the need to save resources. Memo boards and clipboards made from natural materials such as cork or wood also meet the need for sustainability. An attractive wall clock or coloured accessories, for example the new colours from #colourmywork, provide personal touches. Heated ergonomic footrests and standing-height tables improve physical comfort and help you stay healthy. The same applies to lamps with alternating light colours. They provide sufficient illumination for focused work and warm white light for meetings or relaxing breaks.



# **»CREATIVITY** COMMUNICATION

The business world is calling for products that are hard-wearing and thus meet the demands of ever-changing teams. Sturdy frames, durable materials and robust mount fittings withstand intensive use and even the most boisterous of creative thinkers. For large rooms, boards measuring up to 3 metres in width are ideal. Double-sided mobile boards with rotating panels and flipcharts are easy to roll around. Suitable for writing, drawing and clamping and usable with magnets, post-it stickers and flipchart pads - good boards are genuine all-rounders when it comes to creativity. If you're short of desk space, a standing-height table is helpful; another option for individual workers is a clipboard: the smallest flexible work surface available.





A highly dynamic work situation calls for tools that are adjustable, both to the task on hand and, above all, to the people – products that you can easily take with you or move around. Rolling panels and boards allow you to create flexible working areas and meeting zones, while also serving as an information medium. Movable, height-adjustable standing tables provide additional desk space as well as a surface on which to place miscellaneous items at meetings; moreover, they also ensure an ergonomic posture. Other helpful accessories include lamps that complement room lighting, provide direct illumination of the work surface and adapt to every movement of the table, or cable-free lamps that fit in your pocket. Equally useful are clipboards that can serve as a substitute for a table.













# » VISIT US ON www.maul.uk



**OFML product data.** You will also find details on our 3D data on www.maul.uk.

All details at once. With the 360° function you can look at many products from all sides.



Always up to date. In the download area you will always find the latest catalogues and advertising material.

# » WE ARE AT YOUR DISPOSAL:



Tel.: +49 6063 502 270 export@maul.de www.maul.uk



https://www.instagram.com/maulgmbh/



#### Jakob Maul GmbH

Jakob-Maul-Straße 17 D-64732 Bad König-Zell export@maul.de www.maul.uk

bbn 4002390 ILN 40 02390 00000 0 WEEE Register No DE56172171 Art. No. 1100209.P226



Jakob Maul GmbH A manufacturing site's investment in improving energy and production efficiency

have been supported by the European Union through the European Regional Development Fund and the State of Rhineland-Palatinate.



