Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	MAUL
--------------------------------	------

Supplier's address: Jakob Maul GmbH, Jakob-Maul-Str. 17 D-64732 Bad König

Model identifier: 8201509.200

T	- 6	10 - 1- 1		
IVna	α T	IIσnt	source:	,
IVDC	vı	HEILL	Jourte.	

Type of light source:				
Lighting technol	logy used:	LED	Non-directional or directional:	NDLS
Light source cap	o-type	Leiterplatten		
(or other electri	c interface)	Anschlussklemmen		
Mains or non-m	ains:	NMLS	Connected light	No
			source (CLS):	
Colour-tuneable	e light source:	No	Envelope:	-
High luminance		No		
Anti-glare shield	d:	No	Dimmable:	Yes
		Product paran	neters	
Parameter		Value	Parameter	Value
		General product pa	arameters:	
Energy consur	•	6	Energy efficiency	F
•	00 h), rounded		class	
up to the neare		504:-	Carrelated and a	2000 6500
Useful luminous flux (фuse), indicating if it refers to the flux		594 in Sphere (360°)	Correlated colour temperature,	30006500
in a sphere (360°), in a wide		Spriere (300)	rounded to the	
·	cone (120º) or in a narrow cone		nearest 100 K,	
(90º)	•		or the range of	
			correlated colour	
			temperatures,	
			rounded to the nearest 100 K, that	
			can be set	
On-mode p	ower (P _{on}),	5,3	Standby power (P _{sb}),	0,00
	expressed in W		expressed in W	0,00
			and rounded to the	
			second decimal	
Networked standby power (P _{net})		-	Colour rendering	82
for CLS, expressed in W and			index, rounded to	
rounded to the second decimal			the nearest integer,	
			or the range of CRI- values that can be	
			set	
Outer	Height	289	Spectral power	See image
dimensions	Width	14	distribution in the	in last page
without	Depth	3		

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load			
Claim of equivalent power ^(a)	Yes	If yes, equivalent power (W)	47		
		Chromaticity	0,434		
		coordinates (x and y)	0,403		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	0	Survival factor	1,00		
the lumen maintenance factor	0,95				

(a)'-': not applicable; (b)'-': not applicable;

